

Appendix B1. Taxonomic list of amphibians and reptiles occurring in South Florida.

* indicates a non-native species.

ORDER ANURA - Frogs and toads

FAMILY BUFONIDAE (True toads)

- **Bufo marinus*, giant (marine) toad
- Bufo quercicus*, oak toad
- Bufo terrestris*, southern toad

FAMILY HYLIDAE (Tree frogs)

- Acris gryllus dorsalis*, Florida cricket frog
- **Eleutherodactylus coqui*, coqui
- **Eleutherodactylus planirostris planirostris*, greenhouse frog
- Hyla cinerea*, green treefrog
- Hyla femoralis*, pinewoods treefrog
- Hyla gratiosa*, barking treefrog
- Hyla squirella*, squirrel treefrog
- **Osteopilus septentrionalis*, Cuban treefrog
- Pseudacris crucifer bartramiana*, southern spring peeper
- Pseudacris nigrita verrucosa*, Florida chorus frog
- Pseudacris ocularis*, little grass frog

FAMILY MICROHYLIDAE (Narrowmouth toads)

- Gastrophryne carolinensis*, eastern narrowmouth toad

FAMILY PELOBATIDAE (Spadefoot toads)

- Scaphiopus holbrookii holbrookii*, eastern spadefoot toad

FAMILY RANIDAE (True frogs)

- Rana capito aesopus*, Florida gopher frog
- Rana catesbeiana*, bullfrog
- Rana grylio*, pig frog
- Rana sphenocephala*, southern leopard frog

ORDER CORDATA - Salamanders

FAMILY AMBYSTOMIDAE (Mole salamanders)

- Ambystoma tigrinum tigrinum*, eastern tiger salamander

FAMILY AMPHIUMIDAE (Amphiumas)

- Amphiuma means*, two-toed amphiuma

FAMILY PLETHODONTIDAE (Lungless salamanders)

- Desmognathus apalachicolae*, Apalachicola dusky salamander
- Desmognathus auriculatus*, southern dusky salamander
- Desmognathus fuscus conanti*, spotted dusky salamander
- Eurycea quadridigitata*, dwarf salamander
- Plethodon grobmani*, slimy salamander

FAMILY SALAMANDRIDAE (Newts)

- Notophthalmus perstriatus*, striped newt
- Notophthalmus viridescens piaropiccola*, peninsular newt
- Pseudotriton montanus floridanus*, rusty mud salamander

FAMILY SIRENIDAE (Sirens)

- Pseudobranchus axanthus axanthus*, narrow-striped dwarf siren
- Pseudobranchus axanthus belli*, Everglades dwarf siren
- Pseudobranchus striatus striatus*, broad-striped dwarf siren
- Siren intermedia intermedia*, eastern lesser siren
- Siren lacertina*, greater siren

ORDER CHELONIA - Turtles

FAMILY CHELONIIDAE (Marine turtles)

- Caretta caretta*, loggerhead sea turtle
- Chelonia mydas*, Atlantic green turtle
- Eretmochelys imbricata*, Atlantic hawksbill turtle
- Lepidochelys kempi*, Kemp's ridley

FAMILY CHELYDRIDAE (Snapping turtles)

- Chelydra serpentina osceola*, Florida snapping turtle
- Chelydra serpentina serpentina*, common snapping turtle
- Macrochelys temmincki*, alligator snapping turtle

FAMILY DERMOCHELYIDAE (Leatherback sea turtle)

- Dermochelys coriacea*, leatherback sea turtle

FAMILY EMYDIDAE (Pond and marsh turtles)

- **Chrysemys picta*, painted turtle
- Clemmys guttata*, spotted turtle
- Deirochelys reticularia chrysea*, Florida chicken turtle
- Graptemys ernsti*, Ernst's map turtle
- Malaclemys terrapin centrata*, carolina diamondback terrapin
- Malaclemys terrapin macrospilota*, ornate diamondback terrapin
- Malaclemys terrapin rhizophorarum*, mangrove terrapin
- Malaclemys terrapin tequesta*, Florida east coast terrapin
- Pseudemys concinna concinna*, eastern river cooter
- Pseudemys floridana peninsularis*, peninsula cooter
- Pseudemys nelsoni*, Florida redbelly turtle
- Terrapene carolina bauri*, Florida box turtle
- Terrapene carolina major*, gulf coast box turtle

<i>Trachemys scripta elegans</i> , red-eared slider	<i>Anolis carolinensis</i> , green anole
FAMILY KINOSTERNIDAE (Musk and mud turtles)	* <i>Anolis chlorocyanus</i> , Hispaniolan green anole
<i>Kinosternon bauri</i> , striped mud turtle	* <i>Anolis cristatellus</i> , crested anole
<i>Kinosternon subrubrum steindachneri</i> , Florida mud turtle	* <i>Anolis cybotes</i> , large-headed anole
<i>Sternotherus minor minor</i> , loggerhead musk turtle	* <i>Anolis distichus</i> , bark anole
<i>Sternotherus odoratus</i> , stinkpot; common musk turtle	* <i>Anolis distichus dominicensis</i> , green bark anole
FAMILY TESTUDINIDAE (Tortoises)	* <i>Anolis distichus floridanus</i> , Florida bark anole
<i>Gopherus polyphemus</i> , gopher tortoise	* <i>Anolis equestris</i> , knight anole
FAMILY TRIONYCHIDAE (Soft-shelled turtles)	* <i>Anolis garmani</i> , Jamaican anole
<i>Apalone ferox</i> , Florida softshell	* <i>Anolis sagrei</i> , brown anole
ORDER CROCODILIA - Crocodiles and alligators	* <i>Anolis sagrei ordinatus</i> , Bahaman brown anole
FAMILY ALLIGATORIDAE (alligators)	* <i>Anolis sagrei sagrei</i> , Cuban brown anole
<i>Alligator mississippiensis</i> , American alligator	* <i>Basiliscus vittatus</i> , basilisk lizard
FAMILY CROCODILIDAE (Crocodiles)	* <i>Ctenosaura pectinata</i> , spiny-tailed iguana
*iCaiman crocodilus, common caiman; brown speckled caiman	* <i>Iguana iguana</i> , green iguana
<i>Crocodylus acutus</i> , American crocodile	* <i>Leiocephalus carinatus</i> , northern curly-tailed lizard
ORDER SQUAMATA - Lizards and snakes	* <i>Leiocephalus schreibersi</i> , Hispaniolan curly-tailed lizard
FAMILY AMPHISBAENIA (Ringed lizards)	
<i>Rhineura floridana</i> , Florida worm lizard	
FAMILY ANGUIDAE (Alligator and glass lizards)	
<i>Ophisaurus attenuatus longicaudus</i> , eastern slender glass lizard	FAMILY SCINCIDAE (Skinks)
<i>Ophisaurus compressus</i> , island glass lizard	<i>Eumeces egregius egrecius</i> , Florida Keys mole skink
<i>Ophisaurus ventralis</i> , eastern glass lizard	<i>Eumeces egregius lividus</i> , bluetail mole skink
FAMILY GEKKONIDAE (Geckos)	<i>Eumeces egregius onocrepis</i> , peninsula mole skink
*iGekko gecko, tokay gecko	<i>Eumeces inexpectatus</i> , southeastern five-lined skink
*iGonatodes fuscus, yellow-headed gecko	<i>Eumeces laticeps</i> , broadhead skink
*iHemidactylus frenatus, chichak	<i>Neoseps reynoldsi</i> , sand skink
*iHemidactylus garnotii, Indo-Pacific gecko	<i>Scincella lateralis</i> , ground skink
*iHemidactylus mabouia, house gecko	
*iHemidactylus turcicus, Mediterranean gecko	FAMILY TEIIDAE (Racerunners)
*iSphaerodactylus argus, ocellated gecko	*iAmeiva ameiva, (South American giant) ameiva
*iSphaerodactylus elegans, ashy gecko	*iCnemidophorus lemniscatus, rainbow lizard
<i>Sphaerodactylus notatus notatus</i> , Florida reef gecko	<i>Cnemidophorus sexlineatus</i> , six-lined racerunner
FAMILY PHRYNOSOMATIDAE (Spiny, tree, side-blotched, and horned lizards)	
*iPhrynosoma cornutum, Texas horned lizard	FAMILY COLUBRIDAE (Non-venomous snakes)
<i>Sceloporus undulatus undulatus</i> , Southern fence lizard	<i>Cemophora coccinea coccinea</i> , Florida scarlet snake
<i>Sceloporus woodi</i> , Florida scrub lizard	<i>Coluber constrictor paludicola</i> , Everglades racer
FAMILY POLYCHRIDAE (Anoles)	<i>Coluber constrictor priapus</i> , southern racer
	<i>Diadophis punctatus acricus</i> , Key ringneck snake
	<i>Diadophis punctatus punctatus</i> , southern ringneck snake
	<i>Drymarchon corais couperi</i> , eastern indigo snake
	<i>Elaphe guttata guttata</i> , corn (red rat) snake
	<i>Elaphe guttata rosacea</i> , Keys corn snake
	<i>Elaphe obsoleta quadriplagiata</i> , yellow rat snake
	<i>Elaphe obsoleta rossalleni</i> , Everglades rat snake
	<i>Elaphe obsoleta</i> , Key rat snake
	<i>Farancia abacura abacura</i> , eastern mud snake
	<i>Farancia erythrogramma seminola</i> , South Florida rainbow snake
	<i>Heterodon platirhinos</i> , eastern hognose snake
	<i>Heterodon simus</i> , southern hognose snake

<i>Lampropeltis calligaster rhombomaculata</i> , mole kingsnake	<i>Stilosoma extenuatum</i> , short-tailed snake
<i>Lampropeltis calligaster occipitolineata</i> , South Florida mole kingsnake	<i>Storeria dekayi victa</i> , Florida brown snake
<i>Lampropeltis getula floridana</i> , Florida kingsnake	<i>Tantilla oolitica</i> , rim rock crowned snake
<i>Lampropeltis triangulum elapsoides</i> , scarlet kingsnake	<i>Tantilla relicta pamlica</i> , coastal dunes crowned snake
<i>Masticophis flagellum flagellum</i> , eastern coachwhip	<i>Tantilla relicta relicta</i> , peninsular crowned snake
<i>Nerodia clarkii compressicauda</i> , mangrove saltmarsh snake	<i>Thamnophis sauritus sackenii</i> , peninsula ribbon snake
<i>Nerodia clarkii taeniata</i> , Atlantic saltmarsh snake	<i>Thamnophis sirtalis sirtalis</i> , eastern garter snake
<i>Nerodia fasciata</i> , mangrove banded watersnake	<i>Virginia valeriae valeriae</i> , smooth earth snake
<i>Nerodia fasciata pictiventris</i> , Florida banded watersnake	
<i>Nerodia floridana</i> , Florida green watersnake	FAMILY ELAPIDAE (Coral snakes and cobras)
<i>Nerodia taxispilota</i> , brown watersnake	<i>Micruurus fulvius fulvius</i> , eastern coral snake
<i>Opheodrys aestivus</i> , rough green snake	
<i>Opheodrys aestivus aestivus</i> , rough green snake	FAMILY TYPHLOPIDAE (Blind snakes)
<i>Opheodrys aestivus carinatus</i> , peninsula green snake	* <i>Ramphotyphlops brama</i> , Brahminy blind snake
<i>Pituophis melanoleucus mugitus</i> , Florida pine snake	
<i>Regina alleni</i> , striped crayfish snake	FAMILY VIPERIDAE (Vipers)
<i>Rhadinaea flavilata</i> , pine woods snake	<i>Agkistrodon piscivorus conanti</i> , Florida cottonmouth
<i>Seminatrix pygaea cyclas</i> , South Florida swamp snake	<i>Crotalus adamanteus</i> , eastern diamondback rattlesnake
	<i>Sistrurus miliaris barbouri</i> , dusky pygmy rattlesnake

Sources: Florida Fish and Wildlife Conservation Commission and Florida Museum of Natural History websites.

Appendix B2. Taxonomic list of birds, excluding domestic birds, occurring in South Florida. This list includes species observed infrequently in South Florida. * indicates a non-native species.

ORDER GAVIIFORMES - Loons

FAMILY GAVIIDAE (Loons)

- Gavia immer*, Common loon
- Gavia pacifica*, Pacific loon
- Gavia stellata*, Red-throated loon

ORDER PODICIPEDIFORMES - Grebes

FAMILY PODICIPEDIDAE (Grebes)

- Podiceps auritus*, Horned grebe
- Podiceps nigricollis*, Eared grebe
- Podilymbus podiceps*, Pied-billed grebe
- Tachybaptus dominicus*, Least grebe

ORDER PROCELLARIIFORMES - Tube-nosed seabirds

FAMILY PROCELLARIIDAE (Shearwaters and petrels)

- Calonectris diomedea*, Cory's shearwater
- Puffinus gravis*, Greater shearwater
- Puffinus griseus*, Sooty shearwater
- Puffinus lherminieri*, Audubon's shearwater
- Puffinus puffinus*, Manx shearwater

FAMILY HYDROBATIDAE (Storm-petrels)

- Oceanodroma castro*, Band-rumped storm-petrel
- Oceanodroma leucorhoa*, Leach's storm-petrel
- Oceanites oceanicus*, Wilson's storm-petrel

ORDER PELECANIFORMES - Pelicans and relatives

FAMILY PHAETHONTIDAE (Tropicbirds)

- Phaethon aethereus*, Red-billed tropicbird
- Phaethon lepturus*, White-tailed tropicbird

FAMILY SULIDAE (Boobies and gannets)

- Sula bassanus*, Northern gannet
- Sula dactylatra*, Masked booby
- Sula leucogaster*, Brown booby
- Sula sula*, Red-footed booby

FAMILY PELECANIDAE (Pelicans)

- Pelecanus erythrorhynchos*, American white pelican
- Pelecanus occidentalis*, Brown pelican

FAMILY PHALACROCORACIDAE (Cormorants)

- Phalacrocorax auritus*, Double-crested cormorant
- Phalacrocorax carbo*, Great cormorant

FAMILY ANHINGIDAE (Anhingas)

- Anhinga anhinga*, Anhinga

FAMILY FREGATIDAE (Frigatebirds)

- Fregata magnificens*, Magnificent frigatebird

ORDER CICONIIFORMES - Storks and relatives

FAMILY ARDEIDAE (Bitterns and Herons)

- Ardea albus*, Great egret
- Ardea herodias*, Great blue heron
- Botaurus lentiginosus*, American bittern
- Bubulcus ibis*, Cattle egret
- Butorides virescens*, Green heron
- Egretta caerulea*, Little blue heron
- Egretta rufescens*, Reddish egret
- Egretta thula*, Snowy egret
- Egretta tricolor*, Tricolored heron
- Ixobrychus exilis*, Least bittern
- Nycticorax nycticorax*, Black-crowned night heron
- Nycticorax violaceus*, Yellow-crowned night heron

FAMILY THRESKIORNITHIDAE (Ibises and Spoonbills)

- Ajaia ajaja*, Roseate spoonbill
- Eudocimus albus*, White ibis
- **Eudocimus ruber*, Scarlet ibis
- Plegadis falcinellus*, Glossy ibis

FAMILY CICONIIDAE (Storks)

- Mycteria americana*, Wood stork

ORDER PHOENICOPTERIFORMES - Flamingos

FAMILY PHOENICOPTERIDAE (Flamingos)

- Phoenicopterus ruber*, Greater flamingo

ORDER ANSERIFORMES - Waterfowl

FAMILY ANATIDAE (Swans, geese, and ducks)

- Anas acuta*, Northern pintail
- Anas americana*, American wigeon
- Anas bahamensis*, White-cheeked pintail
- Anas clypeata*, Northern shoveler
- Anas crecca*, Green-winged teal
- Anas cyanoptera*, Cinnamon teal
- Anas discors*, Blue-winged teal
- Anas fulvigula*, Mottled duck
- Anas penelope*, Eurasian wigeon

<i>Anas platyrhynchos</i> , Mallard	<i>Rhostrhamus sociabilis</i> , Everglade snail kite
<i>Anas rubripes</i> , American black duck	
<i>Anas strepera</i> , Gadwall	
<i>Anser albifrons</i> , Greater white-fronted goose	FAMILY FALCONIDAE (Caracaras and falcons)
<i>Aix sponsa</i> , Wood duck	<i>Falco columbarius</i> , Merlin
<i>Aythya affinis</i> , Lesser scaup	<i>Falco peregrinus</i> , Peregrine falcon
<i>Aythya americana</i> , Redhead	<i>Falco sparverius</i> , American kestrel
<i>Aythya collaris</i> , Ring-necked duck	<i>Polyborus plancus</i> , Crested caracara
<i>Aythya marila</i> , Greater scaup	
<i>Aythya valisineria</i> , Canvasback	
<i>Branta bernicla</i> , Brant	ORDER GRUIFORMES - Cranes, coots, and rails
<i>Branta canadensis</i> , Canada goose	FAMILY RALLIDAE (Rails, gallinules, and coots)
<i>Bucephala albeola</i> , Bufflehead	<i>Colinus virginianus</i> , Northern bobwhite
<i>Bucephala clangula</i> , Common goldeneye	<i>Coturnicops noveboracensis</i> , Yellow rail
<i>Chen caerulescens</i> , Snow goose	<i>Fulica americana</i> , American coot
<i>Clangula hyemalis</i> , Oldsquaw	<i>Gallinula chloropus</i> , Common moorhen
<i>Dendrocygna autumnalis</i> , Black-bellied whistling-duck	<i>Laterallus jamaicensis</i> , Black rail
<i>Dendrocygna bicolor</i> , Fulvous whistling-duck	<i>Meleagris gallopavo</i> , Wild turkey
<i>Histrionicus histrionicus</i> , Harlequin duck	<i>Rallus longirostris</i> , Clapper rail
<i>Lophodytes cucullatus</i> , Hooded merganser	<i>Rallus elegans</i> , King rail
<i>Melanitta fusca</i> , White-winged scoter	<i>Rallus limicola</i> , Virginia rail
<i>Melanitta nigra</i> , Black scoter	<i>Porphyrrula martinica</i> , Purple gallinule
<i>Melanitta perspicillata</i> , Surf scoter	<i>Porzana carolina</i> , Sora
<i>Mergus merganser</i> , Common merganser	
<i>Mergus serrator</i> , Red-breasted merganser	FAMILY ARAMIDAE (Limpkins)
<i>Oxyura dominica</i> , Masked duck	<i>Aramus guarauna</i> , Limpkin
<i>Oxyura jamaicensis</i> , Ruddy duck	
<i>Somateria mollissima</i> , Common eider	FAMILY GRUIDAE (Cranes)
<i>Somateria spectabilis</i> , King eider	<i>Grus americana</i> , Whooping crane
	<i>Grus canadensis</i> , Sandhill crane
ORDER FALCONIFORMES - Diurnal birds of prey	ORDER CHARADRIIFORMES - Shorebirds and relatives
FAMILY CATHARTIDAE (American vultures)	FAMILY CHARADRIIDAE (Plovers and lapwings)
<i>Cathartes aura</i> , Turkey vulture	<i>Charadrius alexandrinus</i> , Snowy plover
<i>Coragyps atratus</i> , Black vulture	<i>Charadrius melanotos</i> , Piping plover
	<i>Charadrius montanus</i> , Mountain plover
FAMILY ACCIPITRIDAE (Kites, eagles, hawks, and allies)	<i>Charadrius semipalmatus</i> , Semipalmated plover
<i>Accipiter cooperii</i> , Cooper's hawk	<i>Charadrius vociferus</i> , Killdeer
<i>Accipiter striatus</i> , Sharp-shinned hawk	<i>Charadrius wilsonia</i> , Wilson's plover
<i>Buteo brachyurus</i> , Short-tailed hawk	<i>Pluvialis dominica</i> , Lesser golden-plover
<i>Buteo jamaicensis</i> , Red-tailed hawk	<i>Pluvialis squatarola</i> , Black-bellied plover
<i>Buteo lineatus</i> , Red-shouldered hawk	
<i>Buteo platypterus</i> , Broad-winged hawk	FAMILY HAEMATOPODIDAE (Oystercatchers)
<i>Buteo swainsoni</i> , Swainson's hawk	<i>Haematopus palliatus</i> , American oystercatcher
<i>Circus cyaneus</i> , Northern harrier	
<i>Elanoides forficatus</i> , American swallow-tailed kite	FAMILY RECURVIROSTRIDAE (Stilts and avocets)
<i>Elanus leucurus (caeruleus)</i> , White-tailed (Black-shouldered) kite	<i>Himantopus mexicanus</i> , Black-necked stilt
<i>Haliaeetus leucocephalus</i> , Bald eagle	<i>Recurvirostra americana</i> , American avocet
<i>Ictinia mississippiensis</i> , Mississippi kite	
<i>Pandion haliaetus</i> , Osprey	FAMILY SCOLOPACIIDAE (Sandpipers, phalaropes, and allies)
	<i>Actitis macularia</i> , Spotted sandpiper

Aphriza virgata, Surfbird
Arenaria interpres, Ruddy turnstone
Bartramia longicauda, Upland sandpiper
Calidris acuminata, Sharp-tailed sandpiper
Calidris alba, Sanderling
Calidris alpina, Dunlin
Calidris canutus, Red knot
Calidris bairdii, Baird's sandpiper
Calidris ferruginea, Curlew sandpiper
Calidris fuscicollis, White-rumped sandpiper
Calidris himantopus, Stilt sandpiper
Calidris maritima, Purple sandpiper
Calidris mauri, Western sandpiper
Calidris melanotos, Pectoral sandpiper
Calidris minutilla, Least sandpiper
Calidris pusilla, Semipalmated sandpiper
Catoptrophorus semipalmatus, Willet
Gallinago gallinago, Common snipe
Limnodromus griseus, Short-billed dowitcher
Limnodromus scolopaceus, Long-billed dowitcher
Limosa fedoa, Marbled godwit
Limosa haemastica, Hudsonian godwit
Limosa limosa, Black-tailed godwit
Numenius americanus, Long-billed curlew
Numenius phaeopus, Whimbrel
Phalaropus lobatus, Red-necked phalarope
Phalaropus fulicaria, Red phalarope
Philomachus pugnax, Ruff
Scolopax minor, American woodcock
Tringa flavipes, Lesser yellowlegs
Tringa melanoleuca, Greater yellowlegs
Tringa solitaria, Solitary sandpiper
Tryngites subruficollis, Buff-breasted sandpiper

FAMILY LARIDAE (Skuas, gulls, terns, and skimmers)

Anous stolidus, Brown noddy
Anous minutus, Black noddy
Chlidonias niger, Black tern
Larus argentatus, Herring gull
Larus atricilla, Laughing gull
Larus delawarensis, Ring-billed gull
Larus fuscus, Lesser black-backed gull
Larus hyperboreus, Glaucous gull
Larus marinus, Great black-backed gull
Larus minutus, Little gull
Larus philadelphia, Bonaparte's gull
Larus pipixcan, Franklin's gull
Larus ridibundus, Common black-headed gull
Larus thayeri, Thayer's gull
Rissa tridactyla, Black-legged kittiwake
Rynchops niger, Black skimmer

Stercorarius longicaudus, Long-tailed jaeger
Stercorarius parasiticus, Parasitic jaeger
Stercorarius pomarinus, Pomarine jaeger
Sterna anaethetus, Bridled tern
Sterna antillarum, Least tern
Sterna caspia, Caspian tern
Sterna dougallii, Roseate tern
Sterna forsteri, Forster's tern
Sterna fuscata, Sooty tern
Sterna hirundo, Common tern
Sterna maxima, Royal tern
Sterna nilotica, Gull-billed tern
Sterna paradisaea, Arctic tern
Sterna sandvicensis, Sandwich tern
Xema sabini, Sabine's gull

FAMILY ALCIDAE (Auks, murres, and puffins)

Alca torda, Razorbill
Alle alle, Dovekie

ORDER COLUMBIFORMES - Pigeons and doves

FAMILY COLUMBIDAE (Pigeons and doves)

Columba fasciata, Band-tailed pigeon
Columba leucocephala, White-crowned pigeon
**Columba livia*, Rock dove
Columba squamosa, Scaly-naped pigeon
Columbina passerina, Common ground-dove
Geotrygon chrysia, Key West quail-dove
Geotrygon montana, Ruddy quail-dove
**Streptopelia decaocto*, Eurasian collared-dove
Zenaida asiatica, White-winged dove
Zenaida aurita, Zenaida dove
Zenaida macroura, Mourning dove

ORDER CUCULIFORMES - Cuckoos, turacos, hoatzin and relatives

FAMILY CUCULIDAE (Cuckoos, roadrunners, anis)
Coccyzus americanus, Yellow-billed cuckoo
Coccyzus erythrophthalmus, Black-billed cuckoo
Coccyzus minor, Mangrove cuckoo
Crotophaga ani, Smooth-billed ani
Crotophaga sulcirostris, Groove-billed ani

ORDER STRIGIFORMES - Owls

FAMILY TYTONIDAE (Barn owls)
Tyto alba, Common barn-owl

FAMILY STRIGIDAE (Typical owls)

Aegolius acadicus, Northern saw-whet owl
Asio flammeus, Short-eared owl
Asio otus, Long-eared owl

Athene cunicularia, Burrowing owl
Bubo virginianus, Great horned owl
Otus asio, Eastern screech-owl
Strix varia, Barred owl

ORDER CAPRIMULGIFORMES - Nighthawks

FAMILY CAPRIMULGIDAE (Goatsuckers)

Caprimulgus carolinensis, Chuck-will's-widow
Caprimulgus vociferus, Whip-poor-will
Chordeiles acutipennis, Lesser nighthawk
Chordeiles gundlachii, Antillean nighthawk
Chordeiles minor, Common nighthawk

ORDER APODIFORMES - Swifts and hummingbirds

FAMILY APODIDAE (Swifts)

Chaetura pelasgica, Chimney swift
Tachornis phoenicobia, Antillean palm swift

FAMILY TROCHILIDAE (Hummingbirds)

Amazilia yucatanensis, Buff-bellied hummingbird
Archilochus colubris, Ruby-throated hummingbird
Archilochus alexandri, Black-chinned hummingbird
Calliphlox evelynae, Bahama woodstar
Selasphorus rufus, Rufous hummingbird

ORDER CORACIIFORMES - Curassows, guans, chacalacas, megapodes

FAMILY ALCEDINIDAE (Kingfishers)

Ceryle alcyon, Belted kingfisher

ORDER PICIFORMES - Woodpeckers and relatives

FAMILY PICIDAE (Woodpeckers and allies)

Campephilus principalis, Ivory-billed woodpecker
 (possibly extinct)
Colaptes auratus, Northern flicker
Dryocopus pileatus, Pileated woodpecker
Melanerpes erythrocephalus, Red-headed woodpecker
Melanerpes carolinus, Red-bellied woodpecker
Picoides borealis, Red-cockaded woodpecker
Picoides pubescens, Downy woodpecker
Picoides villosus, Hairy woodpecker
Sphyrapicus varius, Yellow-bellied sapsucker

ORDER PASSERIFORMES - Perching birds

FAMILY TYRANNIDAE (Tyrant flycatchers)

Contopus borealis, Olive-sided flycatcher
Contopus virens, Eastern wood-peewee
Empidonax alnorum, Alder flycatcher
Empidonax flaviventris, Yellow-bellied flycatcher
Empidonax minimus, Least flycatcher
Empidonax traillii, Willow flycatcher

Empidonax virescens, Acadian flycatcher
Myiarchus cinerascens, Ash-throated flycatcher
Myiarchus crinitus, Great crested flycatcher
Myiarchus tyrannulus, Brown-crested flycatcher
Pyrocephalus rubinus, Vermilion flycatcher
Sayornis phoebe, Eastern phoebe
Sayornis nigricans, Black phoebe
Sayornis saya, Say's phoebe
Tyrannus caudifasciatus, Loggerhead kingbird
Tyrannus dominicensis, Gray kingbird
Tyrannus forficatus, Scissor-tailed flycatcher
Tyrannus tyrannus, Eastern kingbird
Tyrannus savana, Fork-tailed flycatcher
Tyrannus verticalis, Western kingbird
Tyrannus vociferans, Cassin's kingbird

FAMILY ALAUDIDAE (Larks)

Eremophila alpestris, Horned lark

FAMILY HIRUNDINIDAE (Swallows)

Hirundo fulva, Cave swallow
Hirundo pyrrhonota, Cliff swallow
Hirundo rustica, Barn swallow
Progne subis, Purple martin
Riparia riparia, Bank swallow
Stelgidopteryx serripennis, Northern rough-winged swallow
Tachycineta bicolor, Tree swallow
Tachycineta cyaneoviridis, Bahama swallow

FAMILY CORVIDAE (Jays, magpies, and crows)

Aphelocoma coerulescens, Florida scrub-jay
Corvus brachyrhynchos, American crow
Corvus ossifragus, Fish crow
Cyanocitta cristata, Blue jay

FAMILY PARIDAE (Titmice)

Parus bicolor, Tufted titmouse
Parus carolinensis, Carolina chickadee

FAMILY SITTIDAE (Nuthatches)

Sitta canadensis, Red-breasted nuthatch
Sitta pusilla, Brown-headed nuthatch

FAMILY CERTHIIDAE (Creepers)

Certhia americana, Brown creeper

FAMILY TROGLODYTIIDAE (Wrens)

Cistothorus palustris, Marsh wren
Cistothorus platensis, Sedge wren
Thryothorus ludovicianus, Carolina wren

<i>Troglodytes aedon</i> , House wren	<i>Dendroica discolor</i> , Prairie warbler
<i>Troglodytes troglodytes</i> , Winter wren	<i>Dendroica dominica</i> , Yellow-throated warbler
FAMILY MUSCICAPIDAE (Kinglets, gnatcatchers, Thrushes, and Allies)	<i>Dendroica fusca</i> , Blackburnian warbler
SUBFAMILY SYLVIINAE (Kinglets and gnatcatchers)	<i>Dendroica kirtlandii</i> , Kirtland's warbler
<i>Polioptila caerulea</i> , Blue-gray gnatcatcher	<i>Dendroica magnolia</i> , Magnolia warbler
<i>Regulus satrapa</i> , Golden-crowned kinglet	<i>Dendroica nigrescens</i> , Black-throated gray warbler
<i>Regulus calendula</i> , Ruby-crowned kinglet	<i>Dendroica palmarum</i> , Palm warbler
SUBFAMILY TURDINAE (Thrushes and allies)	<i>Dendroica pensylvanica</i> , Chestnut-sided warbler
<i>Catharus fuscescens</i> , Veery	<i>Dendroica petechia</i> , Yellow warbler
<i>Catharus guttatus</i> , Hermit thrush	<i>Dendroica pinus</i> , Pine warbler
<i>Catharus minimus</i> , Gray-cheeked thrush	<i>Dendroica striata</i> , Blackpoll warbler
<i>Catharus ustulatus</i> , Swainson's thrush	<i>Dendroica tigrina</i> , Cape May warbler
<i>Hylocichla mustelina</i> , Wood thrush	<i>Dendroica townsendi</i> , Townsend's warbler
<i>Ixoreus naevius</i> , Varied thrush	<i>Dendroica virens</i> , Black-throated green warbler
<i>Oenanthe oenanthe</i> , Northern wheatear	<i>Geothlypis trichas</i> , Common yellowthroat
<i>Sialis sialis</i> , Eastern bluebird	<i>Helmitheros vermivorus</i> , Worm-eating warbler
<i>Turdus migratorius</i> , American robin	<i>Icteria virens</i> , Yellow-breasted chat
FAMILY MIMIDAE (Mockingbirds, thrashers, and allies)	<i>Limnothlypis swainsonii</i> , Swainson's warbler
<i>Dumetella carolinensis</i> , Gray catbird	<i>Mniotilla varia</i> , Black-and-white warbler
<i>Mimus polyglottos</i> , Northern mockingbird	<i>Oporornis agilis</i> , Connecticut warbler
<i>Toxostoma rufum</i> , Brown thrasher	<i>Oporornis formosus</i> , Kentucky warbler
FAMILY MOTACILLIDAE (Wagtails and pipits)	<i>Oporornis philadelphicus</i> , Mourning warbler
<i>Anthus rubescens</i> , American pipit	<i>Parula americana</i> , Northern parula
<i>Anthus spragueii</i> , Sprague's pipit	<i>Protonotaria citrea</i> , Prothonotary warbler
FAMILY BOMBYCILLIDAE (Waxwings)	<i>Seiurus aurocapillus</i> , Ovenbird
<i>Bombycilla cedrorum</i> , Cedar waxwing	<i>Seiurus motacilla</i> , Louisiana waterthrush
FAMILY LANIIDAE (Shrikes)	<i>Seiurus noveboracensis</i> , Northern waterthrush
<i>Lanius ludovicianus</i> , Loggerhead shrike	<i>Setophaga ruticilla</i> , American redstart
FAMILY VIREONIDAE (Vireos)	<i>Vermivora bachmanii</i> , Bachman's warbler
<i>Vireo bellii</i> , Bells' vireo	<i>Vermivora celata</i> , Orange-crowned warbler
<i>Vireo solitarius</i> , Solitary vireo	<i>Vermivora chrysoptera</i> , Golden-winged warbler
<i>Vireo flavifrons</i> , Yellow-throated vireo	<i>Vermivora peregrina</i> , Tennessee warbler
<i>Vireo gilvus</i> , Warbling vireo	<i>Vermivora pinus</i> , Blue-winged warbler
<i>Vireo philadelphicus</i> , Philadelphia vireo	<i>Vermivora ruficapilla</i> , Nashville warbler
<i>Vireo olivaceus</i> , Red-eyed vireo	<i>Wilsonia canadensis</i> , Canada warbler
<i>Vireo altiloquus</i> , Black-whiskered vireo	<i>Wilsonia citrina</i> , Hooded warbler
<i>Vireo griseus</i> , White-eyed vireo	<i>Wilsonia pusilla</i> , Wilson's warbler
FAMILY EMBERIZIDAE (Emberizids)	SUBFAMILY THRAUPINAE (Tanagers)
SUBFAMILY PARULINAE (Wood-warblers)	<i>Piranga ludoviciana</i> , Western tanager
<i>Dendroica caerulescens</i> , Black-throated blue warbler	<i>Piranga olivacea</i> , Scarlet tanager
<i>Dendroica castanea</i> , Bay-breasted warbler	<i>Piranga rubra</i> , Summer tanager
<i>Dendroica cerulea</i> , Cerulean warbler	<i>Spindalis zena</i> , Stripe-headed tanager
<i>Dendroica coronata</i> , Yellow-rumped warbler	SUBFAMILY CARDINALINAE (Cardinals, grosbeaks, and allies)
	<i>Cardinalis cardinalis</i> , Northern cardinal
	<i>Guiraca caerulea</i> , Blue grosbeak
	<i>Passerina amoena</i> , Lazuli bunting
	<i>Passerina cyanea</i> , Indigo bunting
	<i>Passerina ciris</i> , Painted bunting

Appendix B2

South Florida birds

Pheucticus ludovicianus, Rose-breasted grosbeak
Pheucticus melanocephalus, Black-headed grosbeak
Spiza americana, Dickcissel

SUBFAMILY EMBERIZINAE (Sparrows and allies)

Aimophila aestivalis, Bachman's sparrow
Ammodramus caudacutus, Sharp-tailed sparrow
Ammodramus leconteii, Le Conte's sparrow
Ammodramus henslowii, Henslow's sparrow
Ammodramus maritimus, Seaside sparrow
Ammodramus savannarum, Grasshopper sparrow
Calamospiza melanocorys, Lark bunting
Calcarius lapponicus, Lapland longspur
Chondestes grammacus, Lark sparrow
Junco hyemalis, Dark-eyed junco
Melospiza georgiana, Swamp sparrow
Melospiza lincolni, Lincoln's sparrow
Melospiza melodia, Song sparrow
Passerculus sandwichensis, Savannah sparrow
Pipilo erythrorthalmus, Rufous-sided (eastern) towhee
Pooecetes gramineus, Vesper sparrow
Spizella passerina, Chipping sparrow
Spizella pallida, Clay-colored sparrow
Spizella pusilla, Field sparrow
Tiaris bicolor, Black-faced grassquit

Zonotrichia albicollis, White-throated sparrow
Zonotrichia leucophrys, White-crowned sparrow
Zonotrichia querula, Harris' sparrow

SUBFAMILY ICTERINAE (Blackbirds and allies)

Agelaius phoeniceus, Red-winged blackbird
Dolichonyx oryzivorus, Bobolink
Euphagus carolinus, Rusty blackbird
Euphagus cyanocephalus, Brewer's blackbird
Icterus galbula, Northern (Baltimore) oriole
Icterus spurius, Orchard oriole
Molothrus aeneus, Bronzed cowbird
Molothrus ater, Brown-headed cowbird
Molothrus bonariensis, Shiny cowbird
Quiscalus major, Boat-tailed grackle
Quiscalus quiscula, Common grackle
Sturnella magna, Eastern meadowlark
Sturnella neglecta, Western meadowlark
Xanthocephalus xanthocephalus, Yellow-headed blackbird

FAMILY FRINGILLIDAE (Finches)

SUBFAMILY CARDUELINAE (Cardueline finches)
Carpodacus purpureus, Purple finch
Carduelis pinus, Pine siskin
Carduelis tristis, American goldfinch

Sources:

U.S. Fish and Wildlife Service. 1997. Birds protected by the Migratory Bird Treaty Act.
<http://migratorybirds.fws.gov/intrnltr/mbta/mbtintro.html>

Appendix B3. Taxonomic list of freshwater fish occurring in South Florida as well as crustaceans referred to in this document. This list includes fish that use brackish water during a portion of their life stage. * indicates a non-native species.

ORDER AMIIFORMES

FAMILY AMIIDAE (Bowfins)

Amia calva, bowfin

ORDER ANGUILLIFORMES

FAMILY ANGUILLIDAE (Freshwater eels)

Anguilla rostrata, American eel

ORDER ACIPENSERIFORMES

FAMILY ACIPENSERIDAE (Sturgeons)

Acipenser brevirostrum, shortnose sturgeon

Acipenser oxyrinchus desotoi, gulf sturgeon

ORDER AETHERINIFORMES

FAMILY APLOCHEILIDAE (Rivulins)

Rivulus marmoratus, mangrove rivulus

FAMILY ATHERINIDAE (Silversides)

Labidesthes sicculus, brook silverside

Menidia beryllina, inland silverside

Menidia conchorum, key silverside

Menidia peninsulae, tidewater silverside

FAMILY BELONIDAE (Needlefishes)

Strongylura marina, Atlantic needlefish

Strongylura notata, redfin needlefish

Strongylura timucu, timucu

FAMILY CYPRINODONTIDAE (Killifishes)

Adinia xenica, diamond killifish

Cyprinodon variegatus, sheepshead minnow

Floridichthys carpio, goldspotted killifish

Fundulus chrysotus, golden topminnow

Fundulus cingulatus, banded topminnow

Fundulus confluentus, marsh killifish

Fundulus grandis, gulf killifish

Fundulus jenkinsi, saltmarsh topminnow

Fundulus lineolatus, lined topminnow

Fundulus rubrifrons, redface topminnow

Fundulus seminolis, Seminole killifish

Fundulus similis, longnose killifish

Jordanella floridae, flagfish

Lucania goodei, bluefin killifish

Lucania parva, rainwater killifish

FAMILY POECILIIDAE (Livebearers)

Gambusia affinis, western mosquitofish

Gambusia holbrooki, eastern mosquitofish

Heterandria formosa, least killifish

Poecilia latipinna, sailfin molly

ORDER BATRACHOIDIFORMES

FAMILY BATRACHOIDIDAE (Toadfishes)

Opsanus beta, Gulf toadfish

ORDER CHARACIFORMES

FAMILY CHARACIDAE (Characins)

**Leporinus fasciatus*, banded leporinus

ORDER CLUPEIFORMES

FAMILY CLUPEIDAE (Herrings)

Brevoortia patronus, gulf menhaden

Brevoortia smithi, yellowfin menhaden

Brevoortia tyrannis, Atlantic menhaden

Dorosoma cepedianum, gizzard shad

Dorosoma petenense, threadfin shad

Opisthonema oglinum, Atlantic thread herring

FAMILY ENGRAULIDAE (Anchovies)

Anchoa hepsetus, striped anchovy

Anchoa mitchilli, bay anchovy

ORDER CYPRINIFORMES

FAMILY CATOSTOMIDAE (Suckers)

Erimyzon suetta, lake chubsucker

FAMILY CYPRINIDAE (Carps and minnows)

**Carassius auratus*, goldfish

**Ctenopharyngodon idella*, grass carp

**Cyprinus carpio*, common carp

Notemigonus crysoleucas, golden shiner

Notropis chalybaeus, ironcolor shiner

Notropis maculatus, taillight shiner

Notropis petersoni, coastal shiner

Notropis hypselopterus, sailfin shiner

Opsopoeodus emiliae, pugnose minnow

FAMILY ELEOTRIDAE (Sleepers)

Dormitator maculatus, fat sleeper

Eleotris amblyopsis, large-scaled spinycheek
sleeper

Eleotris pisonis, spinycheek sleeper

Gobiomorus dormitor, bigmouth sleeper

FAMILY GOBIIDAE (Gobies)

Awaous tajasicus, river goby

Gobioides broussoneti, violet goby
Gobionellus boleosoma, darter goby
Gobionellus shufeldti, freshwater goby
Gobiosoma bosc, naked goby
Gobiosoma robustum, code goby
Lophogobius cyprinoides, crested goby

FAMILY MUGILIDAE (Mullets)
Mugil cephalus, striped mullet
Mugil curema, white mullet

ORDER ELOPIFORMES

FAMILY ELOPIDAE (Tarpons)
Elops saurus, ladyfish
Megalops atlanticus, tarpon

ORDER GASTEROSTEIFORMES

FAMILY SYNGNATHIDAE (Pipefishes)
Microphis brachyurus, short-tailed pipefish

ORDER LEPIOSTEIFORMES

FAMILY LEPISOSTEIDAE (Gars)
Lepisosteus osseus, longnose gar
Lepisosteus platyrhincus, Florida gar

ORDER PERCIFORMES

FAMILY CARANGIDAE (Jacks)
Caranx hippos, crevalle jack
Hemicaranx amblyrhynchus, bluntnose jack
Oligoplites saurus, leatherjack

FAMILY CENTRARCHIDAE (Sunfishes)

Centrarchus macropterus, flier
Elassoma evergladei, Everglades pygmy sunfish
Enneacanthus chaetodon, blackbanded sunfish
Enneacanthus gloriosus, bluespotted sunfish
Enneacanthus obesus, banded sunfish
Lepomis auritus, redbreast sunfish
**Lepomis cyanellus*, green sunfish
Lepomis gulosus, warmouth
Lepomis macrochirus, bluegill
Lepomis marginatus, dollar sunfish
Lepomis microlophus, redear sunfish
Lepomis punctatus, spotted sunfish
Micropterus salmoides floridanus, Florida largemouth bass
Pomoxis nigromaculatus, black crappie

FAMILY CENTROPOMIDAE (Snooks)

Centropomus ensiferus, swordspine snook
Centropomus parallelus, fat snook

Centropomus pectinatus, tarpon snook
Centropomus undecimalis, snook

FAMILY CICHLIDAE (Cichlids)

**Astronotus ocellatus*, oscar
Cichla ocellaris, butterfly peacock
Cichla temensis, speckled peacock
Cichlasoma bimaculatum, black acara
Cichlasoma citrinellum, midas cichlid
Cichlasoma cyanoguttatum, Rio Grande cichlid
Cichlasoma managuense, jaguar guapote
Cichlasoma meeki, firemouth cichlid
Cichlasoma nigrofasciatum, convict cichlid
Cichlasoma octofasciatum, Jack Dempsey
Cichlasoma salvini, yellowbelly cichlid
Cichlasoma urophthalmus, Mayan cichlid
Hemichromis bimaculatus, African jewelfish
Tilapia mariae, spotted tilapia
Tilapia melanocheron, blackchin tilapia
Tilapia mossambica, Mozambique tilapia
Tilapia sparrmani, banded tilapia
Tilapia zilli, redbelly tilapia

FAMILY GERREIDAE (Mojarras)

Diapterus auratus, Irish pompano
Diapterus plumieri, striped mojarra
Eucinostomus argenteus, spotfin mojarra
Eucinostomus harengulus, tidewater mojarra
Gerres cinereus, yellowfin mojarra

FAMILY LUTJANIDAE (Snappers)

Lutjanus analis, mutton snapper
Lutjanus apodus, schoolmaster
Lutjanus griseus, gray snapper
Lutjanus synagris, lane snapper

FAMILY PERCIDAE (Perches)

Etheostoma fusiforme, swamp darter

FAMILY SCIAENIDAE (Drums)

Cynoscion nebulosus, spotted seatrout
Sciaenops ocellatus, red drum

FAMILY SPARIDAE (Porgies)

Archosargus probatocephalus, sheepshead

ORDER PERCOPSIFORMES

FAMILY APHREDODERIDAE (Pirate perches)
Aphredoderus sayanus, pirate perch

ORDER PLEURONECTIFORMES

FAMILY BOTHIIDAE (Lefteye flounders)

Citharichthys spilopterus, bay whiff
Paralichthys alboguttatus, gulf flounder
Paralichthys lethostigma, southern flounder

FAMILY SOLEIDAE (Soles)

Trinectes maculatus, hogchoker

ORDER RAJIFORMES

FAMILY DASYATIDAE (Stingrays)

Dasyatis americana, southern stingray
Dasyatis sabina, Atlantic stingray

ORDER SALMONIFORMES

FAMILY ESOCIDAE (Pikes)

Esox americanus, redfin and grass pickerel
Esox niger, chain pickerel

ORDER SILURIFORMES

FAMILY ARIIDAE (Sea catfishes)

Arius felis, hardhead catfish
Bagre marinus, gafftopsail catfish

FAMILY CLARIIDAE (Labyrinth catfishes)

**Clarias batrachus*, walking catfish

FAMILY ICTALURIDAE (Bullhead catfishes)

Ameiurus catus, white catfish
Ameiurus natalis, yellow bullhead
Ameiurus nebulosus, brown bullhead
Ictalurus punctatus, channel catfish
Noturus gyrinus, tadpole madtom

FAMILY LORICARIIDAE (Suckermouth catfishes)

**Pterygoplichthys multiradiatus*, sailfin catfish
*i*Hypostomus plecostomus*, suckermouth catfish
*i*Pterygoplichthys disjunctivus*, vermiculated sailfin catfish

ORDER SYNBRANCHIFORMES

FAMILY SYNBRANCHIDAE (Swamp eels)

**Monopterus albus*, Asian swamp eel

CRUSTACEANS**ORDER DECAPODA (Crabs, shrimp, and lobsters)**

FAMILY GECARCINIDAE (Land crabs)

Cardisoma guanhumi, blue land crab

FAMILY OCYPODIDAE (Ghost and fiddler crabs)

Uca pugnax, Atlantic fiddler crab

FAMILY PENAEIDAE (Warm water shrimp and prawns)

Penaeus duorarum, pink shrimp

FAMILY PORTUNIDAE (Swimming crabs)

Callinectes sapidus, blue crab

Methods/Sources:

Generate alpha list from <http://www.floridaconservation.org/fishing/Fishes/sci-name.html>. Query <http://nas.er.usgs.gov/FLfishes/query.html> for: Everglades, Florida Bay - Florida Keys, Big Cypress Swamp, Lake Okeechobee, Kissimmee, Upper St. Johns, Caloosahatchee, Western Okeechobee Inflow, Northern Okeechobee Inflow, Peace, Myakka, and Hillsborough drainages. Sort fish taxonomically. Accuracy of fish taxonomy verified in AFS published -Common and Scientific Names of Fishes, 5th ed. Fish distributions verified with Fuller, P.L., L.G. Nico, and J.D. Williams. 1999. Nonindigenous fishes. AFS, Bethesda, Maryland.; Page, L.M. and B.M. Burr. 1991. A field guide to freshwater fishes. Houghton Mifflin, Boston.; Robins, C.R., G.C. Ray, J. Douglass, R. Freund. 1986. A field guide to Atlantic coast fishes of North America. Houghton Mifflin, Boston.; and <http://www.sms.si.edu/irlspec>.

Appendix B4. Taxonomic list of mammals, excluding domestic mammals, occurring in South Florida. * indicates a non-native species.

ORDER ARTIODACTYLA - Even-toed hoofed mammals

FAMILY SUIDAE (Old world swine)

Sus scrofa, feral hog

FAMILY CERVIDAE (Deer)

**Cervus elaphus*, elk

Odocoileus virginianus, white-tailed deer; key deer

FAMILY BOVIDAE (Bison, goats, muskox and sheep)

Bison bison, bison

ORDER CARNIVORA - Flesh-eating mammals

FAMILY CANIDAE (Dogs, wolves, and foxes)

**Canis familiaris*, feral dog

Canis latrans, coyote

Urocyon cinereoargenteus, gray fox

Vulpes vulpes, red fox

FAMILY FELIDAE (Cats)

Lynx rufus, bobcat

Felis catus, domestic/ feral cat

**Felis yagouaroundi*, jaguarundi

Puma concolor, Florida panther

FAMILY MUSTELIDAE (Weasels, skunks, etc.)

Lutra canadensis, river otter

Mephitis mephitis, striped skunk

Mustela frenata, long-tailed weasel

Mustela vison, mink

Spilogale putorius, eastern spotted skunk

FAMILY PROCYONIDAE (Raccoons and coatis)

Procyon lotor, raccoon

FAMILY URDIDAE (Bears)

Ursus americanus, black bear

ORDER CETACEA - Whales, dolphins, and porpoises

FAMILY BALAENIDAE

Balaena glacialis, right whale

FAMILY BALAENOPTERIDAE (Right and bowhead whales)

Balaenoptera acutorostrata, Minke whale

Balaenoptera borealis, Sei whale

Balaenoptera edeni, Bryde's whale

Balaenoptera physalus, fin whale

Megaptera novaeangliae, humpback whale

FAMILY DELPHINIDAE (Dolphins and porpoises)

Delphinus delphis, common or saddle-backed dolphin

Globicephala macrorhyncha, short-finned pilot whale

Grampus griseus, grampus or Risso's dolphin

Orcinus orca, killer whale

Pseudorca crassidens, false killer whale

Stenella coeruleoalba, striped dolphin

Stenella frontalis, Atlantic spotted dolphin

Stenella longirostris, long-beaked dolphin

Steno bredanensis, rough-toothed dolphin

Tursiops truncatus, bottle-nosed dolphin

FAMILY KOGIIDAE (Pygmy sperm whales)

Kogia breviceps, pygmy sperm whale

Kogia simus, dwarf sperm whale

FAMILY PHYSETERIDAE (Sperm whales)

Physeter macrocephalus, sperm whale

FAMILY ZIPHIIDAE (Beaked whales)

Mesoplodon europaeus, Antillean beaked whale

Mesoplodon mirus True's beaked whale

Ziphius cavirostris, goose-beaked whale

ORDER CHIROPTERA - Bats

FAMILY MOLOSSIDAE (Freetail bats)

Eumops glaucinus, Wagner's mastiff bat

Molossus molossus, velvety free-tailed bat, little mastiff bat

Tadarida brasiliensis, Brazilian free-tailed bat

FAMILY PHYLOSTOMIDAE (Leafnose bats)

Artibeus jamaicensis, Jamaican fruit bat

FAMILY VESPERTILIONIDAE (Plainnose bats)

Corynorhinus rafinesquii, Rafinesque's big-eared bat

Eptesicus fuscus, big brown bat

Lasionycteris noctivagans, silver-haired bat

Lasiurus borealis, red bat

Lasiurus cinereus, hoary bat

Lasiurus intermedius, northern yellow bat

Lasiurus seminolus, seminole bat

Myotis austroriparius, southeastern myotis

Myotis grisescens, gray myotis

Myotis sodalis, Indiana bat

Nycticeius humeralis, evening bat

Pipistrellus subflavus, eastern pipistrelle

ORDER INSECTIVORA - Insect eaters

FAMILY SORICIDAE (Shrews)

- Blarina carolinensis*, southern short-tailed shrew
Cryptotis parva, least shrew
Sorex longirostris, southeastern shrew

FAMILY TALPIDAE (Moles)

- Condylura cristata*, star-nosed mole
Scalopus aquaticus, eastern mole

ORDER LAGOMORPHA - Pikas, hares, and rabbits

FAMILY LEPORIDAE (Hares and rabbits)

- **Lepus californicus*, black-tailed jackrabbit
Sylvilagus floridanus, eastern cottontail
Sylvilagus palustris, marsh rabbit

ORDER MARSUPALIA - Pouched mammals

FAMILY DIDELPHIIDAE (Opposums)

- Didelphis virginiana*, Virginia opossum

ORDER PINNIPEDIA - Sea lions and seals

FAMILY PHOCIDAE (Hair seals)

- Cystophora cristata*, hooded seal
Phoca vitulina, harbor seal

ORDER PRIMATES - Prosimians, monkeys, apes, and humans

FAMILY CEBIDAE (New World monkeys)

- Saimiri sciureus*, squirrel monkey

FAMILY CERCOPITHECIDAE (Old World monkeys)

- Macaca mulatta*, rhesus monkey

ORDER RODENTIA - Gnawing mammals

FAMILY CASTORIDAE (Beaver)

- Castor canadensis*, beaver

FAMILY GEOMYIDAE (Pocket gophers)

Geomys pinetis, southeastern pocket gopher

FAMILY MURIDAE (Rats, mice, lemmings, and voles)

- Microtus pinetorum*, woodland or pine vole
**Mus musculus*, house mouse
Neofiber alleni, Florida round-tailed muskrat
Neotoma floridana, eastern woodrat; Key Largo woodrat
Ochrotomys nuttalli, golden mouse
Oryzomys argentatus, silver rice rat
Oryzomys palustris, marsh rice rat
Peromyscus gossypinus, cotton mouse
Peromyscus polionotus, oldfield (beach mouse sspp.)
Podomys floridanus, Florida mouse
**Rattus norvegicus*, Norway rat
**Rattus rattus*, black rat
Reithrodontomys humulis, eastern harvest mouse
Sigmodon hispidus, hispid cotton rat

FAMILY CAPROMYIDAE (Nutria)

- Myocastor coypus*, nutria

FAMILY SCIURIDAE (Squirrels)

- Glaucomys volans*, southern flying squirrel
**Sciurus aureogaster*, red-bellied squirrel
Sciurus carolinensis, gray squirrel
Sciurus niger, fox squirrel

ORDER SIRENIA - Dugong and manatees

FAMILY TRICHECHIDAE (Manatees)

- Trichechus manatus*, West Indian manatee

ORDER XENARTHRA - Sloths and armadillos

FAMILY DASYPODIDAE (Armadillos)

- Dasyurus novemcinctus*, Nine-banded armadillo

Sources:

Florida Museum of Natural History website last revised 4 Feb 1998.

Brown, L. N. 1997. Mammals of Florida. Windward Publishing, Miami, Florida.

Stevenson, H. M. 1976. Vertebrates of Florida, identification and distribution. University Presses of Florida, Gainesville, Florida.

Appendix B5. Alphabetical list (common names) of vascular plants occurring in South Florida.

(No common name); <i>Diospyros maritima</i>	American squawroot, Cancerroot; <i>Conopholis americana</i>
Abrupt-tip maiden fern; <i>Thelypteris augescens</i>	American strawberrybush; <i>Euonymus americanus</i>
Acapulcograss; <i>Bouteloua dimorpha</i>	American sycamore, American planetree; <i>Platanus occidentalis</i>
Achicoria azul; <i>Launaea intybacea</i>	American white waterlily; <i>Nymphaea odorata</i>
Acidswamp yelloweyed grass, Curtiss' yelloweyed grass; <i>Xyris serotina</i>	American wild carrot; <i>Daucus pusillus</i>
Acuna's star orchid; <i>Epidendrum blancheanum</i>	American witchhazel; <i>Hamamelis virginiana</i>
Adam's needlegrass; <i>Yucca filamentosa</i>	Ames' halberd fern; <i>Tectaria x amesiana</i>
African bristlegrass; <i>Setaria sphacelata</i>	Ames' ladies-tresses; <i>Spiranthes amesiana</i>
African bushdaisy, Bull's eye; <i>Euryops chrysanthemoides</i>	Angel's trumpet; <i>Brugmansia suaveolens</i>
African mahogany; <i>Khaya senegalensis</i>	Angelstem beaksedge; <i>Rhynchospora caduca</i>
African oil palm; <i>Elaeis guineensis</i>	Angelstem primrosewillow; <i>Ludwigia leptocarpa</i>
African rosemallow; <i>Hibiscus acetosella</i>	Angelton's bluestem; <i>Dichanthium aristatum</i>
African tuliptree; <i>Spathodea campanulata</i>	Angel-vein fern; <i>Polypodium triseriale</i>
African wild sensitive plant; <i>Senna didymobotrya</i>	Angelwing jasmine; <i>Jasminum nitidum</i>
Airplant; <i>Tillandsia simulata</i> , <i>Tillandsia x smalliana</i>	Angularfruit milkvine, Angle pod; <i>Matelea gonocarpos</i>
Air-potato; <i>Dioscorea bulbifera</i>	Anil de pasto; <i>Indigofera suffruticosa</i>
Alabama supplejack, Rattan vine; <i>Berchemia scandens</i>	Annual blue-eyed grass; <i>Sisyrinchium rosulatum</i>
Alexander palm, Solitaire palm; <i>Ptychosperma elegans</i>	Annual bluegrass; <i>Poa annua</i>
Alexandrian laurel; <i>Calophyllum inophyllum</i>	Annual glasswort, Dwarf glasswort; <i>Salicornia bigelovii</i>
Alfalfa; <i>Medicago sativa</i>	Annual phlox; <i>Phlox drummondii</i>
Algal bulrush; <i>Websteria confervoides</i>	Annual saltmarsh aster; <i>Symphyotrichum subulatum</i>
Alligatorflag, Fireflag; <i>Thalia geniculata</i>	Antilles fanpetals; <i>Sida antillensis</i>
Alligatorlily; <i>Hymenocallis palmeri</i>	Apalachicola toadflax; <i>Linaria floridana</i>
Alligatorweed; <i>Alternanthera philoxeroides</i>	Apple-of-Peru; <i>Nicandra physalodes</i>
Alsike clover; <i>Trifolium hybridum</i>	Aquarium watermoss; <i>Salvinia molesta</i>
American beautyberry; <i>Callicarpa americana</i>	Aquatic soda apple; <i>Solanum tampicense</i>
American black nightshade; <i>Solanum americanum</i>	Arabian jasmine; <i>Jasminum sambac</i>
American bluehearts; <i>Buchnera americana</i>	Arborescent pricklypear; <i>Opuntia leucotricha</i>
American bulrush; <i>Scirpus americanus</i>	Arcadian St. John's-wort, Edison's St. John's-wort, Edison ascyrum; <i>Hypericum edisonianum</i>
American burnweed, Fireweed; <i>Erechtites hieracifolius</i>	Areca palm; <i>Dypsis lutescens</i>
American burreed; <i>Sparganium americanum</i>	Argentine wild sensitive plant; <i>Senna corymbosa</i>
American century plant; <i>Agave americana</i>	Aroma; <i>Dichrostachys cinerea</i> subsp. <i>africana</i>
American cupscale; <i>Sacciolepis striata</i>	Arrasa con todo; <i>Gomphrena serrata</i>
American dodder; <i>Cuscuta americana</i>	Arrowfeather threeawn; <i>Aristida purpurascens</i> , <i>A. purpurascens</i> var. <i>virgata</i>
American elder, Elderberry; <i>Sambucus nigra</i> subsp. <i>canadensis</i>	Arrowgrass; <i>Triglochin striata</i>
American elm; <i>Ulmus americana</i>	Arrowleaf elephantear; <i>Xanthosoma sagittifolium</i>
American evergreen; <i>Syngonium podophyllum</i>	Arrowroot; <i>Maranta arundinacea</i>
American everlasting; <i>Gamochaeta americana</i>	Artillery plant, Rockweed; <i>Pilea microphylla</i>
American halfchaff sedge; <i>Carpinus caroliniana</i>	Ashe's calamint, Ashe's calamintha; <i>Calamintha ashei</i>
American holly; <i>Liquidambar styraciflua</i>	Asia crabgrass; <i>Digitaria bicornis</i>
American hornbeam, Bluebeech; <i>Ilex opaca</i>	Asian marshweed; <i>Limnophila sessiliflora</i>
American lotus; <i>Nelumbo lutea</i>	Asian pigeonwings; <i>Clitoria ternatea</i>
American melonleaf; <i>Cayaponia americana</i>	Asian spikesedge; <i>Kyllinga squamulata</i>
American nailwort; <i>Paronychia americana</i>	Asian sword fern; <i>Nephrolepis multiflora</i>
American pokeweed; <i>Phytolacca americana</i>	
American searocket; <i>Cakile edentula</i> subsp. <i>harperi</i>	
American snowbell; <i>Styrax americanus</i>	
American spongeplant, Frog's-bit; <i>Limnobium spongia</i>	

Asiatic dewflower; <i>Murdannia spirata</i>	Bay lobelia; <i>Lobelia feayana</i>
Atlantic pigeonwings; <i>Clitoria mariana</i>	Baybean, Seaside jackbean; <i>Canavalia rosea</i>
Atlantic St. John's-wort; <i>Hypericum reductum</i>	Bayleaf capertree; <i>Capparis flexuosa</i>
Australian almond; <i>Terminalia muelleri</i>	Beach clustervine, Beach jacquemontia; <i>Jacquemontia reclinata</i>
Australian umbrella tree, Octopus tree; <i>Schefflera actinophylla</i>	Beach creeper, Coughbush; <i>Ernodea littoralis</i>
Australian-pine, Horsetail casuarine; <i>Casuarina equisetifolia</i>	Beach eveningprimrose; <i>Oenothera drummondii</i>
Avery's sword fern; <i>Nephrolepis x averyi</i>	Beach false foxglove; <i>Agalinis fasciculata</i>
Avocado; <i>Persea americana</i>	Beach morning-glory; <i>Ipomoea imperati</i>
Avon Park rattlebox, Avon Park harebells; <i>Crotalaria avonensis</i>	Beach naupaka; <i>Scaevola taccada</i> , <i>S. taccada</i> var. <i>sericea</i>
Awned halfchaff sedge; <i>Lipocarpha aristulata</i>	Beachberry, Inkberry, Gullfeed; <i>Scaevola plumieri</i>
Axilflower; <i>Mecardonia acuminata</i> subsp. <i>peninsularis</i>	Beachstar; <i>Cyperus pedunculatus</i>
Aztec marigold; <i>Tagetes erecta</i>	Beaked panicum; <i>Panicum anceps</i>
Azulejo; <i>Cornutia grandifolia</i>	Beaked spikerush; <i>Eleocharis rostellata</i>
Azure blue sage; <i>Salvia azurea</i>	Bearded flatsedge; <i>Cyperus squarrosus</i>
Baby jumpup; <i>Mecardonia procumbens</i>	Bearded grasspink; <i>Calopogon barbatus</i>
Baby sun rose, Heartleaf iceplant; <i>Aptenia cordifolia</i>	Bearded skeletongrass; <i>Gymnopogon ambiguus</i>
Bahama ladder brake; <i>Pteris bahamensis</i>	Bearded sprangletop; <i>Leptochloa fusca</i> subsp. <i>fascicularis</i>
Bahama manjack; <i>Cordia bahamensis</i>	Beckner's lupine, McFarlin's lupine; <i>Lupinus westianus</i> var. <i>aridorum</i>
Bahama nightshade, Cankerberry; <i>Solanum bahamense</i>	Bee wattle; <i>Acacia sphaerocephala</i>
Bahama sachia; <i>Sachsia polyccephala</i>	Beeftree, Blolly; <i>Guapira discolor</i>
Bahama strongbark, Bodywood; <i>Bourreria succulenta</i>	Beggarticks, Romerillo; <i>Bidens alba</i> var. <i>radiata</i>
Bahama wild coffee; <i>Psychotria ligustrifolia</i>	Bejuco Colorado, Wild-potato morning-glory, Man-in- the-ground; <i>Ipomoea microdactyla</i>
Bahia lovegrass; <i>Eragrostis bahiensis</i>	Bellyache bush; <i>Jatropha gossypiifolia</i>
Bahiagrass; <i>Paspalum notatum</i> , <i>P. notatum</i> var. <i>saurae</i>	Bent sedge; <i>Carex styloflexa</i>
Bald-cypress; <i>Taxodium distichum</i>	Bermudagrass; <i>Cynodon dactylon</i>
Baldwin's beaksedge; <i>Rhynchospora baldwinii</i>	Be-still tree; <i>Rauvolfia tetraphylla</i>
Baldwin's eryngo; <i>Eryngium baldwinii</i>	Big caltrop; <i>Kallstroemia maxima</i>
Baldwin's flatsedge; <i>Cyperus croceus</i>	Big carpetgrass; <i>Axonopus furcatus</i>
Baldwin's milkwort; <i>Polygala balduinii</i>	Big Cypress star orchid, Matted epidendrum; <i>Epidendrum strobiliferum</i>
Baldwin's nailwort; <i>Paronychia baldwinii</i>	Big floatingheart; <i>Nymphoides aquatica</i>
Baldwin's nutrush; <i>Scleria baldwinii</i>	Big sandbur; <i>Cenchrus myosuroides</i>
Baldwin's spikerush, Roadgrass; <i>Eleocharis baldwinii</i>	Big threeawn, Piedmont threeawn; <i>Aristida condensata</i>
Ballmoss; <i>Tillandsia recurvata</i>	Bigflower pawpaw; <i>Asimina obovata</i>
Balsam torchwood; <i>Amyris balsamifera</i>	Big-foot water-clover; <i>Marsilea macropoda</i>
Balsampear; <i>Momordica charantia</i>	Bighead rush; <i>Juncus megacephalus</i>
Bamboo palm; <i>Chamaedorea seifrizii</i>	Bigleaf sumpweed; <i>Iva frutescens</i>
Bandana-of-the-Everglades; <i>Canna flaccida</i>	Bigseed alfalfa dodder; <i>Cuscuta indecora</i>
Bayan tree; <i>Ficus benghalensis</i>	Bindweed dwarf morning-glory, Dwarf bindweed; <i>Evolvulus convolvuloides</i>
Baqina; <i>Lepianthes umbellata</i>	Bipinnate couplet fern, Cuplet fern; <i>Dennstaedtia bipinnata</i>
Barbados cherry; <i>Malpighia emarginata</i>	Bird pepper, Cayenne pepper; <i>Capsicum annuum</i> var. <i>glabriusculum</i>
Barbados gooseberry, Lemon vine; <i>Pereskia aculeata</i>	
Barnyardgrass; <i>Echinochloa crus-galli</i>	
Bartram's airplant; <i>Tillandsia bartramii</i>	
Bartram's rosegentian; <i>Sabatia bartramii</i>	
Basketplant; <i>Callisia fragrans</i>	
Bastard copperleaf; <i>Acalypha chamaedrifolia</i>	
Bastard indigobush, False indigobush; <i>Amorpha fruticosa</i>	
Bastard stopper; <i>Petitia domingensis</i>	
Bay cedar; <i>Suriana maritima</i>	

Birdsfoot trefoil; <i>Lotus uliginosus</i>	Bottlebrush; <i>Callistemon viminalis</i>
Biscayne pricklyash, Leathery pricklyash; <i>Zanthoxylum coriaceum</i>	Bottlebrush threeawn; <i>Aristida spiciformis</i>
Biscayne spleenwort; <i>Asplenium x biscaynianum</i>	Bowstring hemp, Mother-in-law's tongue; <i>Sansevieria hyacinthoides</i>
Bitter dock; <i>Rumex obtusifolius</i>	Boxelder; <i>Acer negundo</i>
Bitter panicgrass; <i>Panicum amarum</i>	Boykin's milkwort; <i>Polygala boykinii</i>
Black bogrush; <i>Schoenus nigricans</i>	Braceletwood; <i>Jacquinia arborea</i>
Black calabash; <i>Amphitecna latifolia</i>	Brace's aster; <i>Symphyotrichum bracei</i>
Black cherry; <i>Prunus serotina</i>	Bracted colicroot; <i>Aletris bracteata</i>
Black ironwood, Leadwood; <i>Krugiodendron ferreum</i>	Bracted fanpetals, Fringed fanpetals; <i>Sida ciliaris</i>
Black mangrove; <i>Avicennia germinans</i>	Branched hedgehyssop; <i>Gratiola ramosa</i>
Black medick; <i>Medicago lupulina</i>	Brazilian begonia; <i>Begonia hirtella</i>
Black mimosa; <i>Mimosa pigra</i>	Brazilian jackbean; <i>Canavalia brasiliensis</i>
Black nightshade; <i>Solanum chenopodioides</i>	Brazilian jasmine, Jazmin de trapo; <i>Jasminum fluminense</i>
Black olive; <i>Bucida buceras</i>	Brazilian joyweed; <i>Alternanthera brasiliiana</i>
Black spikerush; <i>Eleocharis nigrescens</i>	Brazilian nightshade; <i>Solanum seaforthianum</i>
Blackedge sedge; <i>Carex nigromarginata var. floridana</i>	Brazilian pepper; <i>Schinus terebinthifolius</i>
Blackeyed pea, Cowpea; <i>Vigna unguiculata</i>	Brazilian satintail; <i>Imperata brasiliensis</i>
Blackeyed Susan; <i>Rudbeckia hirta</i>	Brazilian vervain; <i>Verbena brasiliensis</i>
Blackeyed Susan Vine; <i>Thunbergia alata</i>	Brazilian waterweed; <i>Egeria densa</i>
Blackroot; <i>Pterocaulon pycnostachyum</i>	Breadnut; <i>Brosimum alicastrum</i>
Blackseed needlegrass; <i>Piptochaetium avenaceum</i>	Bretonica peluda; <i>Melochia spicata</i>
Blacktorch; <i>Erithalis fruticosa</i>	Bridal bouquet; <i>Poranopsis paniculata</i>
Bladdermallow; <i>Herissantia crispa</i>	Bristleleaf pricklyleaf; <i>Thymophylla tenuiloba</i>
Bladderpod, Bagpod; <i>Sesbania vesicaria</i>	Bristleseed yellow stargrass; <i>Hypoxis wrightii</i>
Blanket crabgrass, Dwarf crabgrass; <i>Digitaria serotina</i>	Bristly greenbrier, Hogbrier; <i>Smilax tamnoides</i>
Blodgett's silverbush, Blodgett's wild mercury; <i>Argythamnia blodgettii</i>	Bristly scaleseed; <i>Spermolepis echinata</i>
Blodgett's swallowwort; <i>Cynanchum blodgettii</i>	Bristlystalked sedge; <i>Carex leptalea</i>
Blue crowngrass; <i>Paspalum caespitosum</i>	Brittle maidenhair; <i>Adiantum tenerum</i>
Blue fenugreek; <i>Trigonella caerulea</i>	Brittle thatch palm, Key thatch palm; <i>Thrinax morrisii</i>
Blue huckleberry; <i>Gaylussacia frondosa var. tomentosa</i>	Britton's beargrass; <i>Nolina brittoniana</i>
Blue maidencane; <i>Amphicarpum muhlenbergianum</i>	Britton's shadow witch; <i>Ponthieva brittoniae</i>
Blue mistflower; <i>Conoclinium coelestinum</i>	Britton's wild petunia, Mexican bluebell; <i>Ruellia tweediana</i>
Blue mudplantain; <i>Heteranthera limosa</i>	Broad halberd fern; <i>Tectaria heracleifolia</i>
Blue porterweed, Joee; <i>Stachytarpheta jamaicensis</i>	Broadleaf arrowhead, Common arrowhead, Duck potato; <i>Sagittaria latifolia</i>
Blue rattlebox; <i>Crotalaria verrucosa</i>	Broadleaf cattail; <i>Typha latifolia</i>
Blueflower butterwort; <i>Pinguicula caerulea</i>	Broadleaf signalgrass; <i>Urochloa platyphylla</i>
Bluejack oak; <i>Quercus incana</i>	Broadleaf woodsorrel; <i>Oxalis latifolia</i>
Bluejacket, Ohio spiderwort; <i>Tradescantia ohiensis</i>	Broadwing sedge; <i>Carex alata</i>
Bluejoint panicum; <i>Panicum tenerum</i>	Bromelike sedge; <i>Carex bromoides</i>
Bluemink; <i>Ageratum houstonianum</i>	Brook crownglass; <i>Paspalum acuminatum</i>
Bluestem pricklypoppy; <i>Argemone albiflora</i>	Broombush falsewillow; <i>Baccharis dioica</i>
Bluethread; <i>Burmannia biflora</i>	Broomcorn; <i>Sorghum arundinaceum</i>
Bluewings, Wishbone flower; <i>Torenia fournieri</i>	Broomcorn millet; <i>Panicum miliaceum</i>
Blushing scrub balm; <i>Dicerandra frutescens subsp. modesta</i>	Broomsedge bluestem; <i>Andropogon virginicus</i> , <i>A. virginicus</i> var. <i>decipiens</i>
Bo tree, Sacred fig; <i>Ficus religiosa</i>	Brown Indianhemp, Kenaf; <i>Hibiscus cannabinus</i>
Bog rush, Elliott's rush; <i>Juncus elliotii</i>	Browne's blechum; <i>Blechum pyramidatum</i>
Bog smartweed; <i>Polygonum setaceum</i>	
Bog white violet; <i>Viola lanceolata</i>	
Bog yellowcress; <i>Rorippa palustris subsp. fernaldiana</i>	

Browne's Indian rosewood; <i>Dalbergia brownei</i>	Cantaloupe; <i>Cucumis melo</i>
Browne's savory; <i>Micromeria brownei</i> var. <i>pilosiuscula</i>	Cape Blue Waterlily; <i>Nymphaea capensis</i> var. <i>zanzibariensis</i>
Brown-hair comb fern; <i>Ctenitis submarginalis</i>	Cape honeysuckle; <i>Tecoma capensis</i>
Brownhair snoutbean; <i>Rhynchosia cinerea</i>	Cape jasmine, Pinwheel flower; <i>Tabernaemontana divaricata</i>
Brownseed paspalum; <i>Paspalum plicatulum</i>	Cape leadwort; <i>Plumbago auriculata</i>
Browntop millet, Dixie signal grass; <i>Urochloa ramosa</i>	Cape Sable thoroughwort; <i>Chromolaena frustrata</i>
Browntop Signal grass; <i>Urochloa fusca</i> var. <i>reticulata</i>	Capillary hairsedge; <i>Bulbostylis ciliatifolia</i>
Bruce's spike-moss; <i>Lycopodiella x brucei</i>	Cardboard palm, Cardboard cycad; <i>Zamia furfuracea</i>
Brunswickgrass; <i>Paspalum nicorae</i>	Cardinal airplant, Common wild pine, Stiff-leaved wild pine; <i>Tillandsia fasciculata</i> , <i>T. fasciculata</i> var. <i>clavispica</i> , <i>T. fasciculata</i> var. <i>densispica</i>
Buckroot; <i>Pediomelum canescens</i>	Cardinal flower; <i>Lobelia cardinalis</i>
Buckwheat; <i>Fagopyrum esculentum</i>	Caribbean applecactus, Indian River prickly-apple; <i>Harrisia fragrans</i>
Buffalo clover; <i>Trifolium reflexum</i>	Caribbean clearweed; <i>Pilea herniarioides</i>
Buffelgrass; <i>Cenchrus ciliaris</i>	Caribbean crabgrass; <i>Digitaria filiformis</i> var. <i>dolichophylla</i>
Bulbous bittercress, Spring cress; <i>Borrichia x cubana</i>	Caribbean princewood; <i>Exostema caribaeum</i>
Bulbous bittercress, Spring cress; <i>Cardamine bulbosa</i>	Caribbean seagrass; <i>Halophila decipiens</i>
Bull crownglass; <i>Paspalum boscianum</i>	Caribbean trumpettree; <i>Tabebuia aurea</i>
Bulltongue arrowhead; <i>Sagittaria lancifolia</i>	Caribgrass; <i>Eriochloa polystachya</i>
Bunch cutgrass; <i>Leersia monandra</i>	Carolina ash, Water ash, Pop ash; <i>Fraxinus caroliniana</i>
Bunched beaksedge; <i>Rhynchospora cephalantha</i> , <i>R. microcephala</i>	Carolina basswood; <i>Tilia americana</i> var. <i>caroliniana</i>
Burmarood, Silkreed; <i>Neyraudia reynaudiana</i>	Carolina bristlemallow; <i>Modiola caroliniana</i>
Burmese fishtail palm; <i>Caryota mitis</i>	Carolina buckthorn; <i>Rhamnus caroliniana</i>
Burr clover; <i>Medicago polymorpha</i>	Carolina crabgrass; <i>Digitaria cognata</i>
Burrrigarold, Smooth beggarticks; <i>Bidens laevis</i>	Carolina cranesbill; <i>Geranium carolinianum</i>
Burnnut, Jamaican feverplant; <i>Tribulus cistoides</i>	Carolina dayflower; <i>Commelinia caroliniana</i>
Burrowing four-o'clock, Beach peanut; <i>Okenia hypogaea</i>	Carolina desertchicory; <i>Pyrrhopappus carolinianus</i>
Bush clockvine; <i>Thunbergia erecta</i>	Carolina elephantsfoot; <i>Elephantopus carolinianus</i>
Bush morning-glory; <i>Ipomoea carnea</i> subsp. <i>fistulosa</i>	Carolina false vervain; <i>Stylosodon carneum</i>
Bushy bluestem; <i>Andropogon glomeratus</i> , <i>A. glomeratus</i> var. <i>hirsutior</i> , <i>A. glomeratus</i> var. <i>pumilus</i>	Carolina fanwort; <i>Cabomba caroliniana</i>
Bushy seaside oxeye; <i>Borrichia frutescens</i>	Carolina fimbry; <i>Fimbristylis caroliniana</i>
Butterflyweed, Butterfly milkweed; <i>Asclepias tuberosa</i>	Carolina frostweed; <i>Helianthemum carolinianum</i>
Butterweed; <i>Packera glabella</i>	Carolina holly, sand holly; <i>Ilex ambigua</i>
Button rattlesnakemaster, Button eryngo; <i>Eryngium yuccifolium</i>	Carolina horsetettle; <i>Solanum carolinense</i>
Buttonsage; <i>Lantana involucrata</i>	Carolina indigo; <i>Indigofera caroliniana</i>
Buttonwood; <i>Conocarpus erectus</i>	Carolina jointtailgrass; <i>Coelorachis cylindrica</i>
Cabbage palm; <i>Sabal palmetto</i>	Carolina laurelcherry; <i>Prunus caroliniana</i>
Caesarweed; <i>Urena lobata</i>	Carolina mosquito fern; <i>Azolla caroliniana</i>
Cajeput tree; <i>Melaleuca linariifolia</i>	Carolina ponyfoot; <i>Dichondra carolinensis</i>
Calloose grape; <i>Vitis shuttleworthii</i>	Carolina redroot; <i>Lachnanthes caroliana</i>
Camphor daisy; <i>Rayjacksonia phyllocephala</i>	Carolina scaleystem; <i>Elytraria caroliniensis</i> , <i>E. caroliniensis</i> var. <i>angustifolia</i>
Camphortree; <i>Cinnamomum camphora</i>	Carolina sealavender; <i>Limonium carolinianum</i>
Camphorweed; <i>Heterotheca subaxillaris</i>	Carolina wild petunia; <i>Ruellia carolinensis</i>
Canada spikerush; <i>Eleocharis geniculata</i>	Carolina willow, Coastal plain willow; <i>Salix caroliniana</i>
Canadian blacksnakeroot; <i>Sanicula canadensis</i>	
Canadian toadflax; <i>Linaria canadensis</i>	
Canby's bulrush; <i>Scirpus etuberculatus</i>	
Candlenut tree, Indian walnut; <i>Aleurites moluccanus</i>	
Candlestick plant; <i>Senna alata</i>	
Candyroot; <i>Polygala nana</i>	

Carolina yelloweyed grass; <i>Xyris caroliniana</i>	Chinese lovegrass; <i>Eragrostis unioloides</i>
Carrotwood; <i>Cupaniopsis anacardioides</i>	Chinese privet; <i>Ligustrum sinense</i>
Carter's flax, Everglades flax; <i>Linum carteri</i>	Chinese violet; <i>Asystasia gangetica</i>
Carter's orchid; <i>Basiphyllaea corallicola</i>	Chocolateweed; <i>Melochia corchorifolia</i>
Carter's pinelandcress, Carter's mustard; <i>Warea carteri</i>	Christmasberry; <i>Crossopetalum ilicifolium</i>
Castorbean; <i>Ricinus communis</i>	Christmasberry, Carolina desert-thorn; <i>Lycium carolinianum</i>
Cat greenbrier, Wild sarsaparilla; <i>Smilax glauca</i>	Christmastree plant; <i>Kalanchoe laciniata</i>
Catbells; <i>Baptisia perfoliata</i>	Christmasvine; <i>Turbina corymbosa</i>
Catclaw blackbeard; <i>Pithecellobium unguis-cati</i>	Ciliated wild petunia; <i>Ruellia ciliosa</i>
Catclawvine; <i>Macfadyena unguis-cati</i>	Cinnamon fern; <i>Osmunda cinnamomea</i>
Catesby's lily, Pine lily; <i>Lilium catesbaei</i>	Cinnecord, Tamarindillo; <i>Acacia choriophylla</i>
Cathedral bells, Life plant; <i>Kalanchoe pinnata</i>	Citron; <i>Citrus medica</i>
Catstongue, Velvetburr; <i>Priva lappulacea</i>	Clamshell orchid, Florida cockleshell orchid; <i>Prosthechea cochleata</i>
Celestial lily, Fallflower ixia; <i>Nemastylis floridana</i>	Clasping heliotrope; <i>Heliotropium amplexicaule</i>
Centipedegrass; <i>Eremochloa ophiuroides</i>	Clasping milkweed; <i>Asclepias amplexicaulis</i>
Century plant; <i>Agave vivipara</i>	Clasping Venus's lookingglass; <i>Triodanis biflora</i> , <i>T. perfoliata</i>
Cerulean flaxlily; <i>Dianella ensifolia</i>	Claspingleaf pondweed; <i>Potamogeton perfoliatus</i> var. <i>bupleuroides</i>
Ceylon hound's tongue; <i>Cynoglossum zeylanicum</i>	Climbing aster; <i>Symphyotrichum carolinianum</i>
Chaffseed; <i>Schwalbea americana</i>	Climbing dayflower; <i>Commelina diffusa</i> var. <i>gigas</i>
Chaffwedd; <i>Anagallis minima</i>	Climbing hempvine; <i>Mikania scandens</i>
Chalicevine; <i>Solandra nitida</i>	Climbing vine fern; <i>Microgramma heterophylla</i>
Chalky bluestem; <i>Andropogon virginicus</i> var. <i>glaucus</i>	Clustered bushmint, Musky mint; <i>Hyptis alata</i>
Chamber bitter; <i>Phyllanthus urinaria</i>	Clustered mille graines; <i>Oldenlandia uniflora</i>
Chancleta; <i>Hybanthus linearifolius</i>	Clustered pellitory; <i>Parietaria praetermissa</i>
Chandelier plant; <i>Kalanchoe delagoensis</i>	Clustered yellowtops; <i>Flaveria trinervia</i>
Chapman's arrowhead; <i>Sagittaria graminea</i> var. <i>chapmani</i>	Clusterspike false indigobush; <i>Amorpha herbacea</i>
Chapman's beaksedge; <i>Rhynchospora chapmani</i>	Coast cockspur; <i>Echinochloa walteri</i>
Chapman's gayfeather; <i>Liatris chapmani</i>	Coastal beach sandmat; <i>Chamaesyce mesembrianthemifolia</i>
Chapman's goldenrod; <i>Solidago odora</i> var. <i>chapmani</i>	Coastal beaksedge; <i>Rhynchospora pleiantha</i>
Chapman's oak; <i>Quercus chapmani</i> , <i>Pectis x floridana</i>	Coastal bedstraw; <i>Galium hispidulum</i>
Chapman's purpletop tridens; <i>Tridens flavus</i> var. <i>chapmani</i>	Coastal bristlegrass, Coastal foxtail; <i>Setaria corrugata</i>
Chapman's sedge; <i>Carex chapmannii</i>	Coastal doghobble; <i>Leucothoe axillaris</i>
Chapman's skeletongrass; <i>Gymnopogon chapmanianus</i>	Coastal dune sandmat, Sanddune spurge; <i>Chamaesyce cumulicola</i>
Chapman's wild sensitive plant; <i>Senna mexicana</i> var. <i>chapmani</i>	Coastal groundcherry; <i>Physalis angustifolia</i>
Charlock mustard; <i>Sinapis arvensis</i>	Coastal Indian mallow; <i>Abutilon permolle</i>
Cheesewood; <i>Pittosporum pentandrum</i>	Coastal lovegrass; <i>Eragrostis virginica</i>
Cheesytoes; <i>Stylosanthes hamata</i>	Coastal mock vervain; <i>Glandularia maritima</i>
Cherokee rose; <i>Rosa laevigata</i>	Coastal ragweed; <i>Ambrosia hispida</i>
Chestnutleaf falsecroton; <i>Caperonia castaneifolia</i>	Coastal rosegentian; <i>Sabatia calycina</i>
Chewstick, Whiteroot; <i>Gouania lupuloides</i>	Coastal sand spurge; <i>Euphorbia exserta</i>
Chickenspike; <i>Sphenoclea zeylanica</i>	Coastal sandbur; <i>Cenchrus spinifex</i>
Chiggery grapes; <i>Tournefortia hirsutissima</i>	Coastal searocket; <i>Cakile lanceolata</i>
Chinaberrytree; <i>Melia azedarach</i>	Coastalplain dawnflower; <i>Stylisma patens</i>
Chinese boxorange; <i>Severinia buxifolia</i>	Coastalplain flatsedge; <i>Cyperus cuspidatus</i>
Chinese elm; <i>Ulmus parvifolia</i>	Coastalplain goldenaster; <i>Chrysopsis scabrella</i>
Chinese evergreen; <i>Aglaonema commutatum</i> var. <i>maculatum</i>	
Chinese fan palm; <i>Livistona chinensis</i>	
Chinese hat; <i>Holmskioldia sanguinea</i>	
Chinese ladder brake; <i>Pteris vittata</i>	

Coastalplain hawkweed; <i>Hieracium megacephalon</i>	Common sunflower; <i>Helianthus annuus</i>
Coastalplain honeycombhead; <i>Baldina angustifolia</i>	Common warer-hyacinth; <i>Eichhornia crassipes</i>
Coastalplain milkwort; <i>Polygala setacea</i>	Common wireweed, Common fanpetals; <i>Sida acuta</i>
Coastalplain nailwort; <i>Paronychia herniariooides</i>	Common yellow stargrass; <i>Hypoxis curtissii</i>
Coastalplain palafox; <i>Palafoxia integrifolia</i>	Common yellow woodsorrel, Creeping woodsorrel; <i>Oxalis corniculata</i>
Coastalplain shaffhead, Florida paintbrush; <i>Carphephorus corymbosus</i>	Conecup spikerush; <i>Eleocharis tuberculosa</i>
Coastalplain St. John's-wort; <i>Hypericum brachyphyllum</i>	Coneflower moonlight cactus; <i>Selenicereus coniflorus</i>
Coastalplain staggerbush; <i>Lyonia fruticosa</i>	Confederate jasmine; <i>Trachelospermum jasminoides</i>
Coastalplain tickseed; <i>Coreopsis gladiata</i>	Coontail; <i>Ceratophyllum demersum</i>
Coastalplain yelloweyed grass; <i>Xyris ambigua</i>	Coot Bay dancinglady orchid; <i>Trichocentrum carthagenaense</i>
Coastalplain yellowtops; <i>Flaveria bidentis</i>	Copeland's club-moss; <i>Lycopodiella x copelandii</i>
Coatbuttons; <i>Tridax procumbens</i>	Coral bristlegrass, Coral foxtail; <i>Setaria macrosperma</i>
Cochineal cactus; <i>Opuntia cochenillifera</i>	Coral dropseed; <i>Sporobolus domingensis</i>
Coco plum; <i>Chrysobalanus icaco</i>	Coral greenbrier; <i>Smilax walteri</i>
Coconut palm; <i>Cocos nucifera</i>	Coral hoarypea; <i>Tephrosia angustissima var. corallicola</i>
Coffeeweed, Sicklepod; <i>Senna obtusifolia</i>	Coral honeysuckle, Trumpet honeysuckle; <i>Lonicera sempervirens</i>
Cogongrass; <i>Imperata cylindrica</i>	Coral panicm, Coral panicgrass; <i>Paspalidium chapmani</i>
Coinvine; <i>Dalbergia ecastaphyllum</i>	Coral paspalum, Blodgett's crownglass; <i>Paspalum blodgettii</i>
Coker's beach creeper, One-nerved ernodea; <i>Ernodea cokeri</i>	Coral vine, Queen's jewels; <i>Antigonon leptopus</i>
Columbian watermeal; <i>Wolffia columbiana</i>	Coralbean, Cherokee bean; <i>Erythrina herbacea</i>
Columbian waxweed; <i>Cuphea carthagenensis</i>	Coralbush; <i>Jatropha multifida</i>
Comb bushmint; <i>Hyptis pectinata</i>	Coriander; <i>Coriandrum sativum</i>
Comb polypody, Swamp plume polypody; <i>Pecluma ptilodon</i> var. <i>caespitosa</i>	Corkscrew threeawn; <i>Aristida gyrans</i>
Combleaf mermaidweed; <i>Proserpinaca pectinata</i>	Corkystem passionflower; <i>Passiflora suberosa</i>
Commercial vanilla; <i>Vanilla planifolia</i>	Corn, Maize; <i>Zea mays</i>
Common asparagus-fern; <i>Asparagus setaceus</i>	Correll's yelloweyed grass; <i>Xyris correlliorum</i>
Common bamboo; <i>Bambusa vulgaris</i>	Costa Rican ladiesresses; <i>Spiranthes costaricensis</i>
Common banana; <i>Musa Xparadisiaca</i>	Cottonweed, Plains snakecotton; <i>Froelichia floridana</i>
Common blue violet; <i>Viola sororia</i>	Council tree; <i>Ficus altissima</i>
Common buttonbush; <i>Cephalanthus occidentalis</i>	Cow soapwort, Cow herb; <i>Vaccaria hispanica</i>
Common carpetgrass; <i>Axonopus fissifolius</i>	Cowhorn orchid, Cigar orchid; <i>Cyrtopodium punctatum</i>
Common chickweed; <i>Stellaria media</i>	Cowitch vine, Climbing hydrangea, Woodvamp; <i>Decumaria barbara</i>
Common dandelion; <i>Taraxacum officinale</i>	Cowitch, Velvetbean; <i>Mucuna pruriens</i>
Common dayflower; <i>Commelinia diffusa</i>	Cowpea witchweed; <i>Striga gesnerioides</i>
Common dofmustard; <i>Erucastrum gallicum</i>	Crabwood, Oysterwood; <i>Gymnanthes lucida</i>
Common duckweed; <i>Spirodela polyrhiza</i>	Craighead's noddingcaps, Craighead's orchid; <i>Triphora craigheadii</i>
Common eveningprimrose; <i>Oenothera biennis</i>	Cranichis ladiesresses; <i>Spiranthes cranichoides</i>
Common fig; <i>Ficus carica</i>	Crapemyrtle; <i>Lagerstroemia indica</i>
Common flax; <i>Linum usitatissimum</i>	Creeping bramble fern; <i>Hypolepis repens</i>
Common hoptree, Wafer ash; <i>Ptelea trifoliata</i>	Creeping Charlie; <i>Pilea nummulariifolia</i>
Common hottentot fig; <i>Carpobrotus edulis</i>	Creeping cinquefoil; <i>Potentilla reptans</i>
Common lignumvitae; <i>Guajacum officinale</i>	Creeping cucumber; <i>Melothria pendula</i>
Common oat; <i>Avena fatua</i> var. <i>sativa</i>	
Common persimmon; <i>Diospyros virginiana</i>	
Common plantain; <i>Plantago major</i>	
Common pricklypear; <i>Opuntia monacanthos</i>	
Common ragweed; <i>Ambrosia artemisiifolia</i>	
Common reed; <i>Phragmites australis</i>	
Common sowthistle; <i>Sonchus oleraceus</i>	

Creeping eryngo; <i>Eryngium prostratum</i>	Deerberry; <i>Vaccinium stamineum</i>
Creeping inchplant; <i>Callisia repens</i>	Delchamp's ladder brake; <i>Pteris x delchampsii</i>
Creeping leafstalkgrass; <i>Pharus lappulaceus</i>	Delicate violet orchid, Delicate ionopsis orchid; <i>Ionopsis utricularioides</i>
Creeping oxeye; <i>Sphagneticola trilobata</i>	Dense gayfeather; <i>Liatris spicata</i>
Creeping primrosewillow; <i>Ludwigia repens</i>	Denseflower knotweed; <i>Polygonum densiflorum</i>
Creeping rivergrass; <i>Echinochloa polystachya</i>	Desert horsepurslane; <i>Trianthema portulacastrum</i>
Creeping signalgrass, Plantain signalgrass; <i>Urochloa plantaginea</i>	Desert lovegrass; <i>Eragrostis pectinacea</i> var. <i>miserrima</i>
Creeping star-hair fern; <i>Thelypteris reptans</i>	Devil's backbone; <i>Kalanchoe daigremontiana</i>
Crested floatingheart; <i>Nymphoides cristata</i>	Devil's claws, Pullback; <i>Pisonia aculeata</i>
Crested Philippine violet; <i>Barleria cristata</i>	Devil's horsewhip; <i>Achyranthes aspera</i> , <i>A. aspera</i> var. <i>pubescens</i>
Crested saltbush; <i>Atriplex cristata</i>	Devil's potato, Rubbervine; <i>Echites umbellata</i>
Crimson bluestem; <i>Schizachyrium sanguineum</i>	Devil's walkingstick; <i>Aralia spinosa</i>
Crossvine; <i>Bignonia capreolata</i>	Deviltree; <i>Alstonia macrophylla</i>
Crown-of-thorns, Christplant; <i>Euphorbia mili</i>	Diamond maidenhair; <i>Adiantum trapeziforme</i>
Crowpoison, False garlic; <i>Nothoscordum bivalve</i>	Diamondflowers; <i>Stenaria nigricans</i>
Crowpoison, Osceola's plume; <i>Stenanthium densum</i>	Diamondleaf fogfruit; <i>Phyla fruticosa</i>
Cuban bulrush; <i>Scirpus cubensis</i>	Dingy-flowered star orchid, Dingy-flowered epidendrum; <i>Epidendrum anceps</i>
Cuban jute, Indian hemp; <i>Sida rhombifolia</i>	Disie iris, Prairie iris; <i>Iris hexagona</i>
Cuban nakedwood; <i>Colubrina cubensis</i> var. <i>floridana</i>	Dita, White cheesewood; <i>Alstonia scholaris</i>
Cudjoewood; <i>Jacquinia macrocarpa</i>	Ditch fimbry; <i>Fimbristylis schoenoides</i>
Cultivated rye; <i>Secale cereale</i>	Dixie beaksedge; <i>Rhynchospora sulcata</i>
Cultivated tobacco; <i>Nicotiana tabacum</i>	Dixie sandmat; <i>Chamaesyce bombensis</i>
Curacao bush; <i>Cordia globosa</i>	Dixie ticktrefoil; <i>Desmodium tortuosum</i>
Cure-for-all; <i>Pluchea carolinensis</i>	Doctorbush; <i>Plumbago scandens</i>
Curky dock; <i>Rumex crispus</i>	Dogfennel; <i>Eupatorium capillifolium</i>
Curlytop knotweed, Pale smartweed; <i>Polygonum lapathifolium</i>	Dogstongue; <i>Pseudelephantopus spicatus</i>
Curtiss' dropseed; <i>Sporobolus curtissii</i>	Dogtongue wild buskwheat; <i>Eriogonum tomentosum</i>
Curtiss' hoarypea; <i>Tephrosia angustissima</i> var. <i>curtissii</i>	Dollar orchid; <i>Prosthechea boothiana</i> var. <i>erythronioides</i>
Curtiss' milkweed; <i>Asclepias curtissii</i>	Dollarleaf; <i>Rhynchosia reniformis</i>
Curtiss' nutrush; <i>Scleria ciliata</i> var. <i>curtissii</i>	Dominican signalgrass; <i>Urochloa adspersa</i>
Curtiss' primrosewillow; <i>Ludwigia curtissii</i>	Dotleaf waterlily; <i>Nymphaea ampla</i>
Cutleaf eveningprimrose; <i>Oenothera laciniata</i>	Dotted duckweed; <i>Landoltia punctata</i>
Cutleaf groundcherry; <i>Physalis angulata</i>	Dotted smartweed; <i>Polygonum punctatum</i>
Cutleaf spleenwort; <i>Asplenium abscissum</i>	Double-edge maidenhair; <i>Adiantum anceps</i>
Cuthroatgrass; <i>Panicum abscissum</i>	Downy maiden fern, Downy shield fern; <i>Thelypteris dentata</i>
Cypress peperomia; <i>Peperomia glabella</i>	Downy milkpea; <i>Galactia volubilis</i>
Cypress witchgrass; <i>Dichanthelium dichotomum</i> , <i>D. ensifolium</i> , <i>D. ensifolium</i> var. <i>unciphyllum</i>	Downy phlox; <i>Phlox pilosa</i>
Cypresshead groundcherry; <i>Physalis arenicola</i>	Dress' goldenaster; <i>Chrysopsis linearifolia</i> subsp. <i>dressii</i>
Cypressknee helmut orchid, Moss orchid; <i>Cranichis muscosa</i>	Drooping bulrush; <i>Scirpus lineatus</i>
Cypressvine; <i>Ipomoea quamoclit</i>	Drooping forked fern; <i>Dicranopteris flexuosa</i>
Dahoon; <i>Ilex cassine</i>	Drug fumitory, Earthsmoke; <i>Fumaria officinalis</i>
Dallisgrass; <i>Paspalum dilatatum</i>	Drumheads; <i>Polygala cruciata</i>
Danglepod; <i>Sesbania herbacea</i>	Drummond's leafflower; <i>Phyllanthus abnormis</i>
Darlingplum; <i>Reynosia septentrionalis</i>	Drymary, West Indian chickweed; <i>Drymaria cordata</i>
Darrow's blueberry; <i>Vaccinium darrowii</i>	
Dayflowering jessamine; <i>Cestrum diurnum</i>	
Deckert's pinwheel; <i>Lechea deckertii</i>	

Drysand pinwheel, Spreading pinwheel; <i>Lechea divaricata</i>	Elegant Dutchman's-pipe, Calico flower; <i>Aristolochia littoralis</i>
Durban crowfootgrass; <i>Dactyloctenium aegyptium</i>	Elephantgrass, Napiergrass; <i>Pennisetum purpureum</i>
Dusty Miller; <i>Artemisia stelleriana</i>	Elliott's aster; <i>Symphyotrichum elliottii</i>
Dutchman's-pipe; <i>Aristolochia maxima</i>	Elliott's bluestem; <i>Andropogon gyrans</i> , <i>A. gyrans</i> var. <i>stenophyllus</i>
Dwarf banana; <i>Musa acuminata</i>	Elliott's fanpetals; <i>Sida elliottii</i>
Dwarf burrhead, Mudbabies; <i>Echinodorus tenellus</i>	Elliott's goldenrod; <i>Solidago latissimifolia</i>
Dwarf butterfly orchid, Dwarf epidendrum; <i>Prosthechea pygmaea</i>	Elliott's lovegrass; <i>Eragrostis elliottii</i>
Dwarf Canadian horseweed; <i>Conyza canadensis</i> var. <i>pusilla</i>	Elliott's milkpea; <i>Galactia elliottii</i>
Dwarf century plant; <i>Agave desmettiana</i>	Elliott's sedge; <i>Carex elliottii</i>
Dwarf coleus; <i>Coleus pumilus</i>	Elliott's yelloweyed grass; <i>Xyris elliottii</i>
Dwarf Cypress witchgrass; <i>Dichanthelium ensifolium</i> var. <i>breve</i>	Elliptic yellowwood; <i>Ochrosia elliptica</i>
Dwarf huckleberry; <i>Gaylussacia dumosa</i>	Engelmnn's seagrass; <i>Halophila engelmannii</i>
Dwarf live oak; <i>Quercus minima</i>	Engler's bogbutton; <i>Lachnocaulon engleri</i>
Dwarf palmetto, Bluestem palm; <i>Sabal minor</i>	English plantain, Narrowleaf plantain; <i>Plantago lanceolata</i>
Dwarf pawpaw; <i>Asimina pygmea</i>	Entire-winged bristle fern; <i>Trichomanes holopterum</i>
Dwarf rotala, Roundleaf toothcup; <i>Rotala rotundifolia</i>	Epiphytic flatsedge; <i>Cyperus lanceolatus</i>
Dwarf schefflera; <i>Schefflera arboricola</i>	Erect pricklypear, Shell-mound pricklypear; <i>Opuntia stricta</i>
Dwarf St. John's-wort; <i>Hypericum mutilum</i>	Erect spiderling; <i>Boerhavia erecta</i>
Dwarf sundew; <i>Drosera brevifolia</i>	Erectleaf witchgrass; <i>Dichanthelium erectifolium</i>
Dwarf umbrellasedge; <i>Fuirena pumila</i>	Eurasian watermilfoil, Spike watermilfoil; <i>Myriophyllum spicatum</i>
Eared spleenwort, Auricled spleenwort; <i>Asplenium erosum</i>	European chain fern; <i>Woodwardia radicans</i>
Earleaf acacia; <i>Acacia auriculiformis</i>	Eustis lake beardtongue; <i>Penstemon australis</i>
Earleaf greenbrier; <i>Smilax auriculata</i>	Everglades greenbrier; <i>Smilax havanensis</i>
Early blue violet; <i>Viola palmata</i>	Everglades Key false buttonweed; <i>Spermacoce terminalis</i>
Early paspalum; <i>Paspalum praecox</i>	Everglades Key pencilflower; <i>Stylosanthes calcicola</i>
Early whitetop fleabane; <i>Erigeron vernus</i>	Everglades Key sandmat; <i>Chamaesyce conferta</i>
Earpod tree; <i>Enterolobium contortisiliquum</i>	Everglades palm; <i>Acoelorraphe wrightii</i>
East Coast dune sunflower; <i>Helianthus debilis</i>	Evergreen bayberry, Northern bayberry; <i>Myrica caroliniensis</i>
East Indian bristlegrass, Marygrass, Corngrass; <i>Setaria barbata</i>	Expanded lobsterclaw; <i>Heliconia latispatha</i>
East Indian crabgrass; <i>Digitaria setigera</i>	Eyebright ayenia; <i>Ayenia euphrasiifolia</i>
Eastern false dragonhead; <i>Physostegia purpurea</i>	Fairy beaksedge; <i>Rhynchospora pusilla</i>
Eastern gamagrass, Fakahatcheegrass; <i>Tripsacum dactyloides</i>	Fakahatchee bluethread, Fakahatchee burmannia; <i>Burmannia flava</i>
Eastern milkpea; <i>Galactia regularis</i>	Fall panicgrass; <i>Panicum dichotomiflorum</i> , <i>P. dichotomiflorum</i> var. <i>bartowense</i>
Eastern poison ivy; <i>Toxicodendron radicans</i>	False daisy; <i>Eclipta prostrata</i>
Eastern purple bladderwort; <i>Utricularia purpurea</i>	False gromwell, Wild job's tears; <i>Onosmodium virginianum</i>
Eastern redbud; <i>Cercis canadensis</i>	False hop sedge; <i>Carex lupuliformis</i>
Eastern silver aster; <i>Symphyotrichum concolor</i>	Falsemallow; <i>Malvastrum corchorifolium</i>
Eaton's ladies' tresses; <i>Spiranthes eatonii</i>	False mastic; <i>Sideroxylon foetidissimum</i>
Eaton's spike moss, Pygmy spike moss; <i>Selaginella armata</i> var. <i>eatonii</i>	False moneywort, Alyce clover; <i>Alysicarpus ovalifolius</i>
Ebony; <i>Diospyros ebenum</i>	False nettle, Bog hemp; <i>Boehmeria cylindrica</i>
Ebony spleenwort; <i>Asplenium platyneuron</i>	
Egg fruit, Canistel; <i>Pouteria campechiana</i>	
Eagleleaf witchgrass; <i>Dichanthelium ovale</i>	
Eggplant; <i>Solanum melongena</i>	
Egyptian paspalidium, Kissimmeegrass; <i>Paspalidium geminatum</i>	

False rosemary; <i>Conradina canescens</i>	Floating marshpennywort; <i>Hydrocotyle ranunculoides</i>
False sisal; <i>Agave decipiens</i>	Floating primrosewillow; <i>Ludwigia peploides</i> subsp. <i>glabrescens</i>
False tamarind; <i>Lysiloma latisiliquum</i>	Flor de llanten, Frosted orchid; <i>Pleurothallis gelida</i>
Falseface; <i>Pseuderanthemum fasciculatum</i>	Flor de pasmo; <i>Bletia patula</i>
Falsefennel; <i>Eupatorium leptophyllum</i>	Florida addersmouth orchid; <i>Malaxis spicata</i>
Fascicled beaksedge; <i>Rhynchospora fascicularis</i>	Florida alicia; <i>Chapmannia floridana</i>
Faux persil; <i>Cardiospermum corindum</i>	Florida amaranth; <i>Amaranthus floridanus</i>
Feather lovegrass; <i>Eragrostis amabilis</i>	Florida arrowroot, Coontie; <i>Zamia pumila</i>
Feather -stem club-moss, Harper's club-moss; <i>Lycopodiella prostrata</i>	Florida beaksedge, Baldrush; <i>Rhynchospora eximia</i>
Feay's palaox; <i>Palafoxia feayi</i>	Florida beargrass; <i>Nolina atropocarpa</i>
Feay's prairie clover; <i>Dalea feayi</i>	Florida bellflower; <i>Campanula floridana</i>
Fernald's beaksedge; <i>Rhynchospora fernaldii</i>	Florida bitterbush; <i>Picramnia pentandra</i>
Fernleaf yellow false foxglove; <i>Aureolaria pedicularia</i> var. <i>pectinata</i>	Florida bluestem; <i>Andropogon floridanus</i>
Fetid passionflower; <i>Passiflora foetida</i>	Florida boxwood; <i>Schaefferia frutescens</i>
Fetterbush; <i>Lyonia lucida</i>	Florida bristle fern; <i>Trichomanes punctatum</i> subsp. <i>floridanum</i>
Fewflower beaksedge; <i>Rhynchospora rariflora</i>	Florida bully; <i>Sideroxylon reclinatum</i> , <i>S. reclinatum</i> subsp. <i>austrofloridense</i>
Fewflower gayfeather; <i>Liatris pauciflora</i>	Florida butterfly orchid; <i>Encyclia tampensis</i>
Fewflower milkweed; <i>Asclepias lanceolata</i>	Florida cinchweed; <i>Pectis linearifolia</i>
Fewflower nutrush; <i>Scleria ciliata</i> var. <i>pauciflora</i>	Florida clover ash, Tetrazygia; <i>Tetrazygia bicolor</i>
Fiddle dock; <i>Rumex pulcher</i>	Florida coastal indigo; <i>Indigofera miniata</i> var. <i>florida</i>
Fiddler's spurge, Mexican fireplant; <i>Poinsettia heterophylla</i>	Florida cockspur; <i>Echinochloa paludigena</i>
Field burrweed; <i>Soliva sessilis</i>	Florida dancing lady orchid, Florida oncidium; <i>Oncidium ensatum</i>
Field paspalum; <i>Paspalum laeve</i>	Florida diamondflowers; <i>Stenaria nigricans</i> var. <i>floridana</i>
Field pennycress; <i>Thlaspi arvense</i>	Florida false beardgrass; <i>Chrysopogon pauciflorus</i>
Field wormwood; <i>Artemisia campestris</i> subsp. <i>caudata</i>	Florida false buttonweed; <i>Spermacoce keyensis</i>
Firebush; <i>Hamelia patens</i>	Florida false sunflower; <i>Phoebanthus grandiflorus</i>
Firespike; <i>Odontonema cuspidatum</i>	Florida feathershank; <i>Schoenocaulon dubium</i>
Firewheel; <i>Gaillardia pulchella</i>	Florida fiddlewood; <i>Citharexylum spinosum</i>
Fishgrass; <i>Cabomba haynesii</i>	Florida fishpoison tree, Jamaican dogwood; <i>Piscidia piscipula</i>
Fishtail palm; <i>Caryota urens</i>	Florida flatsedge; <i>Cyperus floridanus</i>
Fishtail swordfern; <i>Nephrolepis falcata</i>	Florida gayfeather, Scrub blazing-star; <i>Liatris ohlingerae</i>
Fiveangled dodder; <i>Cuscuta pentagona</i>	Florida govenia, Gowen's orchid; <i>Govenia floridana</i>
Fivefingers; <i>Syngonium angustatum</i>	Florida grape; <i>Vitis cinerea</i> var. <i>floridana</i>
Fivepetal leafflower; <i>Phyllanthus pentaphyllus</i> var. <i>floridanus</i>	Florida greeneyes; <i>Berlandiera subacaulis</i>
Fivestamen burrbark; <i>Triumfetta pentandra</i>	Florida hammock milkpea; <i>Galactia striata</i>
Flamegold; <i>Koelreuteria elegans</i> subsp. <i>formosana</i>	Florida hammock sandmat; <i>Chamaesyce ophthalmica</i>
Flamelily; <i>Gloriosa superba</i>	Florida hammock sedge; <i>Carex vexans</i>
Flamevine; <i>Pyrostegia venusta</i>	Florida hedgenettle, Florida betony; <i>Stachys floridana</i>
Flatglobe dodder; <i>Cuscuta umbellata</i>	Florida hoarypea; <i>Tephrosia florida</i>
Flatleaf flatsedge; <i>Cyperus planifolius</i>	Florida Indian plantain; <i>Arnoglossum floridanum</i>
Flatsedge; <i>Cyperus prolifer</i>	Florida ironweed, Blodgett's ironweed; <i>Vernonia blodgettii</i>
Flatspike sedge; <i>Abildgaardia ovata</i>	Florida jointtailgrass, Piedmont jointgrass; <i>Coelorachis tuberculosa</i>
Flattened pipewort; <i>Eriocaulon compressum</i>	
Flattop goldenrod; <i>Euthamia graminifolia</i> var. <i>hirtipes</i>	
Flattop mille graines; <i>Oldenlandia corymbosa</i>	
Flatwoods plum, Hog plum; <i>Prunus umbellata</i>	
Flaxleaf false foxglove; <i>Agalinis linifolia</i>	
Floating bladderwort; <i>Utricularia inflata</i>	

Florida jointweed, Tufted wireweed; <i>Polygonella basiramia</i>	Florida ticktrefoil; <i>Desmodium floridanum</i>
Florida jujube, Scrub ziziphus; <i>Ziziphus celata</i>	Florida tree fern, Red-hair comb fern; <i>Ctenitis sloanei</i>
Florida Keys blackbead; <i>Pithecellobium keyense</i>	Florida valerian; <i>Valeriana scandens</i>
Florida Keys hempvine; <i>Mikania cordifolia</i>	Florida vetch; <i>Vicia floridana</i>
Florida Keys Indian mallow; <i>Abutilon hirtum</i>	Florida water aster; <i>Symphyotrichum fontinale</i>
Florida Keys indigo; <i>Indigofera trita</i> subsp. <i>scabra</i>	Florida watercress; <i>Rorippa floridana</i>
Florida Keys ladiestresses, Gray ladiestresses, Ft. George ladiestresses; <i>Spiranthes polyantha</i>	Florida whitetop; <i>Rhynchospora floridensis</i>
Florida Keys noseburn, Rocklands noseburn; <i>Tragia saxicola</i>	Florida yellow flax; <i>Linum floridanum</i>
Florida Keys nutrush; <i>Scleria lithosperma</i>	Florida yelloweyed grass; <i>Xyris floridana</i>
Florida ladiestresses; <i>Spiranthes floridana</i>	Florida yellowtops; <i>Flaveria floridana</i>
Florida lady's nightcap, Florida bonamia; <i>Bonamia grandiflora</i>	Flower axistree; <i>Glycosmis parviflora</i>
Florida loosestrife, Lowland loosestrife; <i>Lythrum flagellare</i>	Flowering dogwood; <i>Cornus florida</i>
Florida maple; <i>Acer saccharum</i> subsp. <i>floridanum</i>	Foliage flower, Swordbush; <i>Phyllanthus angustifolius</i>
Florida mayten; <i>Maytenus phyllanthoides</i>	Foolproofplant; <i>Billbergia pyramidalis</i>
Florida milkvetch; <i>Astragalus obcordatus</i>	Footstool palm; <i>Livistona rotundifolia</i>
Florida milkvine, Florida spiny pod; <i>Matelea floridana</i>	Forked bluecurls; <i>Trichostema dichotomum</i>
Florida milkweed; <i>Asclepias feayi</i>	Forked fimbry; <i>Fimbristylis dichotoma</i>
Florida mock gamagrass, Florida tripsacum; <i>Tripsacum floridanum</i>	Forked rush; <i>Juncus dichotomus</i>
Florida mudmidget; <i>Wolffiella gladiata</i>	Fortyflower lovegrass, Cuming's lovegrass; <i>Eragrostis cumingii</i>
Florida needlegrass; <i>Piptochaetium avenacioides</i>	Fountainbush, Firecracker plant; <i>Russelia equisetiformis</i>
Florida paspalum; <i>Paspalum floridanum</i>	Fountaingrass; <i>Pennisetum setaceum</i>
Florida pellitory; <i>Parietaria floridana</i>	Fourangle flatsedge; <i>Cyperus tetragonus</i>
Florida peperomia, Baby rubberplant; <i>Peperomia obtusifolia</i>	Fourleaf vetch; <i>Vicia acutifolia</i>
Florida pimpernel; <i>Anagallis pumila</i>	Four-o'clock, Marvel-of-Peru; <i>Mirabilis jalapa</i>
Florida poisontree, Poisonwood; <i>Metopium toxiferum</i>	Fourpetal pawpaw; <i>Asimina tetramera</i>
Florida prairie clover; <i>Dalea carthagenensis</i> var. <i>floridana</i>	Fourpetal St. John's-wort; <i>Hypericum tetrapetalum</i>
Florida purple bladderwort; <i>Utricularia amethystina</i>	Fourspike fingergrass; <i>Eustachys neglecta</i>
Florida quillwort; <i>Isoetes flaccida</i>	Fourspike heliotrope; <i>Heliotropium procumbens</i>
Florida reimargrass; <i>Reimarochloa oligostachya</i>	Foxtail club-moss; <i>Lycopodiella alopecuroides</i>
Florida roseling; <i>Callisia cordifolia</i>	Foxtail copperleaf; <i>Acalypha alopecuroides</i>
Florida rosemary, Sand heath; <i>Ceratiola ericoides</i>	Foxtail flatsedge; <i>Cyperus alopecuroides</i>
Florida royal palm; <i>Roystonea regia</i>	Fragrant beaksedge; <i>Rhynchospora odorata</i>
Florida scrub frostweed; <i>Helianthemum nashii</i>	Fragrant eryngo; <i>Eryngium aromaticum</i>
Florida scrub roseling; <i>Callisia ornata</i>	Fragrant flatsedge; <i>Cyperus odoratus</i>
Florida scrub skullcap; <i>Scutellaria arenicola</i>	Fragrant ladiestresses, Marsh ladiestresses, Underwater orchid; <i>Spiranthes odorata</i>
Florida sensitive brier; <i>Mimosa quadrivalvis</i> var. <i>floridana</i>	Fragrant maidenhair; <i>Adiantum melanoleucum</i>
Florida shrub thoroughwort; <i>Koanophyllum villosum</i>	Fragrant manjack; <i>Cordia dichotoma</i>
Florida silver palm; <i>Coccothrinax argentata</i>	Fragrant premma; <i>Premna odorata</i>
Florida spiderlily; <i>Hymenocallis tridentata</i>	Fragrant spikesedge; <i>Kyllinga odorata</i>
Florida strap airplant, Many-flowered airplant; <i>Catopsis floribunda</i>	Fragrant swallowwort; <i>Cynanchum northropiae</i>
Florida sunflower; <i>Helianthus floridanus</i>	Freshcut; <i>Justicia pectoralis</i>
Florida swampprivet; <i>Forestiera segregata</i>	Fringed beaksedge; <i>Rhynchospora ciliaris</i>
Florida tasselflower; <i>Emilia fosbergii</i>	Fringed bladderwort; <i>Utricularia simulans</i>
Florida thatch palm; <i>Thrinax radiata</i>	Fringed bluestar; <i>Amsonia ciliata</i>
Florida threeawn; <i>Aristida rhizomophora</i>	Fringed meadowbeauty; <i>Rhexia petiolata</i>
Florida tickseed; <i>Coreopsis floridana</i>	Fringed nutrush; <i>Scleria ciliata</i>
	Fringed rosemallow; <i>Hibiscus rosa-sinensis</i> var. <i>schizopetalus</i>

Fringed spiderflower; <i>Cleome rutidosperma</i>	Golden leather fern; <i>Acrostichum aureum</i>
Fringed yellow stargrass; <i>Hypoxis juncea</i>	Golden polypody; <i>Phlebodium aureum</i>
Fringed yelloweyed grass; <i>Xyris fimbriata</i>	Golden pothos; <i>Epipremnum pinnatum</i>
Fukien tea; <i>Carmona microphylla</i>	Golden shower; <i>Cassia fistula</i>
Fuzzywuzzy airplant, Hoary airplant; <i>Tillandsia pruinosa</i>	Golden tickseed; <i>Coreopsis tinctoria</i>
Gale-of-the-wind, Carry-me-seed; <i>Phyllanthus amarus</i>	Golden trumpet, Brownbud allamanda; <i>Allamanda cathartica</i>
Gambian dayflower; <i>Commelina gambiae</i>	Goldenclub, Neverwet; <i>Orontium aquaticum</i>
Gaping Dutchman's-pipe; <i>Aristolochia ringens</i>	Goldenmane tickseed; <i>Coreopsis basalis</i>
Gaping panicum; <i>Panicum hians</i>	Goldenrod fern; <i>Pityrogramma trifoliata</i>
Garberia; <i>Garberia heterophylla</i>	Gooseberry gourd, West Indian gherkin; <i>Cucumis anguria</i>
Garber's gayfeather; <i>Liatris garberi</i>	Gopher apple; <i>Licania michauxii</i>
Garber's sandmat, Garber's spurge; <i>Chamaesyce garberi</i>	Gophertail lovegrass; <i>Eragrostis ciliaris</i>
Garden canna; <i>Canna x generalis</i>	Gopherweed; <i>Baptisia lanceolata</i>
Garden cornflower; <i>Centaurea cyanus</i>	Governor's plum; <i>Flacourtie indica</i>
Garden cosmon; <i>Cosmos bipinnatus</i>	Graceful sandmat; <i>Chamaesyce hypericifolia</i>
Garden impatiens, Bizzy-Lizzie; <i>Impatiens walleriana</i>	Graham's cassava; <i>Manihot grahamii</i>
Garden radish; <i>Raphanus sativus</i>	Grain sorghum, Broomecorn; <i>Sorghum bicolor</i>
Garden rosemallow, Shoe-black-plant; <i>Hibiscus rosa-sinensis</i>	Grand eucalyptus; <i>Eucalyptus grandis</i>
Garden tomato; <i>Solanum lycopersicum</i>	Grant's rattlebox; <i>Crotalaria virgulata subsp. grantiana</i>
Gentian noddingcaps; <i>Triphora gentianoides</i>	Grassleaf Barbara's buttons; <i>Marshallia tenuifolia</i>
Gholson's sedge; <i>Carex gholsonii</i>	Grassleaf gayfeather; <i>Liatris graminifolia</i>
Ghost orchid, Palmpolly; <i>Dendrophylax lindenii</i>	Grassleaf lettuce; <i>Lactuca graminifolia</i>
Giant airplant, Giant wild pine; <i>Tillandsia utriculata</i>	Grassleaf roseling; <i>Callisia graminea</i>
Giant brake; <i>Pteris tripartita</i>	Grassleaf spurge; <i>Euphorbia graminea</i>
Giant bristlegrass; <i>Setaria magna</i>	Grasslike fimbry; <i>Fimbristylis miliacea</i>
Giant bulrush, California bulrush; <i>Scirpus californicus</i>	Grassnut; <i>Arachis prostrata</i>
Giant flatsedge; <i>Cyperus giganteus</i>	Grassy arrowhead; <i>Sagittaria graminea</i>
Giant ironweed; <i>Vernonia gigantea</i>	Gray nicker; <i>Caesalpinia bonduc</i>
Giant leather fern; <i>Acrostichum danaeifolium</i>	Gray sheoak, Suckering Australian-pine; <i>Casuarina glauca</i>
Giant orchid, Non-crested euphoria; <i>Pteroglossaspis ecristata</i>	Gray's beaksedge; <i>Rhynchospora grayi</i>
Giant reed; <i>Arundo donax</i>	Graytwig; <i>Schoepfia chrysophylloides</i>
Giant sedge; <i>Carex gigantea</i>	Greater yellowspike orchid, Pale-flowered polystachya; <i>Polystachya concreta</i>
Giant sword fern; <i>Nephrolepis biserrata</i>	Green antelopehorn; <i>Asclepias viridis</i>
Giant taro; <i>Alocasia macrorrhizos</i>	Green arrow arum; <i>Peltandra virginica</i>
Giant whitetop, Sandswamp whitetop; <i>Rhynchospora latifolia</i>	Green bristlegrass, Green foxtail, Foxtail millet; <i>Setaria viridis</i>
Gingerbush; <i>Pavonia spinifex</i>	Green flatsedge; <i>Cyperus virens</i>
Glade lobelia; <i>Lobelia glandulosa</i>	Green sprangletop; <i>Leptochloa dubia</i>
Glandular maiden fern; <i>Thelypteris resinifera</i>	Green-fly orchid; <i>Epidendrum conopseum</i>
Globe beaksedge; <i>Rhynchospora globularis</i>	Greenheart; <i>Colubrina arborescens</i>
Glossy privet; <i>Ligustrum lucidum</i>	Greenvein ladiesresses; <i>Spiranthes praecox</i>
Glossy shower; <i>Senna surattensis</i>	Grid-scale maiden fern; <i>Thelypteris patens</i>
Glossyseed yellow stargrass; <i>Hypoxis sessilis</i>	Groundnut; <i>Apios americana</i>
Goat'sfoot; <i>Passiflora sexflora</i>	Groundsel tree, Sea myrtle; <i>Baccharis halimifolia</i>
Goatweed; <i>Capraria biflora</i>	Guava; <i>Psidium guajava</i>
Godfrey's sedge; <i>Carex godfreyi</i>	Guiana plum; <i>Drypetes lateriflora</i>
Gold coast jasmine; <i>Jasminum dichotomum</i>	
Golden crownbeard, Skunk daisy; <i>Verbesina encelioides</i>	
Golden dewdrops; <i>Duranta erecta</i>	

Guinea hen weed; <i>Petiveria alliacea</i>	Hanging club-moss; <i>Huperzia dichotoma</i>
Guineagrass; <i>Panicum maximum</i>	Harper's beaksedge; <i>Rhynchospora harperi</i>
Gulf Coast spikerush; <i>Eleocharis cellulosa</i>	Hartwrightia; <i>Hartwrightia floridana</i>
Gulf Coast swallowwort; <i>Cynanchum angustifolium</i>	Haspan flatsedge; <i>Cyperus haspan</i>
Gulf cordgrass; <i>Spartina spartinae</i>	Havana skullcap; <i>Scutellaria havanensis</i>
Gulf croton, Beach tea; <i>Croton punctatus</i>	Hawaii pearls, Yellow nicker; <i>Caesalpinia major</i>
Gulf hairawn muhle; <i>Muhlenbergia capillaris</i> var. <i>filipes</i>	Heartleaf groundcherry; <i>Physalis cordata</i>
Gulf leafflower; <i>Phyllanthus fraternus</i>	Heartleaf madeiravine; <i>Anredera cordifolia</i>
Gulf sandmat; <i>Chamaesyce thymifolia</i>	Heartleaf nettle; <i>Urtica chamaedryoides</i>
Gulf swampweed; <i>Hygrophila costata</i>	Heartleaf sandmat; <i>Chamaesyce cordifolia</i>
Gulfdune paspalum; <i>Paspalum monostachyum</i>	Heartseed; <i>Cardiospermum microcarpum</i>
Gumbo-limbo; <i>Bursera simaruba</i>	Heartwing dock, Hastaleaf dock; <i>Rumex hastatulus</i>
Hachuela, Pelexia; <i>Pelexia adnata</i>	Heavenlyblue morning-glory; <i>Ipomoea violacea</i>
Hairawn muhly; <i>Muhlenbergia capillaris</i>	Hedge bamboo, Silverstripe bamboo; <i>Bambusa multiplex</i>
Hairlike spikerush; <i>Eleocharis nana</i>	Hedge cactus, Peruvian apple cactus; <i>Cereus repandus</i>
Hairy bedstraw; <i>Galium pilosum</i>	Hedge false bindweed; <i>Calystegia sepium</i> subsp. <i>limnophila</i>
Hairy bluestem; <i>Andropogon longiberbis</i>	Helmut skullcap; <i>Scutellaria integrifolia</i>
Hairy buttercup; <i>Ranunculus sardous</i>	Hemlock witchgrass; <i>Dichanthelium portoricense</i>
Hairy chaffhead; <i>Carphephorus paniculatus</i>	Hemp, Marijuana; <i>Cannabis sativa</i>
Hairy clustervine; <i>Jacquemontia tamnifolia</i>	Henbit deadnettle; <i>Lamium amplexicaule</i>
Hairy crabweed; <i>Fatoua villosa</i>	Herb-of-grace; <i>Bacopa monnieri</i>
Hairy dawnflower; <i>Stylosma villosa</i>	Hercule's-club; <i>Zanthoxylum clava-herculis</i>
Hairy fimbry; <i>Fimbristylis puberula</i>	Hidden dropseed, Rough dropseed; <i>Sporobolus compositus</i> var. <i>clandestinus</i>
Hairy gramma; <i>Bouteloua hirsuta</i>	Hidden orchid; <i>Maxillaria crassifolia</i>
Hairy halberd fern, Hattie Bauer halberd fern; <i>Tectaria coriandrifolia</i>	Highbush blueberry; <i>Vaccinium corymbosum</i>
Hairy indigo; <i>Indigofera hirsuta</i>	Highlands goldenaster; <i>Chrysopsis highlandsensis</i>
Hairy jointweed; <i>Polygonella ciliata</i>	Highlands scrub St. John's-wort, Highlands scrub hypericum; <i>Hypericum cumulicola</i>
Hairy leafcup; <i>Smallanthus uvedalia</i>	Hillsboro threeawn; <i>Aristida purpurascens</i> var. <i>tenuispica</i>
Hairy lespedeza; <i>Lespedeza hirta</i>	Hiptage; <i>Hiptage benghalensis</i>
Hairy maiden fern; <i>Thelypteris hispidula</i> var. <i>versicolor</i>	Hispid starburr; <i>Acanthospermum hispidum</i>
Hairy pinweed; <i>Lechea mucronata</i>	Hoarypea; <i>Tephrosia x floridana</i>
Hairy primrosewillow; <i>Ludwigia pilosa</i>	Hogvine; <i>Merremia umbellata</i>
Hairy sensitive pea; <i>Chamaecrista pilosa</i>	Holly vine fern, Climbing holly-fern; <i>Lomariopsis kunzeana</i>
Hairy shadow witch; <i>Ponthieva racemosa</i>	Holywood lignumvitae; <i>Guajacum sanctum</i>
Hairy signalgrass, Wattle signalgrass; <i>Urochloa piligera</i>	Hooded bristlegrass; <i>Setaria verticillata</i>
Hairy small-leaf ticktrefoil; <i>Desmodium ciliare</i>	Hooded pitcherplant; <i>Sarracenia minor</i>
Hairy smartweed; <i>Polygonum hirsutum</i>	Hoopvine; <i>Trichostigma octandrum</i>
Hairy spotflower; <i>Acmella pilosa</i>	Hophead Philippine violet; <i>Barleria lupulina</i>
Hairy woodrose; <i>Merremia aegyptia</i>	Horned bladderwort; <i>Utricularia cornuta</i>
Hairyflower wild petunia; <i>Ruellia ciliatiflora</i>	Horsebush; <i>Peltophorum dubium</i>
Hairyfruit chervil; <i>Chaerophyllum tainturieri</i>	Horseeye bean; <i>Mucuna sloanei</i>
Hairypod cowpea; <i>Vigna luteola</i>	Horseflesh mahogany; <i>Lysiloma sabicu</i>
Hale's pentodon; <i>Pentodon pentandrus</i>	Hors eradishtree; <i>Moringa oleifera</i>
Hammock false reinorchid, Distans habenaria; <i>Habenaria distans</i>	Hottentot fern, Willdenow's fern; <i>Thelypteris interrupta</i>
Hammock sedge; <i>Carex fissa</i> var. <i>aristata</i>	
Hammock shrubverbena; <i>Lantana canescens</i>	
Hammock snakeroot; <i>Ageratina jucunda</i>	
Hammock velvetseed; <i>Guettarda elliptica</i>	
Hand fern; <i>Ophioglossum palmatum</i>	

Humped bladderwort; <i>Utricularia gibba</i>	Jameson's waterlily, Nightblooming waterlily; <i>Nymphaea jamesoniana</i>
Hurricanegrass; <i>Fimbristylis cymosa</i>	Japanese bristlegrass, Giant foxtail; <i>Setaria faberii</i>
Husk tomato; <i>Physalis pubescens</i>	Japanese climbing fern; <i>Lygodium japonicum</i>
Hyacinthbean; <i>Lablab purpureus</i>	Japanese clover; <i>Kummerowia striata</i>
Hyssopleaf sandmat; <i>Chamaesyce hyssopifolia</i>	Japanese honeysuckle; <i>Lonicera japonica</i>
Iguana hackberry; <i>Celtis iguanaea</i>	Japanese jasmine; <i>Jasminum mesnyi</i>
Illinois pondweed; <i>Potamogeton illinoensis</i>	Japanese mazus; <i>Mazus pumilus</i>
Incised agrimony, Harvest-lice; <i>Agrimonia incisa</i>	Jaragua; <i>Hyparrhenia rufa</i>
Incised halberd fern; <i>Tectaria incisa</i>	Java glory bean, Pagoda flower; <i>Clerodendrum x speciosum</i>
India mustard, Leaf mustard; <i>Brassica juncea</i>	Java plum; <i>Syzygium cumini</i>
Indian albizia; <i>Albizia lebbekoides</i>	Javanese bishopwood; <i>Bischofia javanica</i>
Indian chickweed, Green carpetweed; <i>Mollugo verticillata</i>	Javanese glorybower; <i>Clerodendrum speciosissimum</i>
Indian crabgrass; <i>Digitaria longiflora</i>	Javaneseegrass; <i>Polytrias amaura</i>
Indian cupscale; <i>Sacciolepis indica</i>	Jersey cudweed; <i>Pseudognaphalium luteoalbum</i>
Indian goosegrass; <i>Eleusine indica</i>	Jeweled ble-eyed grass; <i>Sisyrinchium xerophyllum</i>
Indian jointvetch; <i>Aeschynomene indica</i>	Jeweled maiden fern; <i>Thelypteris opulenta</i>
Indian jujube; <i>Ziziphus mauritiana</i>	Jimsonweed; <i>Datura stramonium</i>
Indian laurel; <i>Ficus microcarpa</i>	Joewood; <i>Jacquinia keyensis</i>
Indian lovegrass; <i>Eragrostis pilosa</i>	John Charles; <i>Hyptis verticillata</i>
Indian rosewood; <i>Dalbergia sissoo</i>	Johnsongrass; <i>Sorghum halepense</i>
Indian shot; <i>Canna indica</i>	Johnson's seagrass; <i>Halophila johnsonii</i>
Indian swampweed; <i>Hygrophila polysperma</i>	Jointed flatsedge; <i>Cyperus articulatus</i>
Indian sweetclover, Annual yellow sweetclover; <i>Melilotus indicus</i>	Jointed spikerush; <i>Eleocharis equisetoides</i>
Indian Valley false mallow; <i>Malvastrum americanum</i>	Juba's bush; <i>Iresine diffusa</i>
Indianpipe; <i>Monotropa uniflora</i>	Jug orchid; <i>Platynhelys latifolia</i>
Indoor oak; <i>Buddleja indica</i>	Jungle rice; <i>Echinochloa colona</i>
Inkberry, Gallberry; <i>Ilex glabra</i>	Jute; <i>Corchorus aestuans</i>
Inkwood, Butterbough; <i>Exothaea paniculata</i>	Kaempefer's glorybower; <i>Clerodendrum kaempferi</i>
Innocence, Roundleaf bluet; <i>Houstonia procumbens</i>	Karum tree, Poonga-oil tree; <i>Pongamia pinnata</i>
Italian ryegrass; <i>Lolium perenne</i>	Key lime; <i>Citrus x aurantiifolia</i>
Itchgrass; <i>Rottboellia cochinchinensis</i>	King Ranc bluestem, Yellow bluestem; <i>Bothriochloa ischaemum var. songarica</i>
Ivy gourd, Scarletfruit ivy gourd; <i>Coccinia grandis</i>	Knotgrass; <i>Paspalum distichum</i>
Ivyleaf morning-glory; <i>Ipomoea hederacea</i>	Knotted spikerush; <i>Eleocharis interstincta</i>
Ivyleaf thoroughwort; <i>Chromolaena ivifolia</i>	Korean templegrass, Japanese lawngrass; <i>Zoysia japonica</i>
Jacaranda, Black poui; <i>Jacaranda mimosifolia</i>	Kraus' bristle fern, Treemoss bristle fern; <i>Trichomanes krausii</i>
Jackie's saddle, Clasping peperomia; <i>Peperomia amplexicaulis</i>	Kudzu; <i>Pueraria montana var. lobata</i>
Jack-in-the-bush; <i>Chromolaena odorata</i>	Kyasumagrass; <i>Pennisetum pedicellatum</i>
Jack-in-the-pulpit; <i>Arisaema triphyllum</i>	Lacelip ladiesresses; <i>Spiranthes laciniata</i>
Jackson false foxglove; <i>Agalinis filicaulis</i>	Lacy bracken; <i>Pteridium aquilinum var. caudatum</i>
Jackson vine, Lanceleaf greenbrier; <i>Smilax smallii</i>	Lady lupine; <i>Lupinus villosus</i>
Jackswitch, Woolly corchorus, Cadillo; <i>Corchorus hirsutus</i>	Lake Wales balm, Christman's mint; <i>Dicerandra christmanii</i>
Jacob's ladder, Devil's backbone, Redbird flower; <i>Pedilanthus tithymaloides subsp. smallii</i>	Lakela's balm, Olga's mint; <i>Dicerandra immaculata</i>
Jamaica swamp sawgrass; <i>Cladium jamaicense</i>	Lakela's pinweed; <i>Lechea lakelae</i>
Jamaican capertree; <i>Capparis cynophallophora</i>	Lamb's quarters; <i>Chenopodium album</i>
Jamaican crabgrass; <i>Digitaria horizontalis</i>	Lanceleaf blanketflower; <i>Gaillardia aestivalis</i>
Jamaican forget-me-not, Bushviolet; <i>Browallia americana</i>	
Jamaican nightshade; <i>Solanum jamaicense</i>	
Jamaicanweed; <i>Nama jamaicensis</i>	

Lanceleaf primrosewillow; <i>Ludwigia lanceolata</i>	Lesser creeping rush; <i>Juncus repens</i>
Lanceleaf rattlebox; <i>Crotalaria lanceolata</i>	Lesser duckweed; <i>Lemna aequinoctialis</i>
Lanceleaf rosegentian; <i>Sabatia difformis</i>	Lesser Florida spurge; <i>Euphorbia polypylla</i>
Lancewood; <i>Ocotea coriacea</i>	Lesser swinecress; <i>Coronopus didymus</i>
Lantana, Shrubverbena; <i>Lantana camara</i>	Lewton's milkwort, Lewton's polygala; <i>Polygala lewtonii</i>
Large bullwort; <i>Ammi majus</i>	Lilac chastetree; <i>Vitex agnus-castus</i>
Large gallberry, Sweet gallberry; <i>Ilex coriacea</i>	Lilac tasselflower; <i>Emilia sonchifolia</i>
Largeflower jointweed, Sandhill wireweed; <i>Polygonella robusta</i>	Lilacbell; <i>Ipomoea turbinata</i>
Largeflower Dutchman's-pipe; <i>Aristolochia grandiflora</i>	Lily-of-the-valley vine; <i>Salpichroa organifolia</i>
Largeflower eveningprimrose; <i>Oenothera grandiflora</i>	Limeberry; <i>Triphasia trifolia</i>
Largeflower false rosemary; <i>Conradina grandiflora</i>	Limestone sandmat; <i>Chamaesyce blodgettii</i>
Largeflower Mexican clover; <i>Richardia grandiflora</i>	Limestone yelloweyed grass; <i>Xyris calcicola</i>
Largeflower milkweed; <i>Asclepias connivens</i>	Limpograss; <i>Hemarthria altissima</i>
Largeflower primrosewillow; <i>Ludwigia grandiflora</i>	Lindenleaf rosemallow; <i>Hibiscus furcellatus</i>
Largeflower rosegentian; <i>Sabatia grandiflora</i>	Lindley's butterflybush; <i>Buddleja lindleyana</i>
Largeleaf geigertree; <i>Cordia sebestena</i>	Lined bristle fern; <i>Trichomanes lineolatum</i>
Largeleaf marshpennywort; <i>Hydrocotyle bonariensis</i>	Lion's-ear, Christmas candlestick; <i>Leonotis nepetifolia</i>
Larger waterstarwort; <i>Callitricha heterophylla</i>	Little bluestem; <i>Schizachyrium scoparium</i>
Largeroot morning-glory; <i>Ipomoea macrorhiza</i>	Little duckweed; <i>Lemna obscura</i>
Larkdaisy; <i>Centratherum punctatum</i>	Little floating bladderwort; <i>Utricularia radiata</i>
Lateflowering thoroughwort; <i>Eupatorium serotinum</i>	Little hogweed; <i>Portulaca oleracea</i>
Latexplant; <i>Morrenia odorata</i>	Little ironweed; <i>Cyanthillium cinereum</i>
Latherleaf, Asian nakedwood; <i>Colubrina asiatica</i>	Little ladiesresses, Little pearl-twist; <i>Spiranthes tuberosa</i>
Lattice-wein fern; <i>Thelypteris reticulata</i>	Little spurflower; <i>Plectranthus parviflorus</i>
Laurel greenbrier, Bamboo vine; <i>Smilax laurifolia</i>	Littlebell; <i>Ipomoea triloba</i>
Laurel oak, Diamond oak; <i>Quercus laurifolia</i>	Littleleaf buckbrush; <i>Ceanothus microphyllus</i>
Lavender bladderwort, Small purple bladderwort; <i>Utricularia resupinata</i>	Littleseed canarygrass; <i>Phalaris minor</i>
Lavender scallops; <i>Kalanchoe fedtschenkoi</i>	Littlewoman; <i>Salvia serotina</i>
Lax hornpod; <i>Mitreola petiolata</i>	Live oak; <i>Quercus virginiana</i>
Leafless beaked ladiesresses, Leafless beaked orchid; <i>Sacoila lanceolata</i>	Lizard's tail; <i>Saururus cernuus</i>
Leafless bentspue orchid; <i>Campylocentrum pachyrrhizum</i>	Llima; <i>Sida cordifolia</i>
Leafless swallowwort; <i>Cynanchum scoparium</i>	Lobed croton; <i>Croton lobatus</i>
Leafless vanilla, Mrs. Lott's vanilla, Dillon's vanilla; <i>Vanilla dilloniana</i>	Loblolly bay; <i>Gordonia lasianthus</i>
Leafy beaked ladiesresses; <i>Sacoila lanceolata</i> var. <i>paludicola</i>	Londonrocket; <i>Sisymbrium irio</i>
Leafy bladderwort; <i>Utricularia foliosa</i>	Long brake; <i>Pteris grandifolia</i>
Leafy vanilla; <i>Vanilla phaeantha</i>	Long Key locustberry; <i>Byrsonima lucida</i>
Least halberd fern; <i>Tectaria fimbriata</i>	Long strap fern; <i>Campyloneurum phyllitidis</i>
Least snoutbean; <i>Rhynchosia minima</i>	Longbristle beaksedge; <i>Rhynchospora megaphlomosa</i>
Leatherleaf airplant, Soft-leaved wild pine; <i>Tillandsia variabilis</i>	Longclaw orchid, Spurred neottia; <i>Eltroplectris calcarata</i>
Leatherleaf fern; <i>Rumohra adiantiformis</i>	Longgland orchid, Trinidad macradenia; <i>Macradenia lutescens</i>
Leavenworth's goldenrod; <i>Solidago leavenworthii</i>	Longhair sedge; <i>Carex comosa</i>
Leavenworth's tickseed; <i>Coreopsis leavenworthii</i>	Longhorn false reinorchid, Michaux's orchid; <i>Habenaria quinqueseta</i>
Leconte's flatsedge; <i>Cyperus lecontei</i>	Longleaf camphorweed; <i>Pluchea longifolia</i>
Lemon bacopa, Blue waterhyssop; <i>Bacopa caroliniana</i>	Longleaf crabgrass; <i>Digitaria gracillima</i>
Lemongrass; <i>Cymbopogon citratus</i>	Longleaf milkweed; <i>Asclepias longifolia</i>

Longleaf spiderwort; <i>Tradescantia roseolens</i>	Manyflowered marshpennywort; <i>Hydrocotyle umbellata</i>
Longleaf threeawn; <i>Aristida palustris</i>	Manyhead rush; <i>Juncus polyccephalus</i>
Longleaf wild bushwheat, Scrub buckwheat; <i>Eriogonum longifolium</i> var. <i>gnaphalifolium</i>	Manyspike flatsedge; <i>Cyperus polystachyos</i>
Longleaf woodoats; <i>Chasmanthium laxum</i> var. <i>sessiliflorum</i>	Mariana maiden fern; <i>Macrothelypteris torresiana</i>
Longlip ladies-tresses, Giantspiral ladies-tresses; <i>Spiranthes longilabris</i>	Marlberry; <i>Ardisia escallonioides</i>
Long's sedge; <i>Carex longii</i>	Marsh fern; <i>Thelypteris palustris</i> var. <i>pubescens</i>
Loose watermilfoil; <i>Myriophyllum laxum</i>	Marsh fimbry; <i>Fimbristylis spadicea</i>
Loosehead beaksedge; <i>Rhynchospora chalarocephala</i>	Marsh mermaidweed; <i>Proserpinaca palustris</i>
Lopsided Indiangrass; <i>Sorghastrum secundum</i>	Marsh parsley; <i>Cyclospermum leptophyllum</i>
Loquat; <i>Eriobotrya japonica</i>	Marsh seedbox; <i>Ludwigia palustris</i>
Love vine, Devil's gut; <i>Cassytha filiformis</i>	Marshgentian, Catchfly prairie-gentian; <i>Eustoma exaltatum</i>
Love-in-a-puff; <i>Cardiospermum halicacabum</i>	Marshhay cordgrass, Saltmeadow cordgrass; <i>Spartina patens</i>
Low flatsedge; <i>Cyperus pumilus</i>	Marsh's Dutchman's-pipe; <i>Aristolochia pentandra</i>
Low nutrush; <i>Scleria verticillata</i>	Martinique trimezia; <i>Trimezia martinicensis</i>
Low peperomia; <i>Peperomia humilis</i>	Marubio; <i>Hyptis spicigera</i>
Low pinebarren milkwort; <i>Polygala ramosa</i>	Maryland goldenaster; <i>Chrysopsis mariana</i>
Low rattlebox; <i>Crotalaria pumila</i>	Maryland wild sensitive plant; <i>Senna marilandica</i>
Low spikesedge; <i>Kyllinga pumila</i>	Mascarene Island leafflower; <i>Phyllanthus tenellus</i>
Lowland totala, Toothcup; <i>Rotala ramosior</i>	Matted waterstarwort; <i>Callitriches peploides</i>
Lucknut; <i>Thevetia peruviana</i>	Mauritius hemp; <i>Furcraea foetida</i>
Lyreleaf sage; <i>Salvia lyrata</i>	Mazapan, Turkscap mallow; <i>Malvaviscus penduliflorus</i>
Macarthur's palm; <i>Ptychosperma macarthurii</i>	Meadow jointvetch; <i>Aeschynomene pratensis</i>
Madagascar crabgrass; <i>Digitaria milanjiana</i>	Meadow spike-moss; <i>Selaginella apoda</i>
Madagascar periwinkle; <i>Catharanthus roseus</i>	Medicine vine; <i>Hippocratea volubilis</i>
Madagascar rubbervine; <i>Cryptostegia madagascariensis</i>	Mediterranean lovegrass; <i>Eragrostis barrelieri</i>
Madagascar widow's-thrill, Christmas kalanchoe; <i>Kalanchoe blossfeldiana</i>	Mendez's sandmat; <i>Chamaesyce mendezii</i>
Madamfate; <i>Hippobroma longiflora</i>	Mexican alvaradoa; <i>Alvaradoa amorphoides</i>
Mahogany mistletoe; <i>Phoradendron rubrum</i>	Mexican flamevine; <i>Pseudogynoxys chenopodioides</i>
Maid Marian; <i>Rhexia nashii</i>	Mexican honeysuckle, Mohintle; <i>Justicia spicigera</i>
Maidenberry, Rhacoma; <i>Crossopetalum rhacoma</i>	Mexican palo verde, Jerusalem thorn; <i>Parkinsonia aculeata</i>
Maidencane; <i>Panicum hemitomon</i>	Mexican pricklypoppy; <i>Argemone mexicana</i>
Maidenhair pineland fern; <i>Anemia adiantifolia</i>	Mexican primrosewillow; <i>Ludwigia octovalvis</i>
Malabar plum, Rose apple; <i>Syzygium jambos</i>	Mexican sprangletop; <i>Leptochloa fusca</i> subsp. <i>uninervia</i>
Malasian false pimpernel; <i>Lindernia crustacea</i>	Mexican tea; <i>Chenopodium ambrosioides</i>
Maleberry; <i>Lyonia ligustrina</i> var. <i>foliosiflora</i>	Mexican vanilla, Fuch's vanilla, Unscented vanilla; <i>Vanilla mexicana</i>
Malva de caballo; <i>Malachra capitata</i>	Miami lead plant, Clusterspike false indigobush; <i>Amorpha herbacea</i> var. <i>crenulata</i>
Manatee mudflower; <i>Micranthemum glomeratum</i>	Michaux's cupgrass; <i>Eriochloa michauxii</i>
Manateeegrass; <i>Syringodium filiforme</i>	Michaux's hawthorn; <i>Crataegus michauxii</i>
Manchineel; <i>Hippomane mancinella</i>	Michaux's snoutbean; <i>Rhynchosia michauxii</i>
Mango; <i>Mangifera indica</i>	Mild waterpepper, Swamp smartweed; <i>Polygonum hydropiperoides</i>
Mangrove spiderlily, Perfumed spiderlily; <i>Hymenocallis latifolia</i>	Mile-a-minute vine; <i>Ipomoea cairica</i>
Mangroveberry; <i>Mosiera longipes</i>	Milk-and-wine lily; <i>Crinum bulbispermum</i>
Manila templegrass, Manilagrass; <i>Zoysia matrella</i>	
Manila templegrass, Maccarenegrass; <i>Zoysia tenuifolia</i>	
Man-of-the-earth; <i>Ipomoea pandurata</i>	
Manyflowered beardtongue; <i>Penstemon multiflorus</i>	
Manyflowered grasspink; <i>Calopogon multiflorus</i>	

Millet beaksedge; <i>Rhynchospora miliacea</i>	Natal plum; <i>Carissa macrocarpa</i>
Minature holly; <i>Malpighia coccigera</i>	Neckweed; <i>Veronica peregrina</i>
Mingled beaksedge; <i>Rhynchospora mixta</i>	Needle palm; <i>Rhapidophyllum hystrix</i>
Mistletoe cactus; <i>Rhipsalis baccifera</i>	Needle rush, Needlegrass rush, Black rush; <i>Juncus roemerianus</i>
Mock bishopsweed, Herbwiliam; <i>Ptilimnium capillaceum</i>	Needlelea witchgrass; <i>Dichanthelium aciculare</i>
Modest spleenwort, Delicate spleenwort; <i>Asplenium verecundum</i>	Needleleaf waternymph, Slender naiad; <i>Najas filifolia</i>
Mohr's thoroughwort; <i>Eupatorium mohrii</i>	Needlepod rush; <i>Juncus scirpoideus</i>
Molassesgrass; <i>Melinis minutiflora</i>	Needleroot airplant orchid, Threadroot orchid; <i>Harrisella porrecta</i>
Monarch rosemallow; <i>Hibiscus radiatus</i>	Netleaf leather-flower; <i>Clematis reticulata</i>
Monk orchid; <i>Oeceoclades maculata</i>	Netted chain fern; <i>Woodwardia areolata</i>
Monkeycomb; <i>Pithecoctenium crucigerum</i>	Netted nutrush; <i>Scleria reticularis</i>
Monkeypod; <i>Pithecellobium dulce</i>	Netted pawpaw; <i>Asimina reticulata</i>
Moonflowers, Tropical white morning-glory; <i>Ipomoea alba</i>	Nettleleaf goosefoot; <i>Chenopodium murale</i>
Morning glory; <i>Ipomoea asarifolia</i> , <i>Ipomoea x leucantha</i>	Nettleleaf velvetberry; <i>Stachytarpheta urticifolia</i>
Moses-in-the-cradle, Oyster-plant, Boatlily; <i>Tradescantia spathacea</i>	Nettletree; <i>Trema micranthum</i>
Mosier's false boneset, Brickell-bush; <i>Brickellia mosieri</i>	New Jersey Tea, Redroot; <i>Ceanothus americanus</i>
Moth mullein; <i>Verbascum blattaria</i>	Nightblooming cactus; <i>Hylocereus undatus</i>
Mouse-ear chickweed, Sticky chickweed; <i>Cerastium glomeratum</i>	Nightflowering jessamine; <i>Cestrum nocturnum</i>
Mtikiza; <i>Sorindeia madagascariensis</i>	Night-scented orchid, Night-scented epidendrum; <i>Epidendrum nocturnum</i>
Mudbank crownglass; <i>Paspalum dissectum</i>	Nimblewill muhly; <i>Muhlenbergia schreberi</i>
Mule-ear oncidium, Cape Sable dancinglady orchid; <i>Trichocentrum undulatum</i>	Nodding club-moss, Staghorn club-moss; <i>Lycopodiella cernua</i>
Mullein nightshade; <i>Solanum donianum</i>	Nodding nixie; <i>Apteria aphylla</i>
Muscadine; <i>Vitis rotundifolia</i>	Nodding pinweed, Scrub pinweed; <i>Lechea cernua</i>
Myrsine, Colicwood; <i>Rapanea punctata</i>	Nodding strap airplant, Nodding catopsis; <i>Catopsis nutans</i>
Myrtle oak; <i>Quercus myrtifolia</i>	Nodeweedy; <i>Synedrella nodiflora</i>
Myrtleleaf St. John's-wort; <i>Hypericum myrtifolium</i>	Northern needleleaf, Inflexed & reflexed wild pine; <i>Tillandsia balbisiana</i>
Myrtle-of-the-river; <i>Calyptranthes zuzygium</i>	Noyau vine; <i>Merremia dissecta</i>
Nakedstem dewflower; <i>Murdannia nudiflora</i>	Nutgrass; <i>Cyperus rotundus</i>
Narrow plumegrass; <i>Saccharum baldwinii</i>	Nutmeg plant, Physic nut, Barbados nut; <i>Jatropha curcas</i>
Narrow strap fern, Narrow swamp fern; <i>Campyloneurum angustifolium</i>	Nuttall's meadowbeauty; <i>Rhexia nuttallii</i>
Narrowfruit horned beaksedge; <i>Rhynchospora inundata</i>	Nuttall's thistle; <i>Cirsium nuttallii</i>
Narrowleaf angelon; <i>Angelonia angustifolia</i>	Oak; <i>Quercus x Asheana</i>
Narrowleaf bluecurls; <i>Trichostema setaceum</i>	Oak; <i>Quercus x caduca</i>
Narrowleaf blue-eyed grass; <i>Sisyrinchium angustifolium</i>	Oak; <i>Quercus x rolfsii</i>
Narrowleaf hoarypea; <i>Tephrosia angustissima</i>	Oak; <i>Quercus x succulenta</i>
Narrowleaf paleseed; <i>Conobea multifida</i>	Oak mistletoe; <i>Phoradendron leucarpum</i>
Narrowleaf primrosewillow; <i>Ludwigia linearis</i>	Oakleaf fleabane; <i>Erigeron quercifolius</i>
Narrowleaf purple everlasting; <i>Gamochaeta falcata</i>	Oakleaf goosefoot; <i>Chenopodium glaucum</i>
Narrowleaf silkgrass; <i>Pityopsis graminifolia</i>	Obedient plant; <i>Physostegia virginiana</i>
Narrowleaf sunflower, Swamp sunflower; <i>Helianthus angustifolius</i>	Oblongleaf twinflower, Oblongleaf snakeherb; <i>Dyschoriste oblongifolia</i>
Narrowleaf yellowtops; <i>Flaveria linearis</i>	Oceanblue morning-glory; <i>Ipomoea indica</i> var. <i>acuminata</i>
Narrowpod sensitive pea, Key cassia; <i>Chamaecrista lineata</i> var. <i>keyensis</i>	
Nash's blue-eyed grass; <i>Sisyrinchium nashii</i>	
Natal glorybower; <i>Clerodendrum glabrum</i>	

October flower; <i>Polygonella polygama</i> , <i>P. polygama</i> var. <i>brachystachya</i>	Partridgeberry, Twinberry; <i>Mitchella repens</i>
Okeechobee gourd; <i>Cucurbita okeechobeensis</i>	Passion flower; <i>Passiflora x pfordtii</i>
Old World adder's-tongue; <i>Ophioglossum pendulum</i>	Passionfruit, Purple granadilla; <i>Passiflora edulis</i>
Oldenlandiopsis; <i>Oldenlandiopsis callitrichoides</i>	Peacock spike-moss; <i>Selaginella uncinata</i>
Oldmaid; <i>Gisekia pharnacioides</i>	Peanut; <i>Arachis hypogaea</i>
Old-man's cap; <i>Polycarphaea corymbosa</i>	Pearl millet, American fountaingrass; <i>Pennisetum glaucum</i>
Oleander; <i>Nerium oleander</i>	Peduncled spikesedge; <i>Kyllinga hyalina</i>
Openflower witchgrass; <i>Dichanthelium laxiflorum</i>	Pencil tree, Indian tree spurge; <i>Euphorbia tirucalli</i>
Oppositeleaf spotflower; <i>Acmella oppositifolia</i> var. <i>repens</i>	Pennsylvania bittercress; <i>Cardamine pensylvanica</i>
Orange jessamine; <i>Murraya paniculata</i>	Pennsylvania everlasting; <i>Gamochaeta pensylvanica</i>
Orange milkwort; <i>Polygala lutea</i>	Pennsylvania smartweed; <i>Polygonum pensylvanicum</i>
Orange reinorchid, Yellow fringeless orchid; <i>Platanthera integra</i>	Pepper cinnamon, Cinnamon bark, Wild cinnamon; <i>Canella winterana</i>
Orchid cactus; <i>Epiphyllum phyllanthus</i> var. <i>hookeri</i>	Pepperbush; <i>Croton humilis</i>
Orchid tree, Mountain ebony; <i>Bauhinia variegata</i>	Pepper-elder, Rat-ear; <i>Peperomia pellucida</i>
Oriental false hawksbeard; <i>Youngia japonica</i>	Pepperleaf sweetwood, Licaria; <i>Licaria triandra</i>
Ovate marsh fern; <i>Thelypteris ovata</i>	Peppervine; <i>Ampelopsis arborea</i>
Ovateleaf Indian plantain; <i>Arnoglossum ovatum</i>	Peregrina; <i>Jatropha integrifolia</i>
Owlfruit sedge; <i>Carex stipata</i>	Pereira brava; <i>Cissampelos pareira</i>
Pain-in-the-back, West Indian trema, Lamarck's trema; <i>Trema lamarckianum</i>	Perennial glasswort, Virginia glasswort; <i>Sarcocornia perennis</i>
Paintedleaf, Fire-on-the-mountain; <i>Poinsettia cyathophora</i>	Perennial sandgrass; <i>Triplasis americana</i>
Pale grasspink; <i>Calopogon pallidus</i>	Persian clover, Reversed clover; <i>Trifolium resupinatum</i>
Pale laelia; <i>Laelia rubescens</i>	Peruvian dodder; <i>Cuscuta obtusiflora</i> var. <i>glandulosa</i>
Pale lidflower, Spicewood; <i>Calyptranthes pallens</i>	Peruvian primrosewillow; <i>Ludwigia peruviana</i>
Pale meadowbeauty, Maryland meadowbeauty; <i>Rhexia mariana</i>	Peruvian's daisy, Shaggysoldier; <i>Galinsoga quadriradiata</i>
Palm beachbells; <i>Kalanchoe gastronis-bonnieri</i>	Petunia; <i>Petunia x hybrida</i>
Palmetto; <i>Sabal x miamiensis</i>	Philippine ground orchid; <i>Spathoglottis plicata</i>
Panal; <i>Cypselea humifusa</i>	Pickerelweed; <i>Pontederia cordata</i>
Pan-American balsamscale; <i>Elionurus tripsacoides</i>	Piedmont blacksenna; <i>Seymeria pectinata</i>
Pangolagrass; <i>Digitaria pentzii</i>	Piedmont bladderwort; <i>Utricularia olivacea</i>
Panic grass; <i>Panicum longifolium</i>	Piedmont flatsedge; <i>Cyperus distans</i>
Panicled ticktrefoil; <i>Desmodium paniculatum</i>	Piedmont leatherroot; <i>Orbexilum lupinellus</i>
Pantropical widelip orchid, Tall twayblade; <i>Liparis nervosa</i>	Piedmont marshelder; <i>Iva microcephala</i>
Papaya; <i>Carica papaya</i>	Piedmont pinwheel; <i>Lechea torreyi</i>
Paper mulberry; <i>Broussonetia papyrifera</i>	Piedmont primrosewillow; <i>Ludwigia arcuata</i>
Paper nailwort, Papery whitlow-wort; <i>Paronychia chartacea</i>	Piedmont roseling; <i>Callisia rosea</i>
Papyrus flatsedge; <i>Cyperus papyrus</i>	Pigeonpea; <i>Cajanus cajan</i>
Paradisetree; <i>Simarouba glauca</i>	Pigmy fringetree; <i>Chionanthus pygmaeus</i>
Paragrass; <i>Urochloa mutica</i>	Pignut hickory; <i>Carya glabra</i>
Paraguay starburr; <i>Acanthospermum australe</i>	Pillpod sandmat; <i>Chamaesyce hirta</i>
Paraguayan purslane; <i>Portulaca amilis</i>	Pinebarren beaksedge; <i>Rhynchospora intermedia</i>
Parana cowhorn orchid, Yellow cowhorn orchid; <i>Cyrtopodium polyphyllum</i>	Pinebarren flatsedge; <i>Cyperus retrorsus</i>
Parasitic ghostplant; <i>Voyria parasitica</i>	Pinebarren frostweed; <i>Helianthemum corymbosum</i>
Parrot feather watermilfoil; <i>Myriophyllum aquaticum</i>	Pinebarren goldenrod; <i>Solidago fistulosa</i>
Parrotlily; <i>Alstroemeria pulchella</i>	Pinebarren ticktrefoil; <i>Desmodium strictum</i>
Parsley hawthorn; <i>Crataegus marshallii</i>	Pine-hyacinth; <i>Clematis baldwinii</i>
Partridge pea; <i>Chamaecrista fasciculata</i>	Pineland acacia; <i>Acacia pinetorum</i>

Pineland butterfly pea, Sand butterfly pea; <i>Centrosema arenicola</i>	Pitseed goosefoot; <i>Chenopodium berlandieri</i>
Pineland chaffhead; <i>Carphephorus carnosus</i>	Pitted beardgrass; <i>Bothriochloa pertusa</i>
Pineland clustervine, Pineland jacquemontia; <i>Jacquemontia curtisiae</i>	Pitted stripeseed; <i>Piriqueta cistoides</i> subsp. <i>caroliniana</i>
Pineland croton, Grannybush; <i>Croton linearis</i>	Plume polypody; <i>Pecluma plumula</i>
Pineland false buttonweed; <i>Spermacoce tetraquetra</i>	Plumed beaksedge; <i>Rhynchospora plumosa</i>
Pineland golden trumpet; <i>Angadenia berteroii</i>	Poeppig's rosemallow; <i>Hibiscus poeppigii</i>
Pineland goldenaster; <i>Chrysopsis latisquamea</i>	Poet's jasmine; <i>Jasminum officinale</i>
Pineland heliotrope; <i>Heliotropium polyphyllum</i>	Poison sumac; <i>Toxicodendron vernix</i>
Pineland lobelia; <i>Lobelia homophylla</i>	Poisonbulb; <i>Crinum asiaticum</i>
Pineland nailwort; <i>Paronychia patula</i>	Pond apple; <i>Annona glabra</i>
Pineland neveray, Squarehead; <i>Tetragonotheca helianthoides</i>	Pond flatsedge; <i>Cyperus ochraceus</i>
Pineland passionflower, Pineland passionvine; <i>Passiflora pallens</i>	Pond pine; <i>Pinus serotina</i>
Pineland pimpernel, Seaside brookweed; <i>Samolus valerandi</i> subsp. <i>parviflorus</i>	Pond-cypress; <i>Taxodium ascendens</i>
Pineland pinweed; <i>Lechea sessiliflora</i>	Poor Joe, Rough buttonweed; <i>Diodia teres</i>
Pineland purple, False vanillaleaf; <i>Carphephorus odoratissimus</i> var. <i>subtropicanus</i>	Poorland flatsedge; <i>Cyperus compressus</i>
Pineland rayless goldenrod; <i>Bigelowia nudata</i> subsp. <i>australis</i>	Poorman's patch, Stickleaf; <i>Mentzelia floridana</i>
Pineland sandmat; <i>Chamaesyce deltoidea</i> subsp. <i>pinetorum</i>	Popcorn tree, Chinese tallowtree; <i>Sapium sebiferum</i>
Pineland scalypink; <i>Stipulicida setacea</i> , <i>S. setacea</i> var. <i>lacerata</i>	Poponax; <i>Acacia tortuosa</i>
Pineland spurge, Everglades poinsettia; <i>Poinsettia pinetorum</i>	Porknut; <i>Acacia macracantha</i>
Pineland threeseed mercury; <i>Acalypha ostryifolia</i>	Porter's sandmat, Porter's spurge; <i>Chamaesyce porteriana</i>
Pineland Twinflower, Pineland snakeherb; <i>Dyschoriste angusta</i>	Portia tree; <i>Thespesia populnea</i>
Pineland waterwillow; <i>Justicia angusta</i>	Possumhaw; <i>Viburnum nudum</i>
Pineland wild indigo; <i>Baptisia lecontei</i>	Potatotree; <i>Solanum erianthum</i>
Pinepink; <i>Bletia purpurea</i>	Potbelly airplant; <i>Tillandsia paucifolia</i>
Pinescrub bluestem; <i>Schizachyrium niveum</i>	Pouzolz's bush; <i>Pouzolzia zeylanica</i>
Pineweeds, Orangegrass; <i>Hypericum gentianoides</i>	Powderpuff; <i>Mimosa strigillosa</i>
Pinewoods bluestem; <i>Andropogon arctatus</i>	Powdery strap airplant; <i>Catopsis berteroniana</i>
Pinewoods fingergrass; <i>Eustachys petraea</i>	Prairie cupgrass; <i>Eriochloa contracta</i>
Pinewoods milkweed; <i>Asclepias humistrata</i>	Prairie fleabane; <i>Erigeron strigosus</i>
Pinewoods rosegentian; <i>Sabatia gentianoides</i>	Prairie wedgescale; <i>Sphenopholis obtusata</i>
Pineywoods dropseed; <i>Sporobolus junceus</i>	Pretty false pawpaw, Royal false pawpaw, White squirrel-banana; <i>Deeringothamnus rugelii</i> var. <i>pulchellus</i>
Pink baby's-breath, Jewels-of-Opar; <i>Talinum paniculatum</i>	Prickly applecactus, West Coast prickly-apple; <i>Harrisia aboriginea</i>
Pink purslane, Kiss-me-quick; <i>Portulaca pilosa</i>	Prickly bof sedge; <i>Carex atlantica</i> subsp. <i>capillacea</i>
Pink redstem, Toothcup; <i>Ammannia latifolia</i>	Prickly fanpetals; <i>Sida spinosa</i>
Pink shower; <i>Cassia javanica</i> var. <i>indochinensis</i>	Prickly Russian thistle; <i>Salsola kali</i> subsp. <i>pontica</i>
Pink sundew; <i>Drosera capillaris</i>	Pricklypear; <i>Opuntia humifusa</i>
Pink wood sorrel; <i>Oxalis debilis</i> var. <i>corymbosa</i>	Pride-of-Barbados, Dwarf poinciana; <i>Caesalpinia pulcherrima</i>
Pinkladies; <i>Oenothera speciosa</i>	Primrose willow; <i>Ludwigia x simulata</i>
Pinkqueen spiderflower; <i>Cleome hassleriana</i>	Primroseleaf violet; <i>Viola primulifolia</i>
Pitchapple; <i>Clusia rosea</i>	Princess-of-the-night; <i>Selenicereus pteranthus</i>
Pitscalegrass; <i>Hackelochloa granularis</i>	Privet wild sensitive plant; <i>Senna ligustrina</i>
	Procession flower; <i>Polygala incarnata</i>
	Prostrate false buttonweed; <i>Spermacoce prostrata</i>
	Prostrate knotweed; <i>Polygonum aviculare</i>
	Prostrate sandmat; <i>Chamaesyce prostrata</i>

Puncturevine; <i>Tribulus terrestris</i>	Red maple; <i>Acer rubrum</i>
Punktree; <i>Melaleuca quinquenervia</i>	Red moneywort; <i>Alysicarpus rugosus</i>
Purple amaranth; <i>Amaranthus blitum subsp. emarginatus</i>	Red mulberry; <i>Morus rubra</i>
Purple bluestem; <i>Andropogon glomeratus var. glaucopsis</i>	Red spiderling, Wineflower; <i>Boerhavia diffusa</i>
Purple bushbean; <i>Macroptilium atropurpureum</i>	Red sprangletop; <i>Leptochloa panicea subsp. <i>mucronata</i></i>
Purple crownvetch; <i>Coronilla varia</i>	Red stopper; <i>Eugenia rhombea</i>
Purple lovegrass; <i>Eragrostis spectabilis</i>	Redberry stopper, Redberry eugenia; <i>Eugenia confusa</i>
Purple mombin; <i>Spondias purpurea</i>	Redflame; <i>Hemigraphis reptans</i>
Purple orchid tree, Butterfly tree; <i>Bauhinia purpurea</i>	Redflower ragleaf; <i>Crassocephalum crepidioides</i>
Purple passionflower; <i>Passiflora incarnata</i>	Redgal; <i>Morinda royoc</i>
Purple sandgrass; <i>Triplasis purpurea</i>	Redivy; <i>Hemigraphis alternata</i>
Purple thistle; <i>Cirsium horridulum</i>	Redmargin zephyrlily, Simpson's zephyrlily; <i>Zephyranthes simpsonii</i>
Purple tiger orchid, Minnie-max; <i>Maxillaria parviflora</i>	Redroot flatsedge; <i>Cyperus erythrorhizos</i>
Purplehead sneezeweed; <i>Helenium flexuosum</i>	Redstem purslane; <i>Portulaca rubricaulis</i>
Purplequeen; <i>Tradescantia pallida</i>	Redtop panicum; <i>Panicum rigidulum</i>
Purpletop vervain; <i>Verbena bonariensis</i>	Resurrection fern; <i>Pleopeltis polypodioides var. <i>michauiiana</i></i>
Pyramidflower; <i>Melochia pyramidata</i>	Rhodesgrass; <i>Chloris gayana</i>
Queen palm; <i>Syagrus romanzoffiana</i>	Ribbon fern; <i>Nevroodium lanceolatum</i>
Queen-devil; <i>Hieracium gronovii</i>	Rice button aster; <i>Symphyotrichum dumosum</i>
Queen-of-the-meadow, Joe-pye weed; <i>Eupatorium fistulosum</i>	Ricefield flatsedge; <i>Cyperus iria</i>
Queensdelight; <i>Stillingia sylvatica</i>	Ricepaper plant; <i>Tetrapanax papyriferus</i>
Queensland bluestem; <i>Dichanthium sericeum</i>	Richard's yelloweyed grass; <i>Xyris jupicai</i>
Queenswreath; <i>Petrea volubilis</i>	River sheoak; <i>Casuarina cunninghamiana</i>
Quillwort arrowhead; <i>Sagittaria isoetiformis</i>	Riverswamp nutrush; <i>Scleria distans</i>
Rabbitbells; <i>Crotalaria rotundifolia</i>	Roadside flatsedge; <i>Cyperus sphacelatus</i>
Rabbitsfootgrass; <i>Polypogon monspeliensis</i>	Roadside leafbract; <i>Malachra urens</i>
Racemed milkwort; <i>Polygala polygama</i>	Roadside sandmat; <i>Chamaesyce lasiocarpa</i>
Radiate fingergrass; <i>Chloris radiata</i>	Roadside woodrose; <i>Merremia cissoides</i>
Railroad vine, Bayhops; <i>Ipomoea pes-caprae subsp. <i>brasiliensis</i></i>	Rock Carolina leafflower; <i>Phyllanthus carolinensis subsp. <i>saxicola</i></i>
Ramie; <i>Boehmeria nivea</i>	Rock rosemary; <i>Merremia quinquefolia</i>
Rangoon creeper; <i>Quisqualis indica</i>	Rockland morning-glory; <i>Ipomoea tenuissima</i>
Rape, Turnip; <i>Brassica rapa</i>	Rockland shrubverbena, Pineland lantana; <i>Lantana depressa</i>
Rat's ear; <i>Commelinia forskaolii</i>	Rockroot; <i>Agdestis clematidea</i>
Rattail orchid; <i>Bulbophyllum pachyrachis</i>	Rosary pea, Blackeyed Susan; <i>Abrus precatorius</i>
Rattlebox; <i>Sesbania punicea</i>	Rose cactus; <i>Pereskia grandifolia</i>
Rattlesnakemaster; <i>Eryngium aquaticum</i>	Rose glorybower; <i>Clerodendrum bungei</i>
Rattleweed; <i>Crotalaria retusa</i>	Rose moss; <i>Portulaca grandiflora</i>
Ravenel's pipewort; <i>Eriocaulon ravenelii</i>	Rose myrtle; <i>Rhodomyrtus tomentosa</i>
Ravennagrass; <i>Saccharum ravennae</i>	Rose natalgrass; <i>Rhynchospora repens</i>
Ray fern; <i>Schizaea pennula</i>	Rose pogonia, Snakemouth orchid; <i>Pogonia ophioglossoides</i>
Raynal's bulrush; <i>Scirpus erectus subsp. <i>raynali</i></i>	Rose-of-Plymouth; <i>Sabatia stellaris</i>
Red amaranth, Rough pigweed; <i>Amaranthus retroflexus</i>	Rose-rush; <i>Lygodesmia aphylla</i>
Red bay; <i>Persea borbonia</i>	Rosy camphorweed; <i>Pluchea rosea</i>
Red beadtree, Red sandalwood; <i>Adenanthera pavonina</i>	Rougeplant; <i>Rivina humilis</i>
Red cedar; <i>Juniperus virginiana</i>	Rough barnyardgrass; <i>Echinochloa muricata</i>
Red chokeberry; <i>Photinia pyrifolia</i>	
Red clover; <i>Trifolium pratense</i>	
Red jute; <i>Corchorus hirtus</i>	
Red lovegrass; <i>Eragrostis secundiflora subsp. <i>oxylepis</i></i>	
Red mangrove; <i>Rhizophora mangle</i>	

Rough cocklebur; <i>Xanthium strumarium</i> var. <i>glabratum</i>	Sandalwood; <i>Santalum album</i>
Rough hedgehyssop; <i>Gratiola hispida</i>	Sandboxtree; <i>Hura crepitans</i>
Rough Mexican clover; <i>Richardia scabra</i>	Sanddune cinchweed; <i>Pectis glaucescens</i>
Rough velvetseed; <i>Guettarda scabra</i>	Sanddune sandbur; <i>Cenchrus tribuloides</i>
Rough witchgrass; <i>Dichanthelium leucothrix</i>	Sanddune spurge; <i>Euphorbia trichotoma</i>
Roughfruit scaleseed; <i>Spermolepis divaricata</i>	Sandhill milkvetch; <i>Astragalus michauxii</i>
Roughhair witchgrass; <i>Dichanthelium strigosum</i> , <i>D. strigosum</i> var. <i>glabrescens</i>	Sandpaper vervain, Harch vervain; <i>Verbena scabra</i>
Roundfruit hedgehyssop; <i>Gratiola virginiana</i>	Sandspur, Trailing ratany; <i>Krameria lanceolata</i>
Roundleaf sensitive pea; <i>Chamaecrista rotundifolia</i>	Sandweed, Peelbark St. John's-wort; <i>Hypericum fasciculatum</i>
Roundleaf thoroughwort, False horehound; <i>Eupatorium rotundifolium</i>	Sandyfield beaksedge; <i>Rhynchospora megalocarpa</i>
Roundpod St. John's-wort; <i>Hypericum cistifolium</i>	Sandyfield hairsedge; <i>Bulbostylis stenophylla</i>
Roving sailor; <i>Maurandya antirrhiniflora</i>	Sanibel Island lovegrass; <i>Eragrostis pectinacea</i> var. <i>tracyi</i>
Royal fern; <i>Osmunda regalis</i> var. <i>spectabilis</i>	Santa Maria feverfew; <i>Parthenium hysterophorus</i>
Royal flatsedge; <i>Cyperus elegans</i>	Santa Maria, Galba; <i>Calophyllum antillanum</i>
Royal poinciana; <i>Delonix regia</i>	Sapodilla; <i>Manilkara zapota</i>
Rubbergrove, Mangrovevine; <i>Rhabdadenia biflora</i>	Sarawak bean; <i>Vigna hosei</i>
Rugel's hoarypea; <i>Tephrosia rugelii</i>	Sargent's cherry palm; <i>Pseudophoenix sargentii</i>
Rugel's nailwort; <i>Paronychia rugelii</i>	Sarsaparilla vine; <i>Smilax pumila</i>
Running oak; <i>Quercus elliotii</i>	Satincurls; <i>Clematis catesbyana</i>
Rushfoil, Michaux's croton; <i>Croton michauxii</i>	Satinleaf; <i>Chrysophyllum oliviforme</i>
Rustweed, Juniperleaf; <i>Polypremum procumbens</i>	Savannah aster; <i>Symphyotrichum chapmanii</i>
Rusty indigo; <i>Indigofera colutea</i>	Savannah balm, Dicerandra-of-the-Savannas; <i>Dicerandra immaculata</i> var. <i>savannarum</i>
Rusty staggerbush; <i>Lyonia ferruginea</i>	Savannah false pimpernel; <i>Lindernia grandiflora</i>
Saber mudmidget; <i>Wolfiella oblonga</i>	Savannah milkweed; <i>Asclepias pedicellata</i>
Sacatrapo; <i>Caperonia palustris</i>	Savannah panicum; <i>Phanopyrum gymnocarpon</i>
Sacramento burrback; <i>Triumfetta semitriloba</i>	Savannah primrosewillow; <i>Ludwigia virgata</i>
Sacred lotus; <i>Nelumbo nucifera</i>	Savannah yelloweyed grass; <i>Xyris flabelliformis</i>
Saffron plum; <i>Sideroxylon celastrinum</i>	Saw greenbrier; <i>Smilax bona-nox</i>
Sago pondweed; <i>Potamogeton pectinatus</i>	Saw palmetto; <i>Serenoa repens</i>
Saltgrass; <i>Distichlis spicata</i>	Sawtooth blackberry; <i>Rubus argutus</i>
Saltmarsh bulrush; <i>Scirpus robustus</i>	Scaldweed; <i>Cuscuta gronovii</i>
Saltmarsh cordgrass, Smooth cordgrass; <i>Spartina alterniflora</i>	Scaleleaf aster; <i>Symphyotrichum adnatum</i>
Saltmarsh false foxglove; <i>Agalinis maritima</i>	Scarlet calamint; <i>Calamintha coccinea</i>
Saltmarsh fingergrass; <i>Eustachys glauca</i>	Scarlet jungleflame; <i>Ixora coccinea</i>
Saltmarsh morning-glory; <i>Ipomoea sagittata</i>	Scarlet milkweed, Bloodflower; <i>Asclepias curassavica</i>
Saltmarsh umbrellasedge; <i>Fuirena breviseta</i>	Scarlet pimpernel; <i>Anagallis arvensis</i>
Saltwater falsewillow; <i>Baccharis angustifolia</i>	Scarlet rosemallow; <i>Hibiscus coccineus</i>
Saltwort, Turtleweed; <i>Batis maritima</i>	Scarlet creeper; <i>Ipomoea hederifolia</i>
Samphire, Silverhead; <i>Blutaparon vermiculare</i>	Scorpion ticktrefoil; <i>Desmodium scorpiurus</i>
Sand blackberry; <i>Rubus cuneifolius</i>	Scorpionstail; <i>Heliotropium angiospermum</i>
Sand cordgrass; <i>Spartina bakeri</i>	Scouring-rush; <i>Equisetum hyemale</i> var. <i>affine</i>
Sand flax; <i>Linum arenicola</i>	Scratchthroat; <i>Ardisia crenata</i>
Sand live owlk; <i>Quercus geminata</i>	Scrub balm, Lloyd's mint; <i>Dicerandra frutescens</i>
Sand pine; <i>Pinus clausa</i>	Scrub hickory; <i>Carya floridana</i>
Sand post oak; <i>Quercus margaretta</i>	Scrub holly; <i>Ilex opaca</i> var. <i>arenicola</i>
Sand spike-moss; <i>Selaginella arenicola</i>	Scrub oak; <i>Quercus inopina</i>
Sand spikerush; <i>Eleocharis montevidensis</i>	Scrub palmetto; <i>Sabal etonia</i>
Sand ticktrefoil; <i>Desmodium lineatum</i>	Scrub plum; <i>Prunus geniculata</i>

Scrub spurge; <i>Euphorbia rosescens</i>	Shorebristle beaksedge; <i>Rhynchospora breviseta</i>
Scrub wild olive; <i>Osmanthus megacarpus</i>	Shorebristle horned beaksedge; <i>Rhynchospora corniculata</i>
Scrubland goldenaster; <i>Chrysopsis subulata</i>	Shoregrass, Keygrass; <i>Monanthochloe littoralis</i>
Scurf hoarypea; <i>Tephrosia chrysophylla</i>	Shoreleaf gayfeather; <i>Liatris tenuifolia</i> , <i>Liatris tenuifolia</i> var. <i>quadriiflora</i>
Sea blite, Annual seepweed; <i>Suaeda linearis</i>	Shoreleaf rosegentian; <i>Sabatia brevifolia</i>
Sea hibiscus, Mahoe; <i>Talipariti tiliaceum</i>	Shoreleaf skeletongrass; <i>Gymnopogon brevifolius</i>
Sea rosemary, Sea lavender; <i>Argusia gnaphalodes</i>	Shoreleaf spikesedge; <i>Kyllinga brevifolia</i>
Sea torchwood; <i>Amyris elemifera</i>	Shoreleaf wild coffee; <i>Psychotria sulzneri</i>
Seabeach eveningprimrose; <i>Oenothera humifusa</i>	Shoreleaf yelloweyed grass; <i>Xyris brevifolia</i>
Seacoast marselder; <i>Iva imbricata</i>	Shoreline seapurslane; <i>Sesuvium portulacastrum</i>
Seagrape; <i>Coccoloba uvifera</i>	Shortspike bluestem; <i>Andropogon brachystachyus</i>
Sea oats; <i>Uniola paniculata</i>	Showy dawnflower, Hidden stylisma; <i>Stylisma abdita</i>
Seashore dropseed; <i>Sporobolus virginicus</i>	Showy eveningprimrose; <i>Oenothera grandis</i>
Seashore paspalum; <i>Paspalum vaginatum</i>	Showy milkwort; <i>Polygala grandiflora</i>
Seashore vervain; <i>Verbena litoralis</i>	Showy rattlebox; <i>Crotalaria spectabilis</i>
Seaside goldenrod; <i>Solidago sempervirens</i>	Shrimplplant; <i>Justicia brandegeana</i>
Seaside heliotrope, Salt heliotrope; <i>Heliotropium curassavicum</i>	Shrub sunflower; <i>Tithonia diversifolia</i>
Seaside joyweed; <i>Alternanthera maritima</i>	Shrubby primrosewillow; <i>Ludwigia suffruticosa</i>
Seaside lobularia, Sweet alyssum; <i>Lobularia maritima</i>	Shyleaf; <i>Aeschynomene americana</i>
Seaside primrosewillow; <i>Ludwigia maritima</i>	Sidebeak pencilflower; <i>Stylosanthes biflora</i>
Seasonvine, Possum grape; <i>Cissus verticillata</i>	Silk bay; <i>Persea borbonia</i> var. <i>humilis</i>
Semaphore pricklypear, Semaphore cactus; <i>Opuntia corallicola</i>	Silkoak; <i>Grevillea robusta</i>
Semaphore thoroughwort; <i>Eupatorium mikanioides</i>	Silky sesban; <i>Sesbania sericea</i>
Seminole false foxglove; <i>Agalinis filifolia</i>	Silver croton, Healing croton; <i>Croton argyranthemus</i>
Seminole pumpkin, Crookneck squash; <i>Cucurbita moschata</i>	Silver dwarf morning-glory; <i>Evolvulus sericeus</i>
Senegal date palm; <i>Phoenix reclinata</i>	Silverback fern; <i>Pityrogramma calomelanos</i>
Sensitive brier; <i>Mimosa quadrivalvis</i> var. <i>angustata</i>	Silverleaf nightshade, White horsenettle; <i>Solanum elaeagnifolium</i>
Sensitive pea; <i>Chamaecrista nictitans</i> , <i>C. nictitans</i> var. <i>aspera</i>	Silverling; <i>Baccharis glomeruliflora</i>
Sensitive plant, Shameplant; <i>Mimosa pudica</i>	Simmonds' aster; <i>Symphyotrichum simmondsii</i>
Septicweed; <i>Senna occidentalis</i>	Simpleleaf bushweed; <i>Flueggea virosa</i>
Serpent fern, Wart fern; <i>Phymatosorus scolopendria</i>	Simpleleaf chastetree; <i>Vitex trifolia</i>
Sesame, Benne; <i>Sesamum orientale</i>	Simpson's applecactus; <i>Harrisia simpsonii</i>
Sessile joyweed; <i>Alternanthera sessilis</i>	Simpson's cupgrass; <i>Eriochloa michauxii</i> var. <i>simpsonii</i>
Seven-sisters, String-lily; <i>Crinum americanum</i>	Simpson's grasspink; <i>Calopogon tuberosus</i> var. <i>simpsonii</i>
Sevenyear apple; <i>Genipa clusiifolia</i>	Sisal hemp; <i>Agave sisalana</i>
Sewervine; <i>Paederia cruddasiana</i>	Sixangle foldwing; <i>Dicliptera sexangularis</i>
Shade mudflower; <i>Micranthemum umbrosum</i>	Skunkvine; <i>Paederia foetida</i>
Shaggy hedgehyssop; <i>Gratiola pilosa</i>	Skyblue clustervine; <i>Jacquemontia pentanthos</i>
Shakeshake; <i>Crotalaria incana</i>	Skyblue lupine; <i>Lupinus diffusus</i>
Shellflower, Shell ginger; <i>Alpinia zerumbet</i>	Skyflower; <i>Hydrolea corymbosa</i>
Shepherd's purse; <i>Capsella bursa-pastoris</i>	Skyine, Clockvine, Bengal trumpet; <i>Thunbergia grandiflora</i>
Shiny blueberry; <i>Vaccinium myrsinifolius</i>	Slash pine; <i>Pinus elliottii</i>
Shiny woodoats; <i>Chasmanthium nitidum</i>	Sleepy catchfly; <i>Silene antirrhina</i>
Shoalweed; <i>Halodule wrightii</i>	Sleepy morning; <i>Waltheria indica</i>
Shoebutteron; <i>Ardisia elliptica</i>	Slender adder's-tongue; <i>Ophioglossum nudicaule</i>
Shoestring fern; <i>Vittaria lineata</i>	
Shore rush, grassleaf rush; <i>Juncus marginatus</i>	
Shorebreak beaksedge, Baldrush; <i>Rhynchospora nitens</i>	

Slender amaranth; <i>Amaranthus viridis</i>	Smooth casearia; <i>Casearia nitida</i>
Slender club-moss; <i>Lycopodiella caroliniana</i>	Smooth chastetree; <i>Vitex glabrata</i>
Slender crabgrass, Shaggy crabgrass; <i>Digitaria filiformis</i>	Smooth fanpetals; <i>Sida glabra</i>
Slender dwarf morning-glory; <i>Evolvulus alsinoides</i>	Smooth joyweed; <i>Alternanthera paronichyooides</i>
Slender fimbry; <i>Fimbristylis autumnalis</i>	Smooth rattlebox; <i>Crotalaria pallida</i> var. <i>ovovata</i>
Slender flattop goldenrod; <i>Euthamia caroliniana</i>	Smooth strongbark, Little strongbark; <i>Bourreria cassiniifolia</i>
Slender gayfeather; <i>Liatis gracilis</i>	Smooth ticktrefoil; <i>Desmodium marilandicum</i>
Slender goldshower; <i>Galphimia gracilis</i>	Smutgrass; <i>Sporobolus indicus</i>
Slender joyweed; <i>Alternanthera ficoidea</i>	Snow squarestem; <i>Melanthera nivea</i>
Slender pinepink; <i>Bletia florida</i>	Snowberry, Milkberry; <i>Chiococca alba</i>
Slender sandbur; <i>Cenchrus gracillimus</i>	Snowbush; <i>Breynia disticha</i>
Slender seapurslane; <i>Sesuvium maritimum</i>	Snowpeaks raspberry; <i>Rubus niveus</i>
Slender sensitive pea; <i>Chamaecrista serpens</i>	Snowy orchid; <i>Habenaria nivea</i>
Slender threeseed mercury; <i>Acalypha gracilens</i>	Soapberry; <i>Sapindus saponaria</i>
Slender woodoats; <i>Chasmanthium laxum</i>	Soda apple, Cockroachberry; <i>Solanum capsicoides</i>
Slenderfruit nutrush; <i>Scleria georgiana</i>	Soft milkpea; <i>Galactia mollis</i>
Slenderleaf bundleflower; <i>Desmanthus leptophyllus</i>	Soft rush; <i>Juncus effusus</i> subsp. <i>solutus</i>
Slenderleaf clammyweed; <i>Polanisia tenuifolia</i>	Softhairy indigo; <i>Indigofera pilosa</i>
Slenderleaf false dragonhead; <i>Physostegia leptophylla</i>	Softstem bulrush; <i>Scirpus tabernaemontani</i>
Slenderleaf false foxglove; <i>Agalinis tenuifolia</i>	Soldier's orchid, Lawn orchid; <i>Zeuxine strateumatica</i>
Slenderleaf rattlebox; <i>Crotalaria ochroleuca</i>	Soldierwood; <i>Colubrina elliptica</i>
Slim amaranth, Pigweed; <i>Amaranthus hybridus</i>	Sorrelvine, Marinevine; <i>Cissus trifoliata</i>
Slim spikerush; <i>Eleocharis elongata</i>	Sour orange, Grapefruit, Sweet orange; <i>Citrus x aurantium</i>
Slimbristle sandbur; <i>Cenchrus brownii</i>	Sour paspalum, Hilograss; <i>Paspalum conjugatum</i>
Slimflower lovegrass; <i>Eragrostis gangetica</i>	Sourgrass; <i>Digitaria insularis</i>
Slimpod rush; <i>Juncus diffusissimus</i>	South American mock vervain, Moss verbena; <i>Glandularia pulchella</i>
Slippery burr; <i>Corchorus siliquosus</i>	South American skullcap; <i>Scutellaria racemosa</i>
Small butterwort; <i>Pinguicula pumila</i>	Southeastern primrosewillow; <i>Ludwigia linifolia</i>
Small pondweed; <i>Potamogeton pusillus</i>	Southeastern sneezeweed; <i>Helenium pinnatifidum</i>
Small prescott orchid, Small-flowered orchid; <i>Prescotia oligantha</i>	Southeastern sunflower; <i>Helianthus agrestis</i>
Small spikerush; <i>Eleocharis minima</i>	Southern amaranth; <i>Amaranthus australis</i>
Smallcane, Florida tibisee; <i>Lasiacis divaricata</i>	Southern balsampear; <i>Momordica balsamina</i>
Smallflower haldchaff sedge; <i>Lipocarpha micrantha</i>	Southern bayberry, Wax myrtle; <i>Myrica cerifera</i>
Smallflower jungleflame; <i>Ixora arborea</i>	Southern beaksedge; <i>Rhynchospora microcarpa</i>
Smallflower mock buckthorn; <i>Sageretia minutiflora</i>	Southern beeblissom; <i>Gaura angustifolia</i>
Smallflower pawpaw; <i>Asimina parviflora</i>	Southern bladderwort; <i>Utricularia juncea</i>
Smallflowered ponyfoot; <i>Dichondra micrantha</i>	Southern bluethread; <i>Burmannia capitata</i>
Smallfruit beggarticks; <i>Bidens mitis</i>	Southern bogbutton; <i>Lachnocaulon beyrichianum</i>
Smallfruit primrosewillow; <i>Ludwigia microcarpa</i>	Southern cattail; <i>Typha domingensis</i>
Smallfruit spikerush; <i>Eleocharis microcarpa</i>	Southern club-moss, Southern bog club-moss; <i>Lycopodiella appressa</i>
Smallhead doll's daisy; <i>Boltonia diffusa</i>	Southern crabgrass; <i>Digitaria ciliaris</i>
Small-leaf climbing fern; <i>Lygodium microphyllum</i>	Southern cutgrass; <i>Leersia hexandra</i>
Small-leaf snoutbean; <i>Rhynchosia parvifolia</i>	Southern dewberry; <i>Rubus trivialis</i>
Small's bogbutton; <i>Lachnocaulon minus</i>	Southern Florida sandmat, Rocklands spurge; <i>Chamaesyce pergamenta</i>
Small's flax; <i>Linum carteri</i> var. <i>smallii</i>	Southern fogfruit, Souther matchsticks; <i>Phyla</i>
Small's jointweed, Woody wireweed, Sandlace; <i>Polygonella myriophylla</i>	
Small's milkwort, Tiny polygala; <i>Polygala smallii</i>	
Small's noseburn; <i>Tragia smallii</i>	
Small's yelloweyed grass; <i>Xyris smalliana</i>	

<i>stoechadifolia</i>	Spotted lady's-thumb; <i>Polygonum persicaria</i>
Southern grape-fern; <i>Botrychium biternatum</i>	Spotted sandmat; <i>Chamaesyce maculata</i>
Southern ladiestresses; <i>Spiranthes torta</i>	Spotted St. Jphn's-wort; <i>Hypericum punctatum</i>
Southern lip fern; <i>Cheilanthes microphylla</i>	Spotted water hemlock; <i>Cicuta maculata</i>
Southern magnolia; <i>Magnolia grandiflora</i>	Spottedheart; <i>Stictocardia tiliifolia</i>
Southern marsh yellowcress; <i>Rorippa teres</i>	Sprawling hoarypea; <i>Tephrosia hispidula</i>
Southern needleleaf; <i>Tillandsia setacea</i>	Spreading beaksedge; <i>Rhynchospora divergens</i>
Southern river sage, River sage; <i>Salvia misella</i>	Spreading cinchweed; <i>Pectis prostrata</i>
Southern rockbell; <i>Wahlenbergia marginata</i>	Spreading sandwort; <i>Arenaria lanuginosa</i>
Southern sandbur; <i>Cenchrus echinatus</i>	Sprenger's asparagus-fern; <i>Asparagus aethiopicus</i>
Southern tubercled orchid, Palegreen orchid, Gypsy-spikes; <i>Platanthera flava</i>	Spring coralroot; <i>Corallorrhiza wisteriana</i>
Southern twayblade; <i>Listera australis</i>	Spring ladiestresses; <i>Spiranthes vernalis</i>
Southern umbrellasedge; <i>Fuirena scirpoidea</i>	Spurge; <i>Euphorbia inundata</i> var. <i>garrettii</i>
Southern watergrass; <i>Luziola fluitans</i>	Spurred butterfly pea; <i>Centrosema virginianum</i>
Southern waternymph; <i>Najas guadalupensis</i>	Squarestem spikerush; <i>Eleocharis quadrangulata</i>
Southern wild rice, Giant cutgrass; <i>Zizaniopsis miliacea</i>	Scrubby false buttonweed; <i>Spermacoce verticillata</i>
Southern wood fern; <i>Dryopteris ludoviciana</i>	St. Andrew's-s-cross; <i>Hypericum hypericoides</i>
Spadeleaf; <i>Centella asiatica</i>	St. Augustinegrass; <i>Stenotaphrum secundatum</i>
Spanish arborvine, Yellow morning-glory; <i>Merremia tuberosa</i>	St. Peter's-wort; <i>Hypericum crux-andreae</i>
Spanish bayonet, Aloe yucca; <i>Yucca aloifolia</i>	Staff-vine; <i>Celastrus paniculatus</i>
Spanish daisy, Bitterweed; <i>Helenium amarum</i>	Staghorn; <i>Hygrophila corymbosa</i>
Spanish lime; <i>Melicoccus bijugatus</i>	Stalked adder's tongue; <i>Ophioglossum petiolatum</i>
Spanish moss; <i>Tillandsia usneoides</i>	Standingcypress, Spanish larkspur; <i>Ipomopsis rubra</i>
Spanish needles; <i>Bidens bipinnata</i>	Star jasmine; <i>Jasminum multiflorum</i>
Spanish oak, Southern red oak; <i>Quercus falcata</i>	Star orchid, Crucifix orchid; <i>Epidendrum radicans</i>
Spanish stopper, Boxleaf stopper; <i>Eugenia foetida</i>	Starrush whitetop; <i>Rhynchospora colorata</i>
Sparkleberry, Farkleberry; <i>Vaccinium arboreum</i>	Starry rosinweed; <i>Silphium asteriscus</i>
Spatterdock, Yellow pondlily; <i>Nuphar advena</i>	Star-scale polypody, Star-scaled fern; <i>Pleopeltis astrolepis</i>
Spider brake, Huguenot fern; <i>Pteris multifida</i>	Stately maiden fern, Collier County maiden fern; <i>Thelypteris grandis</i>
Spider orchid, Cricket orchid; <i>Brassia caudata</i>	Stickbush; <i>Clerodendrum chinense</i>
Spider plant; <i>Chlorophytum comosum</i>	Sticky jointvetch; <i>Aeschynomene viscidula</i>
Spiderwisp; <i>Cleome gynandra</i>	Sticky nightshade; <i>Solanum sisymbriifolium</i>
Spiked crested coralroot; <i>Hexalectris spicata</i>	Stiff marsh bedstraw; <i>Galium tinctorium</i>
Spiked hoarypea; <i>Tephrosia spicata</i>	Stiff star-hair fern; <i>Thelypteris sclerophylla</i>
Spiked pepper, False matico, Higuillo de hoja menuda; <i>Piper aduncum</i>	Stiff sunflower; <i>Helianthus radula</i>
Spiny amaranth; <i>Amaranthus spinosus</i>	Stiff yellow flax; <i>Linum medium</i> var. <i>texanum</i>
Spiny black olive; <i>Bucida molinetii</i>	Stiff-flowered star orchid, Rigid epidemdrum; <i>Epidendrum rigidum</i>
Spiny flase fiddleleaf; <i>Hydrolea capsularis</i>	Stiffhair waxweed; <i>Cuphea strigulosa</i>
Spiny hackberry, Desert hackberry; <i>Celtis ehrenbergiana</i>	Stinkgrass; <i>Eragrostis ciliaris</i>
Spiny hornwort; <i>Ceratophyllum echinatum</i>	Stinking camphorweed; <i>Pluchea foetida</i>
Spiny sowthistle; <i>Sonchus asper</i>	Straggler daisy; <i>Calyptocarpus vialis</i>
Spiny waternymph; <i>Najas marina</i>	Straits rhododendron, Malabar melastome; <i>Melastoma malabathricum</i>
Spiritweed; <i>Eryngium foetidum</i>	Strangler fig, Golden fig; <i>Ficus aurea</i>
Splitbeard bluestem; <i>Andropogon ternarius</i>	Strawberry guave; <i>Psidium cattleianum</i>
Spoonleaf peperomia, Spathulate peperomia; <i>Peperomia magnoliifolia</i>	Strawberrytree; <i>Muntingia calabura</i>
Spoonleaf purple everlasting; <i>Gamochaeta purpurea</i>	Strawcolored flatsedge; <i>Cyperus stenolepis</i> , <i>C. strigosus</i>
Spotted bee-balm; <i>Monarda punctata</i>	

Stream bogmoss; <i>Mayaca fluviatilis</i>	Tailed strap fern; <i>Campyloneurum costatum</i>
Striped brake; <i>Pteris quadriaurita</i>	Tall jointweed; <i>Polygonella gracilis</i>
Sugar apple; <i>Annona squamosa</i>	Tall albizia; <i>Albizia procera</i>
Sugarberry, Hackberry; <i>Celtis laevigata</i>	Tall dodder; <i>Cuscuta exaltata</i>
Sugarcane; <i>Saccharum officinarum</i>	Tall elephantsfoot; <i>Elephantopus elatus</i>
Sugarcane plumegrass; <i>Saccharum giganteum</i>	Tall ironweed; <i>Vernonia angustifolia</i>
Sulphur cosmos; <i>Cosmos sulphureus</i>	Tall neottia, Tall ladiestresses; <i>Spiranthes elata</i>
Summer farewell; <i>Dalea pinnata</i> , <i>D. pinnata</i> var. <i>adenopoda</i>	Tall nutgrass, Whip nutrush; <i>Scleria triglomerata</i>
Summer grape; <i>Vitis aestivalis</i>	Tall pinebarren milkwort; <i>Polygala cymosa</i>
Sunn hemp; <i>Crotalaria juncea</i>	Tall redtop, Purpletop tridens; <i>Tridens flavus</i>
Surinam cherry; <i>Eugenia uniflora</i>	Tall threeawn; <i>Aristida patula</i>
Swamp azalea; <i>Rhododendron viscosum</i>	Tall tumblemustard; <i>Sisymbrium altissimum</i>
Swamp bay; <i>Persea palustris</i>	Tall windmillgrass, Manyspike fingergrass; <i>Chloris elata</i>
Swamp dock; <i>Rumex verticillatus</i>	Tall yelloweyed grass; <i>Xyris platylepis</i>
Swamp doghobble; <i>Leucothoe racemosa</i>	Tallow wood, Hog plum; <i>Ximenia americana</i>
Swamp dogwood, Stiff dogwood; <i>Cornus foemina</i>	Tamarind; <i>Tamarindus indica</i>
Swamp flatsedge; <i>Cyperus distinctus</i> , <i>C. ligularis</i>	Tampa mock vervain; <i>Glandularia tampensis</i>
Swamp hornpod; <i>Mitreola sessilifolia</i>	Tanglehead; <i>Heteropogon contortus</i>
Swamp leather-flower; <i>Clematis crispa</i>	Tannergrass; <i>Urochloa arrecta</i>
Swamp milkweed; <i>Asclepias incarnata</i> , <i>A. perennnis</i>	Tapegrass, American eelgrass; <i>Vallisneria americana</i>
Swamp rose; <i>Rosa palustris</i>	Taperleaf waterhorehound; <i>Lycopus rubellus</i>
Swamp rosemallow; <i>Hibiscus grandiflorus</i>	Tapertip cupgrass; <i>Eriochloa acuminata</i>
Swamp tupelo; <i>Nyssa sylvatica</i> var. <i>biflora</i>	Tapioca; <i>Manihot esculenta</i>
Swamp twinflower, Swamp snakeherb; <i>Dyschoriste humistrata</i>	Tarflower; <i>Bejaria racemosa</i>
Swampbush; <i>Pavonia paludicola</i>	Taro; <i>Alocasia odora</i>
Swampforest beaksedge; <i>Rhynchospora decurrens</i>	Tawnyberry holly, Krug's holly; <i>Ilex krugiana</i>
Swartz's snoutbean; <i>Rhynchosia swartzii</i>	Teal lovegrass; <i>Eragrostis hypnoides</i>
Sweet acacia; <i>Acacia farnesiana</i>	Tearshrub; <i>Vallesia antillana</i>
Sweet basil; <i>Ocimum basilicum</i>	Tenangle pipewort; <i>Eriocaulon decangulare</i>
Sweet everlasting, Rabbit tobacco; <i>Pseudognaphalium obtusifolium</i>	Tender lovegrass; <i>Eragrostis scaligera</i>
Sweet shaggytuft; <i>Stenandrium dulce</i>	Tenlobe false foxglove; <i>Agalinis obtusifolia</i>
Sweet tanglehead; <i>Heteropogon melanocarpus</i>	Teosinte; <i>Zea mays</i> subsp. <i>Mexicana</i> , <i>Z. mays</i> subsp. <i>parviflora</i>
Sweetbay; <i>Magnolia virginiana</i>	Texas ladiestresses, Small ladiestresses; <i>Spiranthes brevilabris</i>
Sweetbroom, Licoriceweed; <i>Scoparia dulcis</i>	Texas madeiravine; <i>Anredera vesicaria</i>
Sweetgum; <i>Liquidambar styraciflua</i>	Texas signalgrass, Texas millet; <i>Urochloa texana</i>
Sweetpotato; <i>Ipomoea batatas</i>	Texas waxmallow; <i>Malvaviscus arboreus</i> var. <i>drummondii</i>
Sweetscent; <i>Pluchea odorata</i>	Tex-mex tobacco; <i>Nicotiana plumbaginifolia</i>
Sweetscented pigeonwings; <i>Clitoria fragrans</i>	Thalia lovegrass; <i>Eragrostis atrovirens</i>
Swiss-cheese plant, Cut-leaf philodendron; <i>Monstera deliciosa</i>	Thicket bean; <i>Phaseolus polystachios</i> , <i>P. polystachios</i> var. <i>singuensis</i>
Switchcane; <i>Arundinaria gigantea</i>	Thickleaf wild petunia; <i>Ruellia succulenta</i>
Switchgrass; <i>Panicum virgatum</i>	Thin paspalum; <i>Paspalum setaceum</i>
Sword fern, Wild Boston fern; <i>Nephrolepis exaltata</i>	Threadleaf arrowhead; <i>Sagittaria filiformis</i>
Tabasco pepper; <i>Capsicum frutescens</i>	Threadleaf beaksedge; <i>Rhynchospora filifolia</i>
Tahitian bridalveil; <i>Gibasis pellucida</i>	Threadleaf false foxglove; <i>Agalinis setacea</i>
Tahitian gooseberry tree; <i>Phyllanthus acidus</i>	Three seed mercury; <i>Acalypha arvensis</i>
Tailed brackled; <i>Pteridium aquilinum</i> var. <i>pseudocaudatum</i>	
Tailed maidenhair; <i>Adiantum caudatum</i>	

Threebirds, Threebirds orchid; <i>Triphora trianthophoros</i>	Tropical soda apple; <i>Solanum viarum</i>
Threeflower ticktrefoil; <i>Desmodium triflorum</i>	Tropical sprangletop; <i>Leptochloa virginata</i>
Threelobe false mallow; <i>Malvastrum coromandelianum</i>	Tropical waterhyssop; <i>Bacopa innominata</i>
Threesquare bulrush; <i>Scirpus pungens</i>	Tropical Whiteweed; <i>Ageratum conyzoides</i>
Threeway sedge, Sheathed galingale; <i>Dulichium arundinaceum</i>	True indigo; <i>Indigofera tinctoria</i>
Thymeleaf pinweed; <i>Lechea minor</i>	Trumpet creeper; <i>Campsis radicans</i>
Ticklegrass, Spring bentgrass; <i>Agrostis hyemalis</i>	Trumpet tree; <i>Cecropia palmata</i>
Tietongue, Pigeon plum; <i>Coccoloba diversifolia</i>	Tuberous grasspink; <i>Calopogon tuberosus</i>
Tievine; <i>Ipomoea cordatotriloba</i>	Tuberous sword fern; <i>Nephrolepis cordifolia</i>
Timothy; <i>Phleum pratense</i>	Turkey oak; <i>Quercus laevis</i>
Tiny orchid; <i>Lepanthopsis melanantha</i>	Turkey tangle fogfruit, Capeweedy; <i>Phyla nodiflora</i>
Titi; <i>Cyrilla racemiflora</i>	Turkeyberry; <i>Solanum torvum</i>
Tongueshaped bogmat; <i>Wolfiella lingulata</i>	Turk's turban, Skyrocket; <i>Clerodendrum indicum</i>
Toothachegrass; <i>Ctenium aromaticum</i>	Turtlegrass; <i>Thalassia testudinum</i>
Toothed lattice-vein fern, Dentate lattice-vein fern; <i>Thelypteris serrata</i>	Twinberry, Simpson's stopper; <i>Myrcianthes fragrans</i>
Toothed midsorus fern, Swamp fern; <i>Blechnum serrulatum</i>	Twining screwstem; <i>Bartonia paniculata</i>
Toothed spleenwort, Slender spleenwort; <i>Asplenium dentatum</i>	Twining soldierbush; <i>Tournefortia volubilis</i>
Toothpetal false reinorchid, Mognonette orchid; <i>Habenaria floribunda</i>	Twisted airplant, Banded airplant; <i>Tillandsia flexuosa</i>
Torell's eucalyptus, Cadaga; <i>Eucalyptus torelliana</i>	Twistedleaf goldenrod; <i>Solidago tortifolia</i>
Torpedograss; <i>Panicum repens</i>	Two-keeled hooded orchid, Helmet orchid; <i>Galeandra bicarinata</i>
Tough bully; <i>Sideroxylon tenax</i>	Twoleaf nightshade; <i>Solanum diphylum</i>
Tracy's beaksedge; <i>Rhynchospora tracyi</i>	Twoleaf watermilfoil; <i>Myriophyllum heterophyllum</i>
Tracy's bluestem; <i>Andropogon tracyi</i>	Twolobe passionflower; <i>Passiflora biflora</i>
Trailing indigo; <i>Indigofera spicata</i>	Twospike crabgrass, Florida pineland crabgrass; <i>Digitaria pauciflora</i>
Trailing milkvine, Sandhill spiny pod; <i>Matelea pubiflora</i>	Twospike fingergrass; <i>Eustachys floridana</i>
Trailing shrubverbena; <i>Lantana montevidensis</i>	Uas; <i>Harpullia arborea</i>
Tread-softly, Finger-rot; <i>Cnidoscolus stimulosus</i>	Umbrella plant; <i>Cyperus involucratus</i>
Treat's zephyrlily, Treat's rainlily; <i>Zephyranthes atamasca var. treatiae</i>	Umbrella star orchid, Umbellied epidendrum; <i>Epidendrum floridense</i>
Tree seaside oxeye; <i>Borreria arborescens</i>	Unicornplant, Common devil's claw; <i>Proboscidea louisianica</i>
Triangle cactus, Dildoe cactus, Barbed-wire cactus; <i>Acanthocereus tetragonus</i>	Upland cotton, Wild cotton; <i>Gossypium hirsutum</i>
Trompetilla; <i>Hymenachne amplexicaulis</i>	Upright burrhead; <i>Echinodorus berteroii</i>
Tropical amaranth; <i>Amaranthus polygonoides</i>	Valamuerto; <i>Senna pendula</i> var. <i>glabrata</i>
Tropical bushmint; <i>Hyptis mutabilis</i>	Valdivia duckweed; <i>Lemna valdiviana</i>
Tropical carpetgrass, Broadleaf carpetgrass; <i>Axonopus compressus</i>	Valley redstem, Scarlet ammannia; <i>Ammannia coccinea</i>
Tropical dock; <i>Rumex obovatus</i>	Vanillaleaf; <i>Carphephorus odoratissimus</i>
Tropical dropseed; <i>Sporobolus tenuissimus</i>	Variable flatsedge; <i>Cyperus difformis</i>
Tropical flatsedge; <i>Cyperus surinamensis</i>	Variable witchgrass; <i>Dichanthelium commutatum</i>
Tropical girdlepod; <i>Mitracarpus hirtus</i>	Variegated orchid, Angelita, Dancinglady orchid; <i>Tolumnia bahamensis</i>
Tropical Mexican clover; <i>Richardia brasiliensis</i>	Varnishleaf, Florida hopbush; <i>Dodonaea viscosa</i>
Tropical paspalum; <i>Paspalum pleostachyum</i>	Vaseygrass; <i>Paspalum urvillei</i>
Tropical puff; <i>Neptunia pubescens</i>	Vegetable fern; <i>Diplazium esculentum</i>
Tropical royalblue waterlily; <i>Nymphaea elegans</i>	Vegetable sponge, Loogah; <i>Luffa aegyptiaca</i>
Tropical sage, Blood sage; <i>Salvia coccinea</i>	Velvetleaf milkweed; <i>Asclepias tomentosa</i>
Tropical signalgrass; <i>Urochloa distachya</i>	Velvetleaf ticktrefoil; <i>Desmodium viridiflorum</i>
	Velvetleaf, Butterprint; <i>Abutilon theophrasti</i>

Velvetplant; <i>Gynura aurantiaca</i>	Water-lettuce; <i>Pistia stratiotes</i>
Vente conmigo; <i>Croton glandulosus</i> , <i>C. glandulosus</i> var. <i>floridanus</i>	Waterlily; <i>Nymphaea x daubenyana</i>
Venus'-hair fern, Southern maidenhair, Common maidenhair; <i>Adiantum capillus-veneris</i>	Watermelon, Citron; <i>Citrullus lanatus</i>
Veracruz pepper; <i>Piper auritum</i>	Water-poppy; <i>Hydrocleys nymphoides</i>
Verdolaga-francesa; <i>Talinum fruticosum</i>	Watershield; <i>Brasenia schreberi</i>
Vine spike-moss; <i>Selaginella willdenowii</i>	Waterspider false reinorchid; <i>Habenaria repens</i>
Violet crabgrass; <i>Digitaria violascens</i>	Watersprite; <i>Ceratopteris thalictroides</i>
Viperna; <i>Zornia bracteata</i>	Waterthread pondweed; <i>Potamogeton diversifolius</i>
Virginia bunchflower; <i>Veratrum virginicum</i>	Waterthyme, Hydrilla; <i>Hydrilla verticillata</i>
Virginia buttonweed; <i>Diodia virginiana</i>	Wavyleaf aster; <i>Symphyotrichum undulatum</i>
Virginia chain fern; <i>Woodwardia virginica</i>	Wavyleaf noseburn; <i>Tragia urens</i>
Virginia creeper, Woodbine; <i>Parthenocissus quinquefolia</i>	Wax begonia, Club begonia; <i>Begonia cucullata</i>
Virginia Dwarfandelion; <i>Krigia virginica</i>	Wedge sandmat, Rockland spurge; <i>Chamaesyce deltoidea</i>
Virginia iris; <i>Iris virginica</i>	Wedgeleaf eryngo, Scrub eryngium; <i>Eryngium cuneifolium</i>
Virginia marsh St. John's-wort; <i>Triadenum virginicum</i>	Wedgelet fern; <i>Odontosoria clavata</i>
Virginia pepperwood; <i>Lepidium virginicum</i>	Weeping fig; <i>Ficus benjamina</i>
Virginia plantain, Southrn plantain; <i>Plantago virginica</i>	Weeping fingergrass; <i>Eustachys distichophylla</i>
Virginia saltmarsh mallow; <i>Kosteletzky virginica</i>	Weeping lovegrass; <i>Eragrostis curvula</i>
Virginia snakeroot; <i>Aristolochia serpentaria</i>	West coast dune sunflower; <i>Helianthus debilis</i> subsp. <i>vestitus</i>
Virginia willow, Virginia sweetspire; <i>Itea virginica</i>	West Indian almond; <i>Terminalia catappa</i>
Virginsbower; <i>Clematis virginiana</i>	West Indian bristlegrass; <i>Setaria setosa</i>
Viviparous spikerush; <i>Eleocharis vivipara</i>	West Indian cherry; <i>Prunus myrtifolia</i>
Walter's aster; <i>Symphyotrichum walteri</i>	West Indian cock's comb; <i>Celosia nitida</i>
Walter's groundcherry; <i>Physalis walteri</i>	West Indian dropseed; <i>Sporobolus indicus</i> var. <i>pyramidalis</i>
Walter's sedge; <i>Carex striata</i>	West Indian false boxwood; <i>Gyminda latifolia</i>
Walter's viburnum, Small-leaf viburnum; <i>Viburnum obovatum</i>	West Indian laurel fig; <i>Ficus americana</i>
Wand goldenrod; <i>Solidago stricta</i>	West Indian mahogany; <i>Swietenia mahagoni</i>
Wand loosestrife; <i>Lythrum lineare</i>	West Indian meadowbeauty; <i>Rhexia cubensis</i>
Wand mullein; <i>Verbascum virgatum</i>	West Indian pennisetum, Missiongrass; <i>Pennisetum polystachyon</i>
Wandering-jew, Inchplant; <i>Tradescantia zebrina</i>	West Indian pinkroot; <i>Spigelia anthelmia</i>
Ware's hairsedge; <i>Bulbostylis warei</i>	West Indian rattlebox; <i>Crotalaria trichotoma</i>
Warty panicgrass; <i>Panicum verrucosum</i>	West Indian sage; <i>Salvia occidentalis</i>
Warty sedge; <i>Carex verrucosa</i>	West Indian tufted airplant, Fuchs' bromeliad; <i>Guzmania monostachia</i>
Washington fan palm; <i>Washingtonia robusta</i>	West Indian vanilla; <i>Vanilla pompona</i>
Water cowbane; <i>Oxypolis filiformis</i>	West Indian woodnettle; <i>Laporteaa aestuans</i>
Water hickory; <i>Carya aquatica</i>	Western tansymustard; <i>Descurainia pinnata</i>
Water horn fern; <i>Ceratopteris pteridoides</i>	Whisk-fern; <i>Psilotum nudum</i>
Water locust; <i>Gleditsia aquatica</i>	White alling; <i>Bontia daphnoides</i>
Water oak; <i>Quercus nigra</i>	White arrow arum, Spoonflower; <i>Peltandra sagittifolia</i>
Water paspalum; <i>Paspalum repens</i>	White cedar; <i>Tabebuia heterophylla</i>
Water pimpernel, Limewater brookweed; <i>Samolus ebracteatus</i>	White clover, Dutch clover; <i>Trifolium repens</i>
Water snowflake; <i>Nymphoides indica</i>	White crownbeard, Frostweed; <i>Verbesina virginica</i>
Water spangles; <i>Salvinia minima</i>	White cypress-pine; <i>Callitris glaucophylla</i>
Water sundew, Spoonleaf sundew; <i>Drosera intermedia</i>	White Egyptian lotus; <i>Nymphaea lotus</i>
Water toothleaf, Corkwood; <i>Stillingia aquatica</i>	White fenrose, White fen; <i>Kosteletzky depressa</i>
Water wattle; <i>Acacia retinodes</i>	
Watergrass; <i>Bulbostylis barbata</i>	

White foxglove; <i>Ceratotheca triloba</i>	Wild celery; <i>Apium graveolens</i>
White fringed orchid; <i>Platanthera blephariglottis</i> var. <i>conspicua</i>	Wild century plant; <i>Agave neglecta</i>
White fringetree, Old-man's beard; <i>Chionanthus virginicus</i>	Wild coco; <i>Eulophia alta</i>
White gingerlily; <i>Hedychium coronarium</i>	Wild coffee; <i>Psychotria nervosa</i>
White indigoberry; <i>Randia aculeata</i>	Wild dilly; <i>Manilkara jaimiqui</i> subsp. <i>emarginata</i>
White ironwood; <i>Hypelate trifoliata</i>	Wild lime, Lime pricklyash; <i>Zanthoxylum fagara</i>
White leadtree; <i>Leucaena leucocephala</i>	Wild okra; <i>Malachra alceifolia</i>
White lobelia; <i>Lobelia paludosa</i>	Wild olive, American devilwood; <i>Osmanthus americanus</i>
White mangrove; <i>Laguncularia racemosa</i>	Wild pea; <i>Vigna adenantha</i>
White milkweed; <i>Tabernaemontana alba</i>	Wild pennyroyal; <i>Piloblephis rigida</i>
White moneywort; <i>Alysicarpus vaginalis</i>	Wild radish; <i>Raphanus raphanistrum</i>
White mulberry; <i>Morus alba</i>	Wild red rice; <i>Oryza perennis</i>
White orchid tree; <i>Bauhinia aculeata</i>	Wild sisal; <i>Furcraea selloa</i>
White screwstem; <i>Bartonia verna</i>	Wild sweet basil, Wild mosquitoplant, <i>Ocimum</i> ; <i>Ocimum campechianum</i>
White spikerush; <i>Eleocharis albida</i>	Wild tantan; <i>Desmanthus virgatus</i>
White stopper; <i>Eugenia axillaris</i>	Wild taro, Dasheen, Coco yam; <i>Colocasia esculenta</i>
White sunbonnets; <i>Chaptalia albicans</i>	Wilkes' copperleaf; <i>Acalypha amentacea</i> subsp. <i>wilkesiana</i>
White sunnybell; <i>Schoenolirion albiflorum</i>	Willow bustic, White bully; <i>Sideroxylon salicifolium</i>
White sweetclover; <i>Melilotus albus</i>	Willow-herb, Swamp loosestrife; <i>Decodon verticillatus</i>
White twinvine; <i>Sarcostemma clausum</i>	Winged loosestrife; <i>Lythrum alatum</i> var. <i>lanceolatum</i>
White yam; <i>Dioscorea alata</i>	Winged paspalum, Panama crownglass; <i>Paspalum fimbriatum</i>
Whiteflower passionflower, White-flowered passionvine; <i>Passiflora multiflora</i>	Winged peperomia; <i>Peperomia alata</i>
Whitegrass; <i>Leersia virginica</i>	Winged primrosewillow; <i>Ludwigia alata</i>
Whitehead bogbutton; <i>Lachnocaulon anceps</i>	Winged sumac; <i>Rhus copallina</i>
Whitejacket; <i>Aniseia martinicensis</i>	Wingleaf primrosewillow; <i>Ludwigia decurrens</i>
Whitelady; <i>Thunbergia fragrans</i>	Wire bluestem; <i>Schizachyrium gracile</i>
Whitemouth dayflower; <i>Commelina erecta</i>	Wire grass; <i>Aristida stricta</i> var. <i>beyrichiana</i>
Whitestar; <i>Ipomoea lacunosa</i>	Wiry flatsedge; <i>Cyperus filiculmis</i>
Whitetassels; <i>Dalea carnea</i> , <i>D. carnea</i> var. <i>albida</i>	Woman's tongue; <i>Albizia lebbeck</i>
Whitetop aster, Dixie aster; <i>Sericocarpus tortifolius</i>	Wonderbean, Jackbean; <i>Canavalia ensiformis</i>
Whitetop aster, Pinebarren aster; <i>Oclemena reticulata</i>	Wondering cowpea; <i>Vigna speciosa</i>
Whitewood, Milkbark; <i>Drypetes diversifolia</i>	Wood orange, Natal orange; <i>Strychnos spinosa</i>
Whitewoolly twintip; <i>Stemodia durantifolia</i>	Woodland false buttonweed; <i>Spermacoce assurgens</i>
Whorled dropseed; <i>Sporobolus pyramidatus</i>	Woodland lettuce; <i>Lactuca floridana</i>
Whorled marshpennywort; <i>Hydrocotyle verticillata</i> , <i>H. verticillata</i> var. <i>triradiata</i>	Woodrush flatsedge; <i>Cyperus entrerianus</i>
Whorled milkweed; <i>Asclepias verticillata</i>	Woodsage, Canadian germander; <i>Teucrium canadense</i>
Whorled milkwort; <i>Polygala verticillata</i> var. <i>isocyclus</i>	Woodsgrass, Basketgrass; <i>Oplismenus hirtellus</i>
Wideleaf pinelandcress, Clasping warea; <i>Warea amplexifolia</i>	Woolflower; <i>Celosia trigyna</i>
Widespread maiden fern, Souther shield fern; <i>Thelypteris kunthii</i>	Woolgrass; <i>Scirpus cyperinus</i>
Widespread polypody; <i>Pecluma dispersa</i>	Woolly maidenhair; <i>Adiantum villosum</i>
Wigeongrass; <i>Ruppia maritima</i>	Woolly morning-glory, Elephant creeper; <i>Argyreia nervosa</i>
Wild allamanda, Hammock viperstail; <i>Pentalinon luteum</i>	Woolly pawpaw, Polecat bush; <i>Asimina incana</i>
Wild banyan tree; <i>Ficus citrifolia</i>	Woolly pyramidflower, Teabush, Broomwood; <i>Melochia tomentosa</i>
Wild birdnest fern, Bird's-nest spleenwort; <i>Asplenium serratum</i>	
Wild bushbean; <i>Macroptilium lathyroides</i>	

Woolly sunbonnets, Pineland daisy; <i>Chaptalia tomentosa</i>	Yellow mahoe; <i>Talipariti tiliaceum</i> var. <i>pernambucense</i>
Woolly witchgrass; <i>Dichanthelium scabriusculum</i>	Yellow milkwort; <i>Polygala rugelii</i>
Wormseed wallflower; <i>Erysimum cheiranthoides</i>	Yellow necklacepod; <i>Sophora tomentosa</i> var. <i>occidentalis</i> ,
Wormvine orchid; <i>Vanilla barbellata</i>	<i>S. tomentosa</i> var. <i>truncata</i>
Wright's beaksedge; <i>Rhynchospora wrightiana</i>	Yellow nicker; <i>Caesalpinia crista</i>
Wright's nutrush; <i>Scleria lacustris</i>	Yellow nutgrass, Chufa flatsedge; <i>Cyperus esculentus</i>
Wright's pineland fern, Parsley fern; <i>Anemia wrightii</i>	Yellow poinciana; <i>Peltophorum pterocarpum</i>
Wright's plantain; <i>Plantago wrightiana</i>	Yellow screwstem; <i>Bartonia virginica</i>
Wright's waternymph; <i>Najas wrightiana</i>	Yellow spikerush, Pale spikerush; <i>Eleocharis</i> <i>flavescens</i>
Wrinkled jointtailgrass; <i>Coelochachis rugosa</i>	Yellow waterlily; <i>Nymphaea mexicana</i>
Yam bean; <i>Pachyrhizus erosus</i>	Yellow zephyrlily; <i>Zephyranthes citrina</i>
Yankeeeweed; <i>Eupatorium compositifolium</i>	Yellowseed false pimpernel; <i>Lindernia dubia</i> var. <i>anagallidea</i>
Yaupon; <i>Ilex vomitoria</i>	Yerba de jicotea; <i>Ludwigia erecta</i>
Yaupon blacksenna; <i>Seymeria cassioides</i>	Yerba de San Juan; <i>Pectis humifusa</i>
Yellow alder, Ramgoat dashalong; <i>Turnera ulmifolia</i>	Yerba linda; <i>Peperomia rotundifolia</i>
Yellow aniseree, Star anise; <i>Illicium parviflorum</i>	Young palm orchid; <i>Tropidia polystachya</i>
Yellow bristlegrass, Knotroot foxtail; <i>Setaria parviflora</i>	Yucatan sage; <i>Salvia micrantha</i>
Yellow bristlegrass, Yellow foxtail; <i>Setaria pumila</i>	Yunnan bauhinia; <i>Bauhinia yunnanensis</i>
Yellow butterwort, Yellow-flowered butterwort; <i>Pinguicula</i> <i>lutea</i>	Zanzibar yam; <i>Dioscorea sansibarensis</i>
Yellow colicroot; <i>Aletris lutea</i>	Zarzabacoa comun; <i>Desmodium incanum</i>
Yellow elder, Yellow trumpetbush; <i>Tecoma stans</i>	Zigzag bladderwort; <i>Utricularia subulata</i>
Yellow flatsedge; <i>Cyperus flavescens</i>	
Yellow fringed orchid; <i>Platanthera ciliaris</i>	
Yellow hatpins; <i>Syngonanthus flavidulus</i>	
Yellow jessamine, Carolina jessamine; <i>Gelsemium</i> <i>sempervirens</i>	
Yellow joyweed; <i>Alternanthera flavescens</i>	

Sources/Methods:

Plant names and location data used here are adapted from Atlas of Florida Vascular Plants by Wunderlin and Hansen, 2003. The Atlas contains all known indigenous vascular plants and exotic plants introduced and reproducing outside of cultivation within Florida. Taxa incorporated are based on specimen collections within a herbarium.

Wunderlin, R. P., and B. F. Hansen. 2003. Atlas of Florida Vascular Plants (<http://www.plantatlas.usf.edu/>). [S. M. Landry and K. N. Campbell (application development), Florida Center for Community Design and Research.] Institute for Systematic Botany, University of South Florida, Tampa.